



NUNC COGNOSCO EX PARTE



THOMAS J. BATA LIBRARY
TRENT UNIVERSITY



Digitized by the Internet Archive
in 2019 with funding from
Kahle/Austin Foundation



1. The Heart.
2. The Left Lung.
3. The Right Lung.
4. The Diaphragm.
5. The Liver.

6. The Stomach.
7. The Transverse Colon.
8. The Small Intestines.
9. The Bladder.

PHYSIOLOGY AND HYGIENE.

WITH SPECIAL REFERENCE TO

Alcohol, Tobacco, and other Narcotics.

BY

CHARLES K. MILLS, A.M., M.D.,


FELLOW OF THE COLLEGE OF PHYSICIANS OF PHILADELPHIA; LECTURER ON
MENTAL DISEASES AND ELECTRO-THERAPEUTICS IN THE UNIVERSITY
OF PENNSYLVANIA, ETC.

REVISED EDITION.



PHILADELPHIA AND NEW YORK
HINDS, NOBLE & ELDREDGE

2736 .71655



Entered, according to Act of Congress, in the year 1882, by
ELDREDGE & BROTHER,
In the Office of the Librarian of Congress, at Washington.

REVISED EDITION. Copyright, 1904.

LATEST EDITION. Published 1914.



THE object of this book is to present concisely, clearly, and in logical order the most important elementary facts in Physiology and Hygiene. Sufficient anatomy has been given to render the physiology intelligible.

As far as possible, technical language has been avoided. The author has aimed to make each paragraph complete in itself, embracing a definite subject.

The paragraphs treating of "Alcohol, Tobacco, and other Narcotics," will be found in strict accord with the teachings of science.

The "Questions for Review," it is believed, will be found useful not only in the regular course of instruction, but also for examination purposes.

C. K. M.



CHAPTER I.

	PAGE
<i>Introduction</i>	15
Physiology, 15. Anatomy, 16. Hygiene, 16. Tissues and Organs, 16. Divisions of the Body, 17. Cavities of the Body, 17. Coverings of the Body, 19. The Lining Skin, 20. Glands, 20. Connective Tissue and Fat, 20. Functions of the Various Organs, 21. Stimulants and Narcotics, 21. Derivation of the Word "Alcohol," 22. Fermentation and Distillation, 22. Alcoholic Beverages, 23. Uses of Alcohol in Science and Medicine, 24. Medical Conclusions about Alcohol, 24. Alcohol in Relation to Cold and Heat, 25. Poisonous Action of Alcohol, 26. Early Symptoms of the Injurious Effects of Alcohol, 26. Some Special Forms of Alcohol Poisoning, 26. Alcohol and Insanity, 27. Effect of Alcohol on Dogs, 28. Hereditary Diseases Produced by Alcohol, 28. Vice and Crime the Result of Alcohol, 28. Inebriates Succumb Quickly to Acute Diseases, 28. Alcohol Shortens Life, 29. History of the Use of Tobacco, 29. Derivation of the Word "Tobacco," 30. Composition of Tobacco Smoke, 30. Effects of the Different Constituents of Tobacco, 30. General Physiological Effect of the Use of Tobacco, 30. Evil Effects of Tobacco on the Young, 30. Absinthe, 31. Indian Hemp, Opium, and Chloral, 31. One Drug Habit Leads to Another, 32.	

CHAPTER II.

<i>The Bones</i>	PAGE 36
--------------------------	------------

The Skeleton, 36. Number of Bones in the Skeleton, 36. Structure of Bone, 36. Composition of Bone, 38. The Backbone, 38. General Facts about the Bones, 39. Movements of the Spine, 42. Movements of the Head, 42. Uses of the Bones, 42. One-sided Development, 43. Diseases of the Bones, 43. Softness of the Bones in Early Life, 44. Brittleness of the Bones in Old Age, 44. Broken Bones, 44.

CHAPTER III.

<i>The Joints</i>	47
---------------------------	----

A Joint, 47. The Joint-Juice, or Synovial Fluid, 47. Im-movable Joints, 47. Movable Joints, 48. Ligaments of the Joints, 48. Pressure of the Air upon the Joints, 49. Unusual Motion in Joints, 50. Uses of the Joints, 50. Injuries of the Joints, 51.

CHAPTER IV.

<i>Muscles and Movements</i>	53
--------------------------------------	----

Motion, 53. The Machinery of the Body, 53. Movements of the Limbs, 54. Muscle, and the Muscles of the Body, 54. The Names of the Muscles, 56. The Different Parts of a Muscle, 56. The Tendon of Achilles, 56. The Structure of Muscle, 57. Contraction of Muscles, 57. The Bi-ceps Muscle, 57. Levers, 58. Levers of the Third Order in the Limbs, 59. Action of the Muscles in general, 59. Effect of Alcohol on the Muscular System, 59.

CHAPTER V.

<i>Muscular Exercise</i>	62
----------------------------------	----

Exercise, 62. Muscular Exercise and Muscular Contractility, 62. Effect of Exercise on Muscle, 63. Effect of Ex-

ercise on the Bones, 63. Effect of Exercise on Various Tissues and Organs, 63. Results of Systematic Exercise, 64. Deformities Prevented or Corrected by Exercise, 65. Fitness, Variety, and Moderation in Exercise, 65. Time for Exercise, 66. A Sound Mind in a Sound Body, 66. Physical Endurance not Increased by Alcohol, 66.

CHAPTER VI.

Modes of Exercise 69

Physical Educational Exercise, 69. Systematic Exercises without Apparatus, 69. Movements to Promote general Suppleness, 70. Gymnastic Apparatus, 72. How to Sit and Stand, 73. Out-door Exercises, 73. Walking, 73. Running, 74. Swimming and Bathing, 74. Rowing, 74. Riding, 75. Development of Both Sides of the Body by Exercise, 75. Open-air Games or Recreative Exercises, 76.

CHAPTER VII.

The Nervous System 79

Regulation of the Machinery of the Body, 79. The Parts of the Nervous System, 80. Gray and White Matter of the Nervous System, 80. Divisions of the Brain, 80. Membranes of the Brain, 81. Functions of the Brain, 82. The Spinal Cord, 83. The Nerves, 83. The Cranial Nerves, or Nerves of the Brain, 85. The Spinal Nerves, 86. The In-coming and Out-going Nerves, 86. Sensory and Motor Nerves, 87. Reflex Action of the Spinal Cord and Brain, 87. The Sympathetic System of Nerves, 88. Physiology of the Sympathetic System of Nerves, 88. Effect of Alcohol on the Brain and its Membranes, 89. Different Stages in the Action of Alcohol on the Nervous System, 90. Nervous Derangements Produced by Alcohol, 91. Effect of Tobacco on the Nervous System, 91.

CHAPTER VIII.

Sensation and the Special Senses . . . 95

PAGE

Sensation, 95. The Five Special Senses, 96. Feeling, or Touch, 96. The Media, or Clear Parts of the Eye, 96. The Coats or Coverings of the Eye, 98. The Nerve of Sight, 98. The Bending of Light in the Eye, 99. Pictures on the Retina, 99. The Process of Seeing, 100. The Organ of Hearing, 101. The Nerve of Hearing, 102. The Process of Hearing, 102. Taste, 103. Smell, 103. Effect of Alcohol on the Eye, 104. Effect of Tobacco on Sight and Hearing, 104. Effect of Tobacco on the Lips, Tongue, and Teeth, 105.

CHAPTER IX.

Care of the Nervous System and Sense Organs 108

Importance of Caring for the Nervous System, 108. Exercise of the Brain, 108. Causes of Disease of the Brain and Nervous System, 109. Paralysis, 109. Sleep, 110. Defects of Sight, 111. How to Preserve Good Sight, 111. Color-Blindness, 112. Care of the Ears, 112. Cultivation of the Senses, 113. Sleep Produced by Alcohol and other Narcotics, 113.

CHAPTER X.

The Blood . . . 117

What Blood Is, 117. Quantity of Blood in the Living Body, 117. Composition of the Blood, 118. The Red Corpuscles, 118. The White Corpuscles, 119. Clotting, or Coagulation, 119. Clotting of Blood in the Living Body, 120. Composition of Serum, 120. Composition of Fibrin, 121. Water of the Blood, 121. Mineral Substances in the Blood, 122. Uses of the Blood, 122. Effect of Alcohol on the Blood and Blood-Vessels, 122.

CHAPTER XI.

The Circulation of the Blood . . . 126

PAGE

Machinery for Distributing the Blood, 126. The Heart, 126. Valves of the Heart, 127. Arteries, 128. The Veins, 130. The Capillaries, 130. Contractions of the Heart, 130. Description of the Course of the Circulation, 132. The Circulation through the Liver, 133. The Spleen, 133. How the Tissues are Supplied by the Blood, 133. Effect of Alcohol on the Heart, 133. Effect of Alcohol on the Liver, 134. Effect of Tobacco on the Heart, 134.

CHAPTER XII.

Food . . . 137

Why we Eat, 137. Food, 137. Digestion, 138. The Different Classes of Food-stuffs, 138. Remarks on the Different Kinds of Food, 139. Quantity of Food Required, 140. Cooking, 140. When and How to Eat, 141. Drinks, 141. Pure Water, 141. Alcohol not Food, 142. Alcohol and Food Contrasted, 142.

CHAPTER XIII.

Digestion . . . 144

The Organs of Digestion, 144. The Teeth, 144. What Takes Place in the Mouth, 146. Digestion in the Stomach, 147. Digestion in the Small Intestine, 148. Chyle, 149. Absorption, 149. Lacteals, 149. The Thoracic Duct, 150. Lymphatics, 150. Absorption directly into the Blood, 151. The Large Intestine, 151. Effect of Alcohol on Digestion and the Stomach, 151. Experiments with Alcohol and Gastric Juice, 152. Effect of Tobacco on the Digestive System, 153.

CHAPTER XIV.

	PAGE
<i>Breathing</i>	155

The Air we Breathe, 155. The Blood needs Oxygen, 155. The Chief Organs for Breathing, 156. The Part played by the Nose in Breathing, 157. The Windpipe, 157. The Voice-Box, 157. The Vocal Chords, 158. The Lid of the Larynx, 159. Bronchial Tubes and Air-Cells, 159. Inspiration and Expiration, 160. The Lungs and the Chest, 160. The Diaphragm, 160. Stationary Air and Tidal Air, 161. How the Oxygen of the Air gets into the Blood, 161. Oxidation, 162. Effect of Alcohol on the Lungs, 163. Effect of Tobacco on the Lungs, 163.

CHAPTER XV.

<i>The Air and Health</i>	166
-----------------------------------	-----

Pure Air and its Relation to Health, 166. How the Air is kept Pure in Nature, 166. How the Air may be rendered Unwholesome, 167. Amount of Fresh Air Required for Health, 168. Air Spoiled by One Man's Breath, 168. Excess of Carbonic Acid in the Air, 168. Deadly Effects of Carbonic Acid, 169. Terrible Results of Crowding, 170. Diseases of the Lungs and Air-passages, 170. Clothing with Reference to the Lungs and Breathing, 171.

CHAPTER XVI.

<i>Ventilation</i>	173
----------------------------	-----

Ventilation, 173. Objects to be Aimed at in Ventilation, 173. Natural Ventilation, 174. The Walls of Buildings Permeable to Air, 174. Artificial Ventilation, 175. Relation of Inlets to Outlets in Ventilating, 176. Temperature of the Air in Living Rooms, 176. Moisture of the Air in Living Rooms, 177. The Ventilation of School-rooms and Public Buildings, 177. The Ventilation of Bedrooms, 178.

CHAPTER XVII.

PAGE

Excretion, or Getting Rid of Waste Matters . 180

Wear and Waste, 180. Wasting and Destruction are not the Same, 180. The Principal Waste-products of the Body, 181. Waste Water, 181. Carbonic Acid, 182. Urea, 182. Excretion, 182. The Skin as an Organ of Excretion, 183. The Lungs as Organs of Excretion, 183. The Kidneys as Organs of Excretion, 184. Similarity of the Organs of Excretion, 184. Effect of Alcohol on the Kidneys, 185.

CHAPTER XVIII.

Hints on Hygiene, Accidents, and Poisons . 187

Rules of Simple Hygiene, 187. Asphyxia, 189. Apparent Drowning, 190. Asphyxia from Noxious Gases, 191. Heat-stroke or Heat-exhaustion, 192. Fainting, 192. Convulsions, 193. Burns or Scalds, 194. Sprains, 194. Foreign Bodies in the Eye, 194. Insects in the Ear, 195. Foreign Bodies in the Throat, 196. Foreign Bodies in the Nose, 196. Bleeding from the Nose, 196. Bleeding from Wounds, 197. Poisons in general, 198. Different Classes of Poisons, 199.

CHAPTER XIX.

Alcohol, Tobacco, and other Narcotics . 209

Stimulants and Narcotics, 209. Derivation of the word Alcohol, 210. Fermentation and Distillation, 210. Alcoholic Beverages, 211. Uses of Alcohol in Science and Medicine, 211. Medical Conclusions about Alcohol, 212. Alcohol in Relation to Cold and Heat, 213. Poisonous Action of Alcohol, 214. Early Symptoms of the Injurious Effects of Alcohol, 214. Some Special Forms of Alcoholic Poisoning, 214. Alcohol and Insanity, 215. Effect of Alcohol on the Muscular System, 216. Physical Endurance not Increased by Alcohol, 216. Effect of Alcohol on


CONTENTS.

xi

PAGE

the Brain, 217. Different Stages in the Action of Alcohol on the Nervous System, 217. Nervous Derangements Produced by Alcohol, 219. Effect of Alcohol on the Eye, 219. Sleep Produced by Alcohol and other Narcotics, 219. On the Blood, 220. On the Heart, 221. On the Liver, 221. Alcohol not Food, 222. Alcohol and Food Contrasted, 222. Effect of Alcohol on Digestion, 222. Experiments with Alcohol and Gastric Juice, 223. Effect of Alcohol on the Lungs, 224. On the Kidneys, 224. On Dogs, 224. Hereditary Diseases Produced by Alcohol, 225. Vice and Crime the Result of Alcohol, 225. Inebriates Quickly Succumb to Acute Diseases, 225. Alcohol Shortens Life, 226. History of the Use of Tobacco, 226. Derivation of the word Tobacco, 226. Composition of Tobacco Smoke, 227. Effects of the Different Constituents of Tobacco, 227. General Physiological Effect of the Use of Tobacco, 227. Evil Effects of Tobacco on the Young, 227. On the Nervous System, 228. On Sight and Hearing, 228. On the Lips, Tongue, and Teeth, 228. On the Heart, 229. On the Digestive System, 229. On the Lungs, 229. Absinthe, 229. Indian Hemp, Opium, and Chloral, 230. One Drug Habit Leads to Another, 231.

<i>Experiments and Demonstrations</i>	235
<i>Glossary</i>	247
<i>Index</i>	251




PUBLISHERS' NOTE.



IN previous editions of this book, the subjects of Alcohol, Tobacco, and other Narcotics, and their effects on the human system, were presented in a separate chapter. In some of the States the provisions of the laws enacted, require that in teaching Physiology and Hygiene, the effects of Alcohol, etc., shall be given "in each division of the subject so pursued." To meet this requirement, we have in the present edition presented the paragraphs relating to Alcohol, Tobacco, and other Narcotics, and their effects on the various organs, in connection with the physiology and hygiene of those organs. But, in consideration of the views of those teachers who prefer to have the whole subject presented in a single chapter, and to prevent confusion in schools that have introduced previous editions of the book, we have in the final chapter brought together the various paragraphs treating of Alcohol, etc., and present them in logical, methodical order, arranged for a general review of the subject.

LIST OF ILLUSTRATIONS.

FIG.	PAGE
1. CAVITIES OF THE BODY.	17
2. ORGANS OF THE CHEST AND ABDOMEN.	18
3. THE HUMAN SKELETON.	37
4. A SECTION OF A BONE.	38
5. THE SPINAL COLUMN.	39
6. A VERTEBRA.	39
7. THE SKULL.	40
8. BONES OF THE ARM.	41
9. BONES OF THE FORE-ARM.	41
10. BONES OF THE WRIST AND HAND.	41
11. THE BONES OF THE FOOT.	41
12. THE ELBOW-JOINT.	48
13. SECTION OF THE HIP-JOINT.	49
14. PRINCIPAL MUSCLES OF THE FRONT OF THE BODY.	55
15. MUSCLE SLIGHTLY MAGNIFIED.	57
16. LEVER OF THE FIRST ORDER.	58
17. LEVER OF THE SECOND ORDER.	58
18. LEVER OF THE THIRD ORDER.	58
19. LEVER OF THE THIRD ORDER IN THE LIMBS.	59
20. CALISTHENIC EXERCISE.	70
21. DUMB-BELL.	72
22. INDIAN CLUB.	72
23. VIEW OF THE LEFT HALF OF THE BRAIN.	81
24. A BACK VIEW OF THE BRAIN, AND OF THE SPINAL CORD AND ITS BRANCHES.	84
25. THE BASE OF THE BRAIN.	85
26. A SECTION OF THE SPINAL CORD.	86
27. SECTION OF THE EYEBALL.	97
28. VIEW OF THE EAR.	101
29. RED AND WHITE CORPUSCLES OF THE BLOOD MAGNIFIED.	118
30. THE HEART AND LARGE BLOOD-VESSELS.	127
31. CHEST, SHOWING THE HEART, LUNGS, AND LARGE BLOOD-VESSELS.	128
32. THE AORTA AND ITS BRANCHES.	129
33. ARTERIES OF THE FORE-ARM.	130
34. THE ARTERIES OF THE HEAD AND FACE.	131
35. A VEIN OPENED SO AS TO SHOW THE VALVES IN PARTS.	132
36. THE STOMACH AND INTESTINES.	146
37. THE THORACIC DUCT AND LYMPHATICS.	149
38. THE LARYNX, TRACHEA, BRONCHI, AND LUNGS.	156
39. AIR-CELLS MAGNIFIED.	159
40. VERTICAL SECTION OF THE SKIN (HIGHLY MAGNIFIED).	183





PHYSIOLOGY AND HYGIENE.

CHAPTER I.

INTRODUCTION.

1. Physiology.—The term *Physiology* is derived from Greek words which mean *a story about nature*. Originally physiology included all kinds of natural study; but, as the word is now employed, it is the science which treats of the uses and actions of living objects. Human physiology is a study of what is done by and in the living human body. It is a study about ourselves, about the uses and actions of all parts of our bodies—head and trunk, hands and feet, brain and nerves, stomach, heart, and lungs. It teaches us about the movements of the body; about feeling, seeing, hearing, smelling, tasting, and thinking; about eating, breathing, keeping warm, growing, wasting, and dying. Animals and plants represent living nature. Minerals represent lifeless nature. Animals and plants are born, live, grow, and pass away according to certain laws, which differ from those regulating

the existence of minerals. They have parts with particular functions. A *function* is the special work which any part has to perform. Physiology is a study of these functions. Human physiology is a study of the functions of the human body.

2. Anatomy.—In order to understand physiology, we must have some knowledge of another science, called *Anatomy*, which may be defined as the study of the shapes of living things and of the parts of which they are made. The term *Anatomy* is made up from Greek words which mean *a cutting through*; and its real meaning is *dissection*, or the act of cutting an animal in pieces. Most of what is known about anatomy has been learned by dissection.

3. Hygiene.—When something has been learned of the formation of the body, and of its uses and actions, it is natural next to inquire how to care for it and keep it in health. We learn this by studying *Hygiene*, which is the science of health. The ancient Greeks believed in a goddess, or guardian angel, whom they called *Hygeia*, whose duty it was to watch over the health of the people. The term *Hygiene* is formed from the name of this goddess.

4. Tissues and Organs.—The word *tissue* means "that which is woven." The tissues of the body are its solid substances. These sometimes come together to form organs. An *organ* is a part of the body which has a special work or function. The body is made up of many tissues and organs. These tissues and organs are composed of minute bodies called *cells*. These

cells are too small to be seen with the naked eye, but they have been well studied with the microscope. It takes many thousands of them to occupy the space of a square inch. They may be roughly compared to minute bladders. Each cell has the power of taking from the blood what it needs to build up its own kind of tissue.

5. Divisions of the Body.—The body, for the sake of convenient study, may be divided into the *head*, *trunk*, *neck*, and *limbs*. The head includes all above the neck. The trunk is the solid, heavy portion between the neck and the legs. The neck is the narrow cylinder between the head and the trunk. Although a small, it is a most important region, for through it pass great nerves and vessels, and also tubes for the passage of air and food. The limbs are the two arms and the two legs, the upper and the lower extremities. Each upper extremity is divided into the *arm*, *forearm*, and *hand*; each lower extremity into the *thigh*, *leg*, and *foot*.




Fig. 1.
Cavities of the Body.

6. Cavities of the Body.—In the head and trunk are cavities containing important organs. The bones of the upper back part of the head form the cavity of the *skull*, or *cranium*, in

which is lodged the brain. This cavity opens by a hole in its lower part into a long, narrow *spinal canal*, which runs down through the *back-bone*, or *spinal column*, and contains the spinal cord. In the lower front portion of the head is the *cavity of the face*, into which the nose and mouth open. The front of the trunk is divided by a great partition, called the *diaphragm*, into two large cavities; the upper of these is the *chest*, the lower is the *abdomen*. The chief organs in the chest are the *heart* and *lungs*. In




Fig. 2.—Organs of the Chest and Abdomen.

the abdomen are the *stomach*, *intestines*, *liver*, *kidneys*, and other organs. The organs contained in the larger cavities of the body are called *viscera*. These larger

cavities are represented in Figure 1. Some of the organs of the chest and abdomen are represented in Figure 2.

7. Coverings of the Body.—The chief covering of the body is the *skin*. It is composed of two layers. The outer layer is very thin, and is called the *epidermis*, which means “upon the skin.” It is so thin and fine that it is easily rubbed off. Most of it washes off when we take a thorough bath. It is constantly being shed in powder or scales; but new epidermis forms as fast as the old disappears. In some places, as on the soles of the feet, the epidermis becomes very thick. It contains neither nerves nor blood-vessels; hence, cutting it does not cause pain nor draw blood. The lower layer of the skin is named the *dermis*, or *true skin*. It is well supplied with nerves and blood-vessels, so that cutting it causes pain and bleeding. The *nails* and *hair* are sometimes termed the *appendages* of the skin, that is, they are something added but not absolutely necessary to the skin. The nails are epidermis which has become thick and horny. They are slowly but constantly growing. It has been calculated that a person dying in his eightieth year has changed his nails two hundred times at least. Nails grow by the addition of new matter to their under surface and roots. They protect the ends of the fingers and toes, and make the fingers more useful for seizing small objects. Even the hair, like the nails, is formed from the epidermis. The true skin sinks in, forming a depression, or *hair sac*, from which the hair grows.

8. The Lining Skin, or Mucous Membrane.—

When it gets near the mouth, the skin changes color, and we have the *red lips*. Looking into the mouth and down the throat, a red, moist surface is seen; we have the “red lane” as it is sometimes pleasantly called. This red, moist lining of the mouth, throat, and canals and cavities beyond, is *mucous membrane*. Any thin skin or film is a membrane, and this mucous membrane is in reality a continuation of the outside skin, so that

“There’s a skin without, and a skin within,
A covering skin, and a lining skin;
But the skin within is the skin without,
Doubled inwards, and carried completely throughout.”

The mucous membrane, or “lining skin,” is moister and redder than the “covering skin,” because its outer layer is much thinner than the epidermis, so that red blood-vessels shine through it. Moisture easily escapes from these vessels, and from *glands* which are found everywhere in the membrane.

9. Glands.—A *gland* is an organ which separates materials from the blood. The materials which are thus separated from the blood are called *secretions*. Glands of various sizes are found everywhere in the body. Sometimes glands are very simple in structure, consisting only of thin membranes and minute blood-vessels. Sometimes they are large and complicated organs.

10. Connective Tissue and Fat.—Widely diffused throughout the body is a substance called *connective tissue*, because it binds and connects together the

various organs. It is composed chiefly of whitish bands or cords. So completely does this tissue reach to all parts of the body, that if everything else could be dissected away, a model of the body, composed of it, would be left. In many places it takes the form of a loose web or network. Most of the fat of the body is lodged in the little spaces formed by this network. The organs are kept neatly in place, and the hollow and uneven places of the body are smoothed out by these two substances.

11. Functions of the Various Organs.—The brain and nervous system control and regulate the actions and processes of the body. The heart propels and distributes the blood to every organ and tissue. The lungs supply the blood with life-giving oxygen and rid it of poisonous matters. The stomach, intestines, and liver prepare the food to be taken into the blood. The kidneys and skin cast out impure waste products from the system.

ALCOHOL, TOBACCO, AND OTHER NARCOTICS.

12. Stimulants and Narcotics.—The word *stimulant* is derived from the Latin, *stimulus*, a “spur” or “goad.” A stimulant is a substance which has the power to excite or increase the force of the nervous system. The word *narcotic* is derived from a Greek verb, *narkon*, which means to “benumb” or “deaden.” A narcotic is a deadening agent which diminishes the activity of the nervous system; and *narcosis*, the condition which results from the use of narcotics, is

a more or less complete paralysis of the nervous system. Alcohol, tobacco, absinthe, opium, Indian hemp, and some other substances, are stimulants when used in small quantities, and narcotics in large quantities. Their abuse has brought terrible evils upon the human race. They have certain uses, but only physicians, and those who have a thorough scientific knowledge of their actions, are competent to say when and how they should be used. Their dangers are so real and numerous, and they are the cause of so much misery and misfortune, that every one should be familiar with their injurious and deadly properties.

13. Derivation of the Word Alcohol.—The word ALCOHOL is derived from the Arabic, *al-kaḥol*, which means “something very subtle.” It was used, originally, to designate a fine powder with which Eastern women were in the habit of staining their hair and eye-lids in order, as they thought, to add to their charms. The same name was given after a time to other subtle powders, and later by Europeans to the spirits of wine.

14. Fermentation and Distillation.—The term *fermentation* is applied to the peculiar change which sometimes takes place when moist animal or vegetable matter is exposed to the air at ordinary temperatures. Some forms of vegetable matter have an especial tendency to ferment. The juice of the apple is at first sweet, but after it has stood for a time it works, or ferments, and becomes “hard cider,” which has a sharp taste and contains alco-

hol. Alcohol can be obtained by fermentation not only from the juice of fruits, such as the apple, pear, peach, and grape, but also from seeds, grain, and other sources. The substances which yield alcohol contain sugar, and it is really from the fermentation of sugar that the alcohol is derived. By fermentation alcohol is formed, but when thus made it is often impure. *Distillation*, from the Latin *stillo*, meaning to "drop little by little," is a process of separating the pure alcohol from other substances.

15. Alcoholic Beverages.—Intoxicating liquors owe their specific intoxicating properties to alcohol. Wine is the fermented juice of the grape. Wines contain from seven to twenty per cent. of pure alcohol. Beer is made of malt, water, and hops. Ale, stout, lager, and porter are varieties of beer. The amount of alcohol contained in beer varies from four to ten per cent. Many beer drinkers seem to think that they are not taking alcohol, or not in quantities that can do any harm. Beer is harmful in proportion to the amount of it taken and because of the alcohol it contains. Hard cider is the fermented juice of apples and contains about five per cent. of alcohol. Whiskey is obtained by distilling grain or potatoes; gin, from fermented corn and juniper berries; rum, from the refuse of sugar and molasses; brandy, from the juice of the grape or other fruit. Whiskey, gin, rum, and brandy contain from fifty to sixty per cent. of alcohol. Alcohol is also the chief ingredient of the "bitters" and of many other "quack medicines" so largely used. They are alcoholic beverages in their most dangerous and insidious form.

16. Uses of Alcohol in Science and Medicine.

—Like many other substances which are poisonous and deadly when improperly employed, in its proper place alcohol has a field of great usefulness. The “spirit-lamp,” in which alcohol is the burning fluid, is one of the most useful of inventions. In burning, alcohol gives forth no smoke nor soot, and yet evolves considerable heat, hence the advantages of this lamp. Alcohol prevents organic substances from decay; hence, it is used by scientists to preserve specimens. It is also employed to harden specimens so that they can be cut into thin sections for microscopical examination. Ether, chloroform, and other most precious sleep-producing agents have been derived from alcohol. Spirit lotions, consisting of alcohol and water, are often useful in external swellings and wastings. When the system is much reduced, alcohol may be of service, but its use should be directed by physicians.

17. Medical Conclusions about Alcohol.—At the International Medical Congress which met in Philadelphia, in 1876, Dr. Ezra M. Hunt, of New Jersey, read a paper on alcohol. The chief conclusions of Dr. Hunt’s paper were as follows: 1. Alcohol is not shown to have any definite value as food. 2. Its use as a medicine is chiefly that of a stimulant, and it can often be substituted by something else. 3. The purity of alcoholic liquors is, in general, not as well assured as that of articles used for medicines should be. The American Medical Association, an assemblage of physicians from all parts of the United States, in 1883 adopted a series of resolutions, stat-

ing their conviction that "alcohol should be classed with other powerful drugs; that when prescribed medically, it should be done with conscientious caution and a sense of great responsibility; that used as a beverage it is productive of a large amount of physical and mental disease; that it entails diseased and enfeebled constitutions upon offspring, and is the cause of a large percentage of the crime and pauperism of our large cities and country."

18. Alcohol in Relation to Cold and Heat.—Alcoholic drinks are often taken in the winter with the idea that they assist nature in resisting cold, and in summer to counteract the effects of heat. The testimony of science is against the practice. Dr. Hayes, the Arctic explorer, not only did not use alcohol himself, but on one of his voyages would take no man accustomed to use it. An increase of temperature occurs at first after taking alcohol, but subsequently it rapidly decreases. Dr. Richardson placed alcohol and cold side by side in experiment, and determined that the great reduction of animal temperature is one of the most pressing causes in death from alcohol. According to Parkes, the greatest fatigues both in hot and cold climates have been best borne by men who use no alcohol. Sir John Hall, an English general, says that the healthiest army he ever served with had not a single drop of alcohol. Dr. Livingstone, the celebrated African explorer, in 1862, wrote that he had lived on the principle of total abstinence during more than twenty years. He said, further, "The most severe labors or privations may be under-

gone without alcoholic stimulants, because those of us who have endured the most had nothing else than water, and not always enough of that."

19. Poisonous Action of Alcohol.—That alcohol may and frequently does act as a poison has been repeatedly demonstrated. The word intoxication is derived from the Latin word, *toxicum*, which means a "poison." *Toxicum* is itself derived from a Greek word meaning a bow or an arrow, it being the custom of the barbarians to poison the latter. Strong alcohol when taken in large quantities will produce narcosis and death. Alcohol, absinthe, opium, etc., are not only injurious in themselves, but used once the appetite for them grows. Used in small quantities at first, after a time larger quantities become necessary to produce the same effects. They lead their victims on and on to ruin.

20. Early Symptoms of the Injurious Effects of Alcohol.—Frequent headaches, sleepless hours, unpleasant dreams, morbid feelings, and a sense of languor and depression are some of the symptoms present in the case of the drinker who first begins to use alcohol to excess. The work of physical deterioration thus indicated is accompanied by a gradual weakening of the will, causing disastrous results.

21. Some Special Forms of Alcohol Poisoning.—Alcohol causes *drunkenness* or *intoxication*, sudden *alcoholic coma*, *mania a potu*, and *delirium tremens*. The drunkard, with his foul breath, his noisy tongue, his foolish or dangerous acts, his bloated face, and reeling gait, is in many communities an every-day warning

to young and old of the sad effects of drink. *Coma* is a profound state of unconsciousness. When a large amount of alcohol is taken in a short time, the person will sometimes drop down instantly, and will be found unconscious and insensible, cold to the touch, blue in the face, covered with sweat, breathing heavily, and with a feeble, frequent pulse, and sometimes convulsed. Many such patients die. *Mania a potu*, or mania from drink, is a form of wild excitement and fury which comes on suddenly as the direct result of alcoholic excess. *Delirium tremens* is the result of the excessive use of alcohol, or of suddenly stopping its use after it has been taken for a long time to excess. The disease begins with restlessness, sleeplessness, tremor, and depression of spirits, and often with disturbances of the pulse, heart, and stomach. Later the patient mutters to himself, talks wildly, or screams with fright. He imagines that he sees about him fiends, snakes, rats, or frightful monsters. He hears terrible voices. He is pursued by foes. Completely exhausted, he dies, or recovers only after a severe illness.

22. Alcohol and Insanity.—The long-continued use of alcohol may give rise to various chronic forms of insanity. *Dementia*, or great mental enfeeblement, *melancholia*, or depression of the faculties of the mind, and its opposite, *mania*, or mental excitement, may be caused by alcohol. Alcohol also gives rise to a special form of chronic insanity, in which strange and dangerous delusions are present. *Dipsomania*, or “thirst-mania,” from *dipsa*, “thirst,” is a term applied to that condition in which an individual has a constant crav-

ing for alcoholic drinks. Dr. Norman Kerr* holds that intemperance is a cause of insanity, and insanity is a cause of intemperance. Dr. Edgar Shepherd says that, directly and indirectly, forty per cent. of British insanity springs from drink. On the other hand, the defective nervous organization of the insane, is apt to render those of an unsound mind an easy prey to alcohol.

23. Effect of Alcohol on Dogs.—Dogs whose food has been mixed with alcohol, if fed in this way a long time, become restless and melancholy. According to Magnan, they have hallucinations; thinking themselves pursued, they run off affrighted, howling and snapping at the empty air.

24. Hereditary Diseases produced by Alcohol.—Dipsomania may be inherited, and many other hereditary diseases can be traced to alcohol. Epilepsy, insanity, and paralysis frequently occur in the descendants of those who have been addicted to drink.

25. Vice and Crime the Result of Alcohol.—Not only are vicious and criminal acts often committed by individuals excited and unstrung by recent indulgence in alcohol, but its continual use in excess undermines the moral nature of the inebriate. He loses all sense of right and wrong. Reason and self-control are permanently impaired.

26. Inebriates Succumb Quickly to Acute Diseases.—It is a matter of common observation among physicians, that inebriates, when attacked by some

* *American Psychological Journal*, April, 1883.

serious acute disease, such as pneumonia and typhoid fever, are more likely to die than the temperate. Alcohol has sapped their resisting power. It is difficult for the doctor to know how far to push supporting measures in these cases. In large city hospitals, which usually contain many victims of the alcohol habit, the mortality from such diseases is much greater than in private practice.

27. Alcohol Shortens Life.—The abuse of alcoholic liquors shortens life. Statistics show that for every ten temperate persons who die between the ages of twenty-one and thirty, fifty-one intemperate persons die. The mortality of the intemperate is, therefore, five times greater than that of the temperate.

28. History of the Use of Tobacco.—In 1492, Columbus beheld at Cuba the natives smoking cigars. This seems to have been the first knowledge of tobacco gained by Europeans. Tobacco was not at once brought from America to Europe. In 1559, Hernandez de Toledo introduced it into Spain and Portugal. In 1560, Jean Nicot, French ambassador to Portugal, made a report to his sovereign about it. An Englishman named Raphelengi, who had accustomed himself to smoking tobacco in Virginia, introduced the practice into England. Sir Walter Raleigh began to use the pipe after the return of Sir Francis Drake from America in 1586.

29. Derivation of the Word "Tobacco."—The word tobacco is supposed by some to have been derived from *Tabaca*, the name of a province in St. Domingo, where a Spanish monk recognized the plant a few

years after the discovery of America. According to others, it was derived from *tabac*, a name applied by the natives of the West Indies to the tube, or pipe, or roll of leaves which they used in smoking.

30. Composition of Tobacco Smoke.—Tobacco smoke contains watery vapor, free carbon, ammonia, carbonic acid, *nicotine*, a *volatile substance* having a peculiar odor, and a dark, resinous *bitter extract*.

31. Effects of the Different Constituents of Tobacco.—Symptoms of tremor, palpitation, and paralysis, after smoking or chewing, depend on the nicotine. Nicotine is supposed by many to be the only source of trouble in tobacco. The bitter extract, however, probably produces the vomiting in those not used to tobacco. The carbonic acid tends to cause headache and drowsiness. The ammonia excites the salivary glands, and causes the acrid taste and dryness of the mouth and throat of the smoker.

32. General Physiological Effect of the Use of Tobacco.—In small quantities, tobacco may produce, for the time, a state of calmness and repose. This condition changes to one of nervous restlessness and a general feeling of muscular weakness. It sometimes causes tremor and palpitation. When excessively used, or when used by one unaccustomed to it, dizziness, nausea, vomiting, faintness, and extreme weakness often result.

33. Evil Effects of Tobacco on the Young.—Upon the young, all injurious drugs act with more violence than upon adults. According to Richardson,

smoking checks the nutrition and the bodily and mental development of the young to a serious extent.

34. Absinthe.—Absinthe or wormwood is a plant, from the tops and leaves of which an oil is made called wormwood oil, which is a poisonous substance. The liquor sold under the name of absinthe is one-half alcohol; the other half is made up of water, aromatic oils, sugar, coloring-matter, and the oil of wormwood. In absinthe, therefore, evil effects are derived both from absinthe and from alcohol. Taken even in small quantities, absinthe gives rise to dyspepsia, and it has a peculiar power to tempt its victims on and on to destruction. Absinthe causes grave evils to the nervous system. Weakness and trembling of the limbs are produced, and, later, giddiness and staggering. Partial insensibility and a frightful mental state, and severe convulsions may occur. A French physician records a case in which a man was picked up in the public street in an epileptic fit. He was known to be a large consumer of absinthe. The convulsions lasted until death—four days and four nights. During the last five or six hours of life the skin of the face became almost black.

35. Indian Hemp, Opium, and Chloral.—From the dried tops of a plant known as *Indian Hemp*, a powerful intoxicating and narcotic drug is derived. Besides the term *Indian Hemp*, the preparations of the drug are known by other names, such as *Hashish* and *Bang*. It produces a peculiar form of excitement and intoxication, with strange and sometimes horrible dreams. Wasting of the muscles, sallowness of the skin, dulness of the mind, inter-

ference with steadiness of movements, convulsive seizures, and loss of strength, result from the long-continued use of the drug.* Opium, or some of its preparations, such as laudanum, paregoric, or morphia, are resorted to by some foolish people. The habit leads to dire results, and is most difficult to break. Chloral is another drug, the abuse of which has been the source of much misery. In those who become addicted to these drugs, and use them to excess, digestion, circulation, the nervous system, and mind may one or all suffer. Both opium and chloral make abject slaves of those who use them. No one should use any of these drugs except on medical advice.

36. One Drug Habit Leads to Another.—The habitual use of any drug, like alcohol, tobacco, absinthe, chloral, opium, etc., is not only dangerous in itself, but the employment of one is apt to lead to the use of others. Frequently the man who uses alcohol to excess will be found to be fond of tobacco to excess. Dr. Joseph Parrish, a well-known authority on subjects of this kind, says that he has known persons, habituated to the use of narcotics, who alternate between morphia, chloral, whiskey, etc. They are not opium or chloral habitués, nor inebriates from alcohol, but they are habituated to artificial narcotism.



QUESTIONS FOR REVIEW.

What is the derivation of the term physiology?

What is physiology?

What is human physiology?

Mention some of the things studied in physiology.

* *Drugs that Enslave*, by H. H. Kane, M. D.

- What represent living and what lifeless nature?
 How do animals and plants differ from minerals?
 What is a function?
 What does physiology study?
 Define anatomy.
 From what is the term anatomy derived?
 What is the real meaning of the word anatomy?
 Define hygiene. Give its derivation.
 What does the word tissue mean?
 What are the tissues of the body?
 What is an organ?
 What are cells? How large are they?
 What power has each cell?
 How can the body be conveniently divided?
 Describe each of the divisions of the body.
 How is each upper extremity divided?
 How is each lower extremity divided?
 How is the cavity of the skull, or cranium, formed?
 What is lodged in the skull?
 What is the spinal canal? What does it contain?
 What is the cavity of the face?
 How is the front of the trunk divided?
 What are the chief organs in the chest?
 What are the chief organs in the abdomen?
 What are the viscera?
 Of how many layers is the skin composed?
 What is the epidermis?
 Mention some facts about the epidermis.
 What is the dermis? What does it contain?
 What are the appendages of the skin?
 What are the nails? How do nails grow?
 What are some of the uses of the nails?
 What is the hair? How does it grow?
 What is the lining of the mouth, throat, and parts beyond called?
 What is a membrane?
 Of what is the mucous membrane a continuation?
 Why is it moister and redder than the skin?
 What is a gland? What are secretions?
 What is connective tissue? Of what is it chiefly composed?
 Where is most of the fat of the body lodged?

What are the chief functions of the brain? the heart? the lungs? the stomach, intestines, and liver? the kidneys and skin?

What is the derivation of the word stimulant?

What is a stimulant?

What is the derivation of the word narcotic?

What is a narcotic?

Name some substances which are stimulants in small, and narcotics in large quantities.

What is the derivation of the word alcohol?

To what is the term fermentation applied?

Name some substances which have a special tendency to ferment.

What do the substances which yield alcohol contain?

What is distillation?

Name and describe the different forms of alcoholic beverages.

What are some of the uses of alcohol in science?

What are some of its uses in medicine?

Give some medical conclusions in reference to the food value of alcohol.

Why are alcoholic drinks often taken in winter? Why in summer?

Give the views of Dr. Hayes, the Arctic explorer, in reference to alcohol.

What was determined by Dr. Richardson in reference to death from alcohol?

Give the opinions of Parkes, Sir John Hall, and Dr. Livingstone in reference to alcohol.

Does alcohol act as a poison?

From what is the word intoxication derived?

What will strong alcohol produce?

What are the early symptoms of the injurious effects of alcohol?

What are some of the special and terrible forms of alcoholic poisoning?

What is coma?

What is mania a potu?

Describe a case of delirium tremens.

Name and describe some chronic forms of insanity caused by alcohol.

What effect does alcohol have on dogs?

What hereditary diseases are produced by alcohol?

What is the effect of alcohol on the moral nature?

Why do inebriates succumb quickly to acute diseases?

Does alcohol shorten life?

Give the history of the use of tobacco.

What is the origin of the word tobacco?

Give the composition of tobacco smoke.

What symptoms does nicotine produce? bitter extract? carbonic acid? ammonia?

What are the general physiological effects of the use of tobacco?

What are some of the evil effects of tobacco on the young?

What is absinthe?

What is the composition of the liquor sold under the name of absinthe?

How does absinthe affect the system?

What is Indian hemp?

What effect is produced by taking Indian hemp or its preparations?

What effect has the opium habit on the system?

What effect has the chloral habit on the system?

In what special way are drug habits dangerous?





CHAPTER II.

THE BONES.

37. The Skeleton.—Every animal is formed after a certain pattern; it has a shape of its own, which depends mainly upon its frame-work of bone, or *skeleton*. The word skeleton means *a dried-up body*. As usually seen, it consists of bones which have been cleaned, dried, and put together with wires. In Fig. 3 a front view of the human skeleton is given. It is not an attractive picture, but in the living body its ugliness is hidden beneath coverings of skin, fat, and muscle.

38. Number of Bones in the Skeleton.—The skeleton contains two hundred and six bones, of which twenty-nine are in the head, fifty-one in the trunk, and one hundred and twenty-six in the limbs. The number varies a little at different ages. Some of the bones which are separate in the infant or little child, grow together as age advances, and thus the bones become fewer in number.

39. Structure of Bone.—Bone is firm and dense outside, but it has canals and cavities within, which give it lightness as well as strength. The outer por-




Fig. 3.—The Human Skeleton.

tion is sometimes called the *compact substance*, and the interior the *spongy substance*. They are both well




Fig. 4.—A Section of a Bone.

represented in Fig. 4, which is a view of a section of bone.

40. Composition of Bone.—Bones are composed of both animal and mineral matter. If about one part of muriatic acid is mixed with four parts of water, and a bone is placed in the mixture, in a few days the mineral substance will be dissolved, leaving only the animal matter. The bone will still retain its form, but it will be so soft that it may be bent into different shapes, and, if a long bone, may even be tied into a knot. By putting the bone into a bright hot fire and carefully applying heat for two or three hours, the animal matter can be burned out. The shape is still retained, but the bone is now hard and brittle.

41. The Backbone.—The backbone, or spinal column (Fig. 5), supports and holds together the rest of the body. It is a strong bony column, reaching downwards from the skull, which is balanced on its summit.

It has four curves, two forwards and two backwards. It is not, as the name backbone would indicate, a single bone, but




Fig. 6.—A Vertebra.

is composed of many bones or *vertebræ*. The word *vertebra* comes from the Latin, *vertere*, to “turn.” One of these *vertebræ* is represented in Fig. 6. It has a heavy part in front, and at several points are projections or spines. By passing the hand up and down the back, some of these spines, which project backwards, can be felt through the skin. The different parts of a vertebra are so put together as to leave an open space near the centre. In the backbone, the *vertebræ* fit neatly one above the other, so that when all are in place, the holes or spaces come together, forming the *spinal canal*.

42. General Facts about the Bones.—The only bone in the head (Fig. 7) which is freely movable is the *lower jawbone*, which works up and down when the mouth shuts and opens.



Fig. 5.
The Spinal Column.

The bony chest is largely formed by long hoops of bone, called *ribs*, which run around from the backbone to the *breast-bone* in front. At the top and front of the chest on each side is a slender *collar-bone*, while at the top and behind is a broad, thin, three-sided *shoulder-blade*. In the lower part of the trunk is a basin or pelvis made up of several heavy bones. The bones of both the upper and lower limbs differ in size, but otherwise are similar. One long heavy bone is found in the upper arm and in the thigh, while the forearm




Fig. 7.—The Skull.

1. Frontal Bone. 2. Parietal Bone. 3. Temporal Bone. 4. Sphenoid Bone. 5. Malar Bone. 6. Lachrymal Bone. 7. Nasal Bone. 8. Upper Jawbone. 9. Lower Jawbone.

and the leg below the knee contain each two bones. The wrist is composed of eight small bones, in two rows of four each. In the palm of the hand and in the fingers we have a series of slender bones parallel to each other. The instep and heel are made up of seven bones. In the middle of the foot are five bones, so arranged with reference to

the bones of the heel and the toes, as to give the foot the form of an arch. This arched form is represented in Fig. 11. This arching serves to break the force of falls and jars and to give spring to the step. In the toes, as in the fingers, a series of slender bones is

found. A small, thick bone, shaped somewhat like a



Fig. 8.
Bones of the Arm.




Fig. 9.
Bones of the Fore-arm.




Fig. 10.
Bones of the Wrist and Hand.



Fig. 11.—The Bones of the Foot.

chestnut, and called the *knee-pan*, passes over the knee joint in front.

43. Movements of the Spine.—Although we have this long bony pillar up our backs, it is surprising how readily we can bend and turn and twist. It is also wonderful how perfectly this column bears the weight of the head and protects the contents of the skull and spinal canal from blows and shocks. One bone does not rest upon the other in the spinal column of the living person, but between the vertebræ are little cushions of gristle or cartilage, which help to prevent jarring in sudden movements of the body. In front, behind, between, and around the separate bones of the column are bands or ligaments, which hold the vertebræ together, and yet, being elastic, they stretch more or less, and thus permit considerable freedom of motion.

44. Movements of the Head.—The first two vertebræ at the top of the spine have peculiar shapes. In the middle of the first is a ring or hole. From the second a tooth or peg arises. This passes upwards through the hole in the first, and upon it the head turns and moves as upon a pivot. The first vertebra is called the *atlas*. According to an ancient fable the god Atlas carried the globe upon his shoulders, and hence the name atlas has been given to this bone which supports the globe-shaped head. The second bone is called the *axis*, an axis being the straight line or rod on which a revolving body turns.

45. Uses of the Bones.—The bones preserve the general shape of the body. As we have seen, the skeleton is the framework of the body. The soft parts cling to the supporting bones. The bones enable

us to stand erect and to perform the numerous movements of the body. They form grooves, canals, and cavities in which important organs are lodged and shielded. These bony passage-ways and compartments are beautifully adapted for the purposes of protection. The skull is arched or rounded, and will not break easily when struck, thus affording the best protection to the brain. The spinal column is strong and rugged, that it may play well its important part in guarding the delicate spinal cord and spinal nerves. The heart and lungs are free to move, and yet are well protected by the strong, elastic, bony chest.

46. One-Sided Development.—Most people are “right-handed.” Children are usually taught to use the right hand in preference to the left. The wisdom of this instruction is doubtful. Every child should learn to use both hands. The bones of the right side of the body become larger than those of the left, because the limbs of the former are used so much more than those of the latter. We should, as far as possible, give both sides of the body, bones and everything else, an equal chance for development.

47. Diseases of the Bones.—In order that the bones shall be strong and healthy the animal and mineral matter which they contain must be in proper proportion. If they contain too much animal matter they will be too soft, and sometimes will actually bend out of shape. If they contain too much mineral matter they will be too brittle. The disease from which one suffers when the bones contain too much animal and too little mineral matter is called *rickets* or *rachitis*,

which term is derived from a Greek word meaning the "spine." The disease sometimes shows itself by some form of curvature of the spine; sometimes by bow-legs and badly-shaped arms and ribs. The best remedies for such a condition are life in the open air, plenty of nutritious food, cod-liver oil, and preparations containing lime.

48. Softness of the Bones in Early Life.—In infancy and childhood even healthy bones are much softer than in adult life, and they may be bent out of shape if they are used too soon or in an improper way. Some of the forms of spinal curvature are caused by children and young people holding their bodies too long in certain positions. Bending over too much when reading, writing, sewing, or doing similar work, will give the bones of the spine an unnatural twist. In youth the bones of the feet are sometimes pressed out of shape and position by tight shoes.

49. Brittleness of the Bones in Old Age.—In old age the mineral matter of the bones, which is chiefly a form of lime, becomes excessive. They lose much of their toughness and become brittle. Old people require to be more careful of their movements as they are in more danger of breaking their bones than the young. In some diseases a similar brittleness of the bones is produced by an excess of mineral substance.

50. Broken Bones.—When a bone is broken, and surgical help cannot at once be obtained, the whole limb should be carefully supported, and the patient kept perfectly quiet. When a broken limb is prop-

erly set it heals by a regular process. A soft substance is first thrown out between and around the ends of the fragments. This gradually, but very slowly, becomes harder and harder. If the bone is not kept at rest, the process of healing and hardening is interfered with, and hence surgeons use supporting splints, and require the limb to be kept at rest.



QUESTIONS FOR REVIEW.

- Upon what does the shape of an animal mainly depend?
- What is the meaning of the word skeleton?
- As usually seen, of what does it consist?
- How many bones does the skeleton contain?
- How many bones in the head, in the trunk, and in the limbs?
- Why does the number vary at different ages?
- What is the structure of the outer portion of a bone?
- What does a bone contain within?
- What is the outer substance of bone called?
- What name is applied to the inner substance?
- Of what two kinds of matter is bone composed?
- Describe an experiment for dissolving the mineral matter.
- How can the animal matter be removed?
- What purpose is served by the backbone?
- Describe the backbone.
- What are the vertebræ? Describe a vertebra.
- How is the spinal canal formed?
- What bone in the head is movable?
- How is the bony chest formed?
- Describe the situation of the collar-bone and shoulder-blade.
- What is found in the lower part of the trunk?
- How many bones are present in the arm, thigh, forearm, and leg?
- Of how many bones is the wrist composed?
- What bones are found in the hand and fingers?
- How many bones are in the instep and heel?
- How many bones are in the middle of the foot?
- How are they arranged?

- What bones are found in the toes?
What is the knee-pan?
What is present between the vertebræ?
How are the vertebræ held together?
Describe the first two vertebræ at the top of the spine.
What is the name of the first vertebra? Why was it so named?
What is the name of the second vertebra?
What was the origin of this name?
What are some of the uses of the bones?
What is the shape of the skull?
Why is the skull arched or rounded?
How is the spinal column built?
How are the heart and lungs protected?
Why do the bones of the right side become larger than those of the left?
How should the two sides of the body be developed?
What is necessary in order that the bones shall be strong and healthy?
What is rickets or rachitis?
How does the disease show itself?
What are the best remedies for rickets?
Why can even healthy bones be bent out of shape in early life?
Mention some of the ways in which deformity of the bones can be produced.
Why are the bones of the aged brittle?
Why should old people be careful of their movements?
What effect has certain diseases upon the bones?





CHAPTER III.

THE JOINTS.

51. A Joint.—A joint is the arrangement which is found where the ends of two or more bones come together. The ends of the bones are smooth and moist. This can be seen by looking at the knuckle of a leg of mutton before it is cooked.

52. The Joint Juice or Synovial Fluid.—The ends of the bones are coated with slippery gristle or cartilage, which is kept constantly wet by a thick, sticky fluid, which is sometimes called “joint juice,” or “joint oil.” It has, however, a higher-sounding name, *synovial fluid*, a term made up from Greek words which mean “like the white of an egg.” It is poured out by a little sac or bladder which is placed between the ends of the bones. In this way the joint keeps itself well oiled.

53. Immovable Joints.—In the head, all the joints except those of the lower jaw are immovable. Most of the bones of the skull have saw-like edges, so that one dove-tails into another very firmly. Some of the

joints in the lower part of the trunk are also immovable. Some joints, as those of the spinal column, allow a little motion. Between the bones which form the immovable joints is a layer of tough tissue or membrane. When a bone is struck a hard blow the shock causes it to vibrate and sometimes to break. The tough membrane between the bones serves to deaden this shock and prevent breaking.

54. Movable Joints.—Movable joints are those which allow motion of one part of the body upon another. They differ according to the kind of motion which they permit. A *hinge-joint*, such as is found at the elbow, knee, or ankle allows a forward and backward movement, like that of a door on its hinges. Figure 12 represents the elbow-joint. A *ball-and-socket-joint* is one in which a rounded surface on the end of one bone moves in a cup in another. Joints of this sort are found at the shoulder and



Fig. 12.
The Elbow-Joint.

hip. A *pivot-joint* is formed by one bone, shaped like a peg or pivot, fitting into a hole in another bone. The best example of this is furnished by the two bones at the top of the spinal column.

55. Ligaments of the Joints.—Bands or slips, called *ligaments*, from the Latin word *ligare*, “to bind,” pass from one bone to the other at the joints. These ligaments prevent the bones from getting too far apart. They tie them together loosely, so that they can move upon each other to a certain extent. The sac or

bladder which secretes the "joint-juice," or synovial fluid, also acts as a ligament, one side of it being attached around the end of one bone, and the other around the extremity of the opposite bone.

56. Pressure of the Air upon the Joints.—The air, although invisible, is a great force and is always exerting pressure. It is supposed that this pressure of the air assists the ligaments in keeping the bones



Fig. 13.—Section of the Hip-Joint.

in place at the joints. The thigh-bone at the hip-joint is certainly kept in position partly by the pressure of the atmosphere. Figure 13 represents a section of the hip-joint. The head of the thigh-bone fits very closely in the socket. The cavity of the joint is, moreover, completely closed by the synovial sac. If, while the bones are in position, a hole be bored


into the joint, so as to allow air to get into its cavity, the head of the thigh-bone will at once fall partly out of the socket, the pressure of the air now acting both from within and without.

57. Unusual Motion in Joints.—Some people have great freedom of motion in their joints. They can, for instance, bend their hands backwards, and their fingers backwards and sidewise. They are probably able to do this because the joint-ligaments are longer than usual, and hence allow more separation of the ends of the bones. Children for sport sometimes pull their fingers to “make their joints crack.” This is a dangerous habit, for by so doing they may overstretch the ligaments of the joints, and cause an injury which it will be hard to remedy.

58. Uses of the Joints.—Without our numerous movable joints we would be stiff and awkward creatures. The useful and graceful movements which we can now make would be impossible. The joints are so arranged as to allow each movable part of the body to perform its movements to the best advantage. At the elbow a forward and backward movement of the forearm upon the arm is all that is permitted by the hinge-joint, but this is all that is required to make the arm most useful. The cup of the ball-and-socket-joint at the shoulder is shallow, and movements of the arm can be made in almost any direction. The socket of the hip-joint is deep, an arrangement which allows less freedom of motion, but gives greater firmness and security. The pivot-joint of the spinal column is supplied with ligaments which permit the head to move

from side to side, but not far enough in any direction to damage the delicate nervous matter within the skull and spine. The superiority of man over other animals is largely due to the number and the perfection of the movements which can be performed by the hand and fingers; and these movements are made possible by numerous joints.

59. Injuries of the Joints.—Sudden jars, falls, or blows may wrench a joint or put it out of place. The violent twisting and tearing of the ligaments and soft parts about a joint is called a *sprain*. A joint is put out of place, or *dislocated*, when the ends of the bones, which naturally work upon each other, are forced apart. Sometimes in ball-and-socket-joints the smooth round head of the bone is pulled entirely out of the socket in which it should always play. Remembering these facts, children should not be too rough in their sports. Injured joints should be promptly attended to or permanent mischief may result. Dislocations should be set as soon as possible.



QUESTIONS FOR REVIEW.

What is a joint?

With what are the ends of the bones coated?

How are they kept moist?

What is the scientific name of the joint-juice?

From what is the term "synovial" derived?

By what is the synovial fluid secreted?

What are the only movable joints of the head?

How are most of the bones of the skull united?

Where, besides in the head, are immovable joints found?

How much motion do the joints of the spinal column allow?

What is present between the bones which form the immovable joints?

What is the effect of striking a bone a hard blow?

What purpose does the tough membrane between the bones serve?

What are movable joints? How do they differ?

What is a hinge-joint? Where are hinge-joints found?

What is a ball-and-socket-joint? What joints are of this kind?

What is a pivot-joint? What is the best example of a pivot-joint?

What are the ligaments of the joints?

From what is the word ligament derived?

How do the ligaments of the joints act?

How does the sac or bladder which secretes the joint-juice act?

What assists the ligaments in keeping the bones in place?

How does the head of the thigh-bone fit in its socket?

How is the cavity of the hip-joint closed?

How can it be proved by experiment that the pressure of the air helps to keep the hip-joint in place?

Why have some people greater freedom of motion in their joints than others?

What dangerous habit have some children? Why?

How are the joints arranged with reference to movements?

What movement is permitted at the elbow?

Why is the socket at the shoulder-joint shallow?

Why is the socket of the hip-joint deep?

How is the pivot-joint in the neck strengthened?

To what is the superiority of man over other animals largely due?

What is a sprain? What is a dislocation?

Why should injured joints be attended to promptly?





CHAPTER IV.

MUSCLES AND MOVEMENTS.

60. Motion.—Motion exists everywhere. Every living animal is in some way blessed with motion. Sometimes a little motion is all that tells us that an animal is alive. We can study the forms of motion in animals in different ways. Sometimes the study is about the movement of the whole animal from place to place, as of a man walking, a fish swimming, or a bird flying; this we call *locomotion*. Sometimes it is about the movement of a part of the animal, as of a limb in striking or kicking, or of the eye when it turns from side to side. Sometimes it is about the movements of fluids or gases, as of blood in the vessels, and of the air in the lungs.

61. The Machinery of the Body.—The body may be compared to a machine. Some machines are simple, both as regards the manner in which they are made and the work they have to do; others are complex, have more parts, and serve more purposes. The human body resembles the latter class. Mechanics is the science of machinery, and in studying the body

we are, therefore, learning lessons in animal mechanics. The limbs have their levers and cords; the jaw moves up and down on its hinges; the blood is distributed by its pump and pipes; the lungs act as bellows, drawing in and forcing out air; the food is pushed onward by the movement of the food-canal. For eating, drinking, seeing, hearing, thinking, and all other functions, a special machinery is provided. All these functions in some way involve motion.

62. Movements of the Limbs.—We shall study in this Chapter chiefly about the machinery and movements of the limbs. Compared with some of the fine changes which are going on in the hidden places of the body, these movements are coarse and rough; and yet they are wonderful when deeply studied. The movements of our limbs are directly brought about by the help of bones and joints, which have just been considered, and of the muscles, which we shall now study. The bones, and everything which clings to them, are moved by the muscles. The joints permit this motion. The muscles are the motors, or movers; in some way they do the pulling and pushing which cause the motion.

63. Muscle and the Muscles of the Body.—*Muscle* is the flesh or lean meat. When we eat lean beefsteak or mutton we are eating muscle. It comprises a large part of the human body. It is arranged in many different masses or bundles, which form the *muscles*, of which the body contains more than five hundred. Fig. 14 exhibits the principal muscles of the front of the body.




Fig. 14.—Principal Muscles of the Front of the Body.

64. The Names of the Muscles.—Each muscle has its own name, which has been given to it because of something peculiar in its shape, size, or appearance. The *pectoral* muscle is the muscle of the breast or chest, *pectus* being the Latin for “breast” or “chest.” *Biceps* means “two-headed,” and *triceps*, “three-headed,” the first of these muscles beginning in two parts and the second in three. The large, thick muscle covering the shoulder-joint is called the *deltoid*, because of its likeness to the Greek letter Δ (*delta*). The *oblique* muscles have their fibres running in a slanting direction; while the fibres of the *recti* or *straight* muscles run more directly. The meaning of the word *sartorius* is, “belonging to a tailor,” and the muscle crossing the thigh, which is the longest in the body, is so named because a tailor uses it in crossing his legs. The *internal vastus* muscle is of “vast” size. The *soleus* muscle, forming part of the “calf” of the leg, is so termed from a supposed resemblance to the sole of a foot or shoe.

65. The Different Parts of a Muscle.—A muscle has a middle fleshy part, which is called the *body*, and two ends of tough, whitish material, called the *sinews* or *tendons*. Sometimes these tendons are short, sometimes they are long, sometimes they are round, sometimes flat. They are always strong.

66. The Tendon of Achilles.—The strongest tendon of the body is the *tendon of Achilles* (as shown in Fig. 11, page 41, and Fig. 14, page 55), which runs from the muscles of the calf to the heel. This tendon received its name in a curious way. The story is that

Achilles, a famous Greek hero, when a babe, was dipped by his mother into the river Styx, the waters of which rendered the body invulnerable. When the dipping took place the child was held by the heel. Achilles passed unharmed through many wars, but finally came to his death from an arrow-wound in the heel. Anatomists, therefore, have called this tendon of the heel the tendon of Achilles.

67. The Structure of Muscle.—The body, on fleshy part, of the muscle is made up of a large number of strings or fibres of flesh, running in the same direction. These are held together by a web of connective tissue, and they are arranged in bundles of different sizes, as shown in Fig. 15.



68. Contraction of Muscles.—All muscle can contract or shorten itself. As muscles contract they become thicker; they spread out sidewise. Contractility belongs to muscle; it is one of its properties. Muscles can be made to contract in various ways, for instance, by applying to them a current of electricity. When the arm, leg, hand, foot, mouth or eyelid, or any other part, is moved, it is through a muscular contraction.

69. The Biceps Muscle.—Let us select one muscle and study its actions. When the forearm is bent, in bringing the hand up towards the shoulder, a distinct bulging occurs between the elbow and the shoulder. This is caused by the contraction of the large muscle on the front of the arm, called the *biceps*. Two cords

go up from the body of the muscle to points above. A single cord goes to one of the bones of the forearm. The forearm can move freely on the arm at the elbow-joint, both of its bones moving together. The contraction or shortening of the biceps muscle must therefore pull the forearm up towards the arm, giving an illustration of the *lever*.

70. Levers.—It may help us to understand better the movements of the limbs if we recall here a few facts about levers. A lever is simply a lifter or raiser. To carry out the act of lifting or raising, *power* must be used upon a *weight*; and the lever must have a place to rest, and a point called a *prop* or *fulcrum*, about which it can move. Levers are of three orders. In the first order the fulcrum is between the power,




Fig. 16.—Lever of the First Order.




Fig. 17.—Lever of the Second Order.

and the weight (Fig. 16). A crowbar applied to lift a stone is a lever of this kind. In the second, the weight is between the power and the fulcrum (Fig. 17). An oar is a lever of this sort. In the third, the power acts between the fulcrum and the weight (Fig. 18). The boy fishing with a long rod often makes it a lever




Fig. 18.

Lever of the Third Order.

of this kind. He rests one end of the rod on the ground and thus gets his *fulcrum*; then, supporting it with one hand he applies his *power* with the other, and swings around the *weight*, which is made up of rod, line, and fish.

71. Levers of the Third Order in the Limbs.—

In our limbs we have chiefly levers of the third order. Such a lever is beautifully illustrated in the movement of the forearm as shown in Fig. 19. The ful-




Fig. 19.—Lever of the Third Order in the Limbs.

crum is at the elbow; the weight is made up of the weight of the bones of the forearm and hand and the ball which is grasped by the latter; the power is in the *biceps* or flexor muscle, and is applied where its lower end is fastened to one of the bones of the forearm, and therefore between the fulcrum and the weight.

72. Action of the Muscles in General.—Just as the biceps muscle has the power of contracting, so muscles everywhere have the power of contracting and producing movement. In contracting they act on the bones as on levers. Some organs, as the heart and blood-vessels, simply squeeze together as they contract.

73. Effect of Alcohol on the Muscular System.—

Alcohol taken in excess injures the muscular system both directly and indirectly. It leads sometimes to what is called "fatty degeneration." The fibres of flesh which form the muscles change one by one to fat. The muscles become weak, flabby, and wasted. Even the heart, which is a muscular organ, becomes affected in this way, resulting in "fatty degeneration of the heart," one of the most serious and fatal of diseases. Indirectly, alcohol causes loss of muscular control. Every muscular movement is in some degree under the control of the nervous system. Alcohol impairs the nervous control of the muscles. This impairment is seen not only in the thick tongue, wandering eyes, and staggering gait of the drunkard, but also in a feeble and trembling condition well known to physicians as "alcoholic tremor," which affects the limbs more or less permanently.



QUESTIONS FOR REVIEW.

- What is said about the existence of motion?
- What alone sometimes tells us that an animal is alive?
- What is locomotion? Give illustrations.
- What movements of the parts of an animal do we study?
- What movements of fluids and gases do we study?
- To what may the body be compared?
- What is mechanics? What is animal mechanics?
- Give some illustrations of the machinery of the body.
- What do all of the functions of the body involve?
- How are the movements of the limbs brought about?
- What do the muscles do?
- What do the joints permit?
- What are the muscles with reference to motion?
- What is muscle?
- How are the muscles formed?

How many muscles does the body contain?

How did many of the muscles receive their names?

Define and give the derivation of the words pectoral, biceps, triiceps, deltoid, recti, sartorius, vastus, and soleus.

What are the different parts of a muscle?

Which is the strongest tendon of the body?

Relate the story about the way in which this tendon received its name.

Of what is the fleshy part of muscle composed?

How are the muscular fibres held together and arranged?

What property is possessed by all muscle?

As muscles contract, how do they change in shape?

Mention one way in which muscles can be made to contract.

Give illustrations of movements due to muscular contraction.

When the forearm is bent on the arm what occurs between the elbow and shoulder? What causes the bulging?

How is the biceps muscle attached above and below?

How does the forearm move on the arm?

Of what have we an illustration in this movement?

What is a lever? Levers are of how many orders?

Explain the three orders of levers.

Give an illustration of each order.

What kind of levers are chiefly found in the limbs?

In what movement is a lever of the third order beautifully illustrated?

In the movement of the forearm on the arm, where is the fulcrum?

What constitutes the weight?

Where is the power? How is it applied?

What power have all muscles?

In contracting, how do they act on the bones?

What is the result of the contraction of some organs, as the heart and blood-vessels?

What is the effect of alcohol on the muscular system?





CHAPTER V.

MUSCULAR EXERCISE.

74. Exercise.—Any kind of muscular movement is physical exercise. The term exercise, however, is usually applied to the practice of muscular movements under the control of the will, with the view of developing certain parts of the body. The health of the body depends largely upon the proper exercise of its different parts.

75. Muscular Exercise and Muscular Contractility.—The ability to perform the movements which constitute muscular exercise depends upon the property of contractility which belongs to muscle. The muscle shortens by virtue of its contractility; but the shortening cannot continue permanently. The muscle relaxes and lengthens again. Shortening and lengthening, or contraction and relaxation, follow each other, and thus the muscles are exercised. Just as muscular contraction may be weak or strong, slow or rapid, simple or complicated, so exercise may be greatly varied.

76. Effect of Exercise on Muscle.—If the muscles are exercised frequently; in other words, if they are made to contract again and again, they increase in size and strength. We see illustration of this fact in the strong right arm of the blacksmith, and in the stout back of the porter. If the muscles are not used frequently they become small and weak. This is seen in those who from choice or necessity do not lead physically active lives. In those who suffer from the disease called *paralysis* the muscles waste away.

77. Effect of Exercise on the Bones.—Strange as it may appear, the bones as well as the muscles may be changed in size and form by muscular exercise. The bones, particularly in early life, will yield in various ways to the force exerted by the muscles. Here and there on the bones are seen little elevations at points where the muscles are inserted. They have actually been pulled out little by little by the contractions of the muscles. Bones are sometimes given a twist because the muscles on one side are stronger than those on the opposite side. In time the whole bony framework can be strikingly changed by muscular exercise. If this exercise is properly regulated, the change will be beneficial.

78. Effect of Exercise on Various Tissues and Organs.—Besides muscle and bone, many tissues and organs can be favorably influenced by proper muscular exercise. As has already been shown, the tissues and organs are composed of innumerable minute bodies called cells, each of which has the power of taking from the blood what it needs to

build up its own kind of tissue. These cells are born, die, pass away, and are replaced by others. Exercise of any part hastens their decay and death, but, at the same time, it gives vigor to the process of repair. It calls blood to the part, and new material of the best quality takes the place of the worn-out particles. The tissue is thus constantly renewed. The body is kept fresh and new. While the flow of blood is quickened, the organs which pump and carry it are strengthened and improved. Breathing is largely performed by muscular action, and exercise causes the lungs thoroughly to expand and contract, and thus to get rid of impure air and replace it with that which is fresh and pure. When the brain, or thinking organ, is over-worked, muscular exercise relieves it by causing the blood to flow to other parts. Exercise brings sound sleep by causing a healthful fatigue and by calling away excitement from the brain. It gives a good appetite by creating a demand for food, and at the same time stimulating the organs which receive the food and prepare it for the blood. It keeps in healthy action the skin and other organs which carry off waste matter.

79. Results of Systematic Exercise.—All muscular regions of the body can be developed, and even the height can be increased, by systematic exercise. Under such exercise, directed by Maclaren, author of a book on *Physical Education*, a pupil sixteen years old, in one year grew from 5 feet $2\frac{3}{4}$ inches in height to 5 feet $4\frac{3}{4}$ inches, and in weight increased from 108 to 129 pounds. His girth of chest increased from 31

to 36 inches; his forearm from 8 to 10 inches, and his upper arm from $9\frac{1}{4}$ to $11\frac{1}{4}$ inches. Many remarkable accounts of the value of systematic exercise have been published. Bryant, the poet, who lived in the enjoyment of good health to the great age of eighty-four years, was in the habit of rising early every morning, and going through a series of exercises designed to expand the chest, and call into action all the muscles and articulations of the body. He also regularly walked to and from his place of business, a distance of several miles.

80. Deformities Prevented or Corrected by Exercise.—Certain deformities are either the direct result of insufficient exercise; or, they could by judicious exercise be largely remedied. Rounding or drooping shoulders, stooping, spinal curvature and a growing to one side, are among these deformities. Pigeon-breast, in which the breast-bone is too prominent, with flatness of the upper ribs; and hollow-chest, in which the breast-bone is sunk in, can both be much improved by proper exercise in youth.

81. Fitness, Variety, and Moderation in Exercise.—Exercise should be regulated by its special fitness for the individual. The work of the strong should not be given to the weak. Variety should not be overlooked. Such exercises in turn should be used as will tell favorably on all parts. Exercise should never be carried to the point of fatigue or exhaustion. It should be practised for health and not for strength alone. Strength will probably result from it, but this should not be the primary object.

82. Time for Exercise.—About midway between the hours for meals is generally the best time for active exercise. In exceptional instances, however, when the strength fails rapidly between meals, vigorous exercise is better undergone in from one to two hours after taking food. Just before meal-time, when the stomach is empty, and the blood needs replenishing, much exertion may fatigue and depress the system. On the other hand, if the muscles be too actively exercised just after a meal the work of the stomach may be stopped or disturbed. Exercise in the early morning before breakfast, when the system has been refreshed by sleep, agrees with some people, but not with all. The weak and delicate cannot stand it unless they have been gradually trained to it.

83. A Sound Mind in a Sound Body.—Children who attend to their plays, games, and exercises, will be better fitted for their indoor mental work. Books and studies must not be neglected in the hours appointed for them. The aim should be to train both mental and physical powers so as to insure a sound mind in a sound body.

84. Physical Endurance not Increased by Alcohol.—Alcohol does not enable us to endure either short and severe physical efforts or long-continued trials of endurance. Men who row, or run races, or take part in other athletic contests, do not resort to alcoholic stimulants either when in training or at the time of their contests. Experience has shown that alcohol is worse than useless in such cases. Weston, a pedestrian and total abstainer, performed one of the

most wonderful feats of physical endurance on record. He agreed to walk fifty miles a day for one hundred consecutive days. He completed the walk successfully with some miles to spare, demonstrating that a resort to intoxicating stimulants is not essential to the accomplishment of severe and long-continued bodily exertion.



QUESTIONS FOR REVIEW.

What is physical exercise?

To what is the term exercise usually applied?

Upon what does the health of the body largely depend?

Upon what property does muscular exercise depend?

Explain how muscles are exercised by virtue of their contractility

What effect has frequent exercise on the muscles? Give illustrations.

What is the effect if muscles are not used frequently?

In paralysis, what happens to the muscles?

What effect has exercise on the bones?

What causes some of the elevations seen on bones?

How are bones sometimes given a twist to one side?

What is said of the effect of exercise on the whole bony framework?

Besides muscle and bone, can other tissues and organs be influenced by exercise?

Of what are the tissues and organs composed?

What power has each cell?

What happens to these cells?

What is the effect of exercise upon these cells?

How does exercise influence the blood?

How does it act upon the organs which carry the blood?

How is breathing largely performed?

What effect has exercise on the lungs and on their supply of air?

How does exercise relieve the brain?

- How does it bring sound sleep?
How does it give a good appetite?
What effect has exercise on the skin and other organs which carry off waste?
What can be accomplished by systematic exercise?
Give an illustration from Maclaren.
What is related of the poet Bryant?
What is said of deformities with reference to exercise?
Name some of these deformities.
By what should exercise be regulated?
Should exercise be varied, and how?
What is said about fatigue and exhaustion from exercise?
Should exercise be for strength?
What is usually the best time for active exercise?
When the strength fails rapidly between meals, when is exercise better undergone?
Why is exercise not good just before a meal? Why not just after a meal?
What is said about exercise in the early morning?
For what will children who exercise be better fitted?
Should books and studies be neglected?
What should be the aim in education?
Is physical endurance increased by the use of alcohol?





CHAPTER VI.

MODES OF EXERCISE.

85. Physical Educational Exercises.—Physical educational exercises are those conducted in a systematic way with the view of favoring the growth and developing the resources of the body. In ancient Greece physical exercises were carried on in schools, called *gymnasia*. The term *gymnastics* is now frequently applied to regulated exercises of the body. These are usually performed with dumb-bells, clubs, weights, wands, bars, rings, ropes, ladders, and similar appliances.

86. Systematic Exercises without Apparatus.—Many useful exercises can be performed without any apparatus, under a system designed to call out the physiological action of the muscles. The term *calisthenics*, derived from two Greek words, meaning "beautiful" and "strength," is sometimes applied to systematic exercise conducted without special apparatus. In Fig. 20 is a representation of one of the positions taken in an exercise of this kind. This particular exercise is calculated to develop the chest as well as the limbs.




Fig. 20.—Calisthenic Exercise.

87. Movements to Promote general Suppleness.—Below is given a series of ten movements intended to promote general suppleness.* These movements are a good example of a useful and pleasant form of exercise without apparatus. They can be readily learned; and, if performed every day, will be of great benefit. They can be executed under the direction of the teacher, or of some pupil elected to the position of “leader.” A wand can be used to beat time for the movements.

Position.—Heels together (as near as the configuration of leg will permit); hips thrown back; chest forward; head erect, with eyes to front; arms falling easy, with back of hand turned slightly to the front.

Exercise.—From this position bring hands to hips; thumbs back.

Head.—Turn twice to right, twice to left, once to right, twice to

* Contributed by Miss Mary E. Allen, of the Boston Gymnasium for Ladies and Children, to *Wide Awake*, for October, 1881, in a series of Health Papers prepared for this popular magazine for the young.

left, once to right, back to front; drop hands to side and close to a fist.

Shoulder.—Raise right shoulder as high as possible four times, raise left four times, raise right and left alternately four times (left going up as right comes down), raise both together four times; drop hands to side.

Arm.—Throw right arm to horizontal at side (hand closed tight) four times, throw left four times, throw right and left alternately four times, throw both together four times, and bring fingers to tip of shoulders, upper arm horizontal, elbow pointing to front.

Forearm.—Throw right forearm to front on the elbow as a pivot, until the whole arm is horizontal (closing the hand at the throw), four times, throw left four times, throw right and left alternately four times, throw both together four times; and carry arms to side, horizontally stretched out, with palms up, and fingers closed into a fist.

Wrist.—Turn right fist *up* as far as possible four times (elbow stiff), turn left up four times, turn right and left up alternately four times, turn up together four times; and bring arms to horizontal stretch, front, palms down, fingers together and closed.

Hand.—Open right hand and stretch every finger four times, open left hand four times, open right and left alternately four times, open together four times; and bring hands to hips.

Trunk.—Turn as far as possible to right (holding trunk firm, turning face at same time, heels firmly planted), two times, turn to left two times, turn to right once, turn to left two times, turn to right once; and back to position.

Thigh.—Carry right leg across left (crossing left thigh as far up and as close as possible, knees stiff) four times, carry left leg across right four times, carry right and left across each other alternately eight times.

Leg.—Raise right leg as high as possible behind (on the knee as a pivot) four times (thigh remaining vertical and firm), raise left leg four times, raise right and left alternately eight times.

Foot.—Raise right foot on heel as high as possible four times, raise left four times, raise right and left alternately eight times.

The Position is very important, and the leader should insist upon it before the exercise begins. The body should *hold* the original position, with such changes as are indicated, firmly, so that only certain muscles are in use at once; thus, when the arm is used, the body should be stiff and firm.

Head Movements should always be slow, but firm, never with sudden force. Hence they are taken on the first beat of a measure only, or on 1 when counting 1, 2, 3, 4. All other movements are done with a spasmodic action, faster, using every other beat of 2-4 or 4-4 time, or on 1 and 3, in counting 4. That is, the movement is made on 1 and the return to position on 3. This exercise can be taken to any even 2-4 or 4-4 time, a *pot-pourri* of popular airs being pleasing, or any polka or quickstep. These movements aid in bringing muscles under the control of the will, and promote ease and grace of movement; also, as they force the mind and muscles to work together, they are a very valuable stimulus to the mental faculties; and, if enthusiastically and earnestly carried out, their influence will be felt in all mental work.

88. Gymnastic Apparatus.—Dumb-bells consist



Fig. 21.
Dumb-Bell.

of two globular masses, with an easily-grasped handle between them (Fig. 21). Indian clubs are bottle-shaped masses of wood, the narrow end being shaped as a handle (Fig. 22). Dumb-bells of about a pound weight are sufficient for children under ten years of age. For older children they may be somewhat heavier. The clubs also should be light. It is a mistake to use heavy instruments too soon. The dumb-bells and Indian clubs are made



Fig. 22.
Indian Club.

to describe various curves and movements.

89. How to Sit and Stand.—Children should early learn to sit and stand properly. Health, strength, and gracefulness will thus be acquired. The rule should be to hold the body as erect as possible both in sitting and standing. School-children often acquire bad habits of stooping over, or leaning too much to one side, while sitting at their desks or standing for recitations and other work. In this way they become ungainly, and sometimes deformed. An erect position favors the free action of the muscles, and also gives the internal organs, such as the heart, lungs, stomach, and liver, the fullest opportunity to perform their functions.

90. Out-Door Exercises.—The most healthful exercises are those which can be performed out of doors. Such exercises are both profitable and pleasurable. They are sometimes called natural exercises. Among the most valuable of these are walking, running, swimming, rowing, and riding. Leaping, climbing, skating, sledding, and similar sports, belong to the same class of exercises.

91. Walking.—Walking is an excellent form of exercise, developing many important muscles. It is chiefly performed by a series of complicated movements of the muscles of the legs; but when one walks properly, the muscles of the chest, abdomen, and upper limbs are also exercised. In walking, the entire weight of the body is supported first by one foot and then by the other, and thus each limb enjoys alternate rest. The trunk should be held erect, the head up, and the shoulders well back, while the arms

are swung to and fro. The foot should be well lifted, and the toes turned outwards. In coming down, the heel should first touch the ground lightly, then the rest of the foot to the toes, the heel being raised by the time the toes are reached. The whole foot should not be brought down flat upon the ground at once. Shoes should be worn broad enough to give every part of the foot its natural play.

92. Running.—Running is not simply fast walking. In running, only one foot is on the ground at a time. At some instants both feet are entirely removed from the ground. It is really a succession of slight leaps. It is a valuable exercise both to train the muscles and to give lung-power.

93. Swimming and Bathing.—Swimming is a useful exercise for development, and may prove to be a valuable art in time of danger. No real good can result, and harm may come, from reckless jumping, diving, swimming under water, and similar feats of daring sometimes indulged in by swimmers. The swimmer should not remain too long in the water; from a quarter to half an hour is usually enough. Surf-bathing serves to harden and strengthen the muscles and other organs. It should be practised with caution and moderation.

94. Rowing.—The labor of rowing should not be performed too much by the muscles of the back. Those who row much sometimes get strong backs, while their chests in front remain hollow, and their shoulders become rounded. Arms, trunk, and legs should all take part in rowing. The stroke should be

made by bringing the body to an upright position, and even carrying it a little beyond.

95. Riding.—Horseback-riding brings into use a large number of muscles, in checking and guiding the movements of the horse and in preserving the equilibrium of the rider. It is a refreshing and invigorating exercise, adding not only to health and strength, but also to courage and presence of mind. It is not suitable for the weak, nor for invalids, who cannot stand the jarring, or who are unable to control even the gentlest animal. Those who are not strong should use it in moderation at first, and should gradually increase the amount and character of the exercise. Heavy riding, such as hunting and steeple-chasing, is beneficial to the chest and chest muscles; but cannot be practised safely except by those who are strong. Carriage-riding is a good form of passive exercise, giving fresh air, change of scene, and pleasant occupation for the mind, but it does not call for sufficient muscular exertion to make it a means of development. Velocipede-riding and bicycle-riding have recently become popular, and are useful modes of exercise if practised in moderation.

96. Development of Both Sides of the Body by Exercise.—The tendency to one-sided development was referred to when speaking of the bones. It is by exercise that both sides of the body can be given an equal chance for development. Defective growth, and development of one side, can, with care, be prevented or remedied. Children should learn to bat, to throw, to lift, to use the hammer, etc., with either

hand. Boys should train themselves to kick a ball with one foot as well as with the other. Satchels and other burdens should not be carried too much in one hand or over one shoulder. Writing and sewing should be done with either hand. Whenever one limb is found to be weaker or less skilful than the other, the former should be exercised and trained until the inequality is overcome.

97. Open-Air Games or Recreative Exercises.—

Open-air games, such as foot-ball, cricket, base-ball, hand-ball, tennis, jumping the rope, archery, etc., are important means of developing the body and keeping it strong and well. Wellington is reported to have said that England's soldiers were made on her foot-ball fields. In most of our popular games, as foot-ball, cricket, and tennis, the lower limbs have much the largest share of work. This should be remembered, and attention given to those games, such as archery, hand-ball, etc., in which the upper limbs take an active part. Gymnastic exercises afford the opportunity of developing the parts which are overlooked in work and games.



QUESTIONS FOR REVIEW.

What are physical educational exercises?

What were the ancient Greek schools for physical exercise called?

What is meant by gymnastics?

With what are gymnastic exercises performed?

Under what system can exercises be performed without apparatus?

Define and give the derivation of the term calisthenics.

What are dumb-bells? What are Indian clubs?

Of what weight should dumb-bells and Indian clubs be for children?

How are dumb-bells and Indian clubs used?

How should children sit and stand?

What bad habits are often acquired by school-children?

What are some of the results of these bad habits?

What does an erect position favor?

What are the most healthful of all exercises?

What are these exercises sometimes called? Name some of them.

How is walking chiefly performed?

What muscles are exercised when walking is performed properly?

In walking, how is the weight of the body supported?

How are the different parts of the body held?

How should the foot be used? What sort of shoes should be worn?

What is said of the position of the feet in running?

What is running in reality?

What are trained and developed by running?

When may swimming prove to be a valuable art?

What feats sometimes indulged in by swimmers often lead to harm?

About how long should a swimmer remain in water?

How is surf-bathing useful? How should it be practised?

What muscles should not be over-used in rowing?

What defects of development are often observed in those who row much?

What portions of the body should take part in rowing?

How should the stroke be made?

How does horseback-riding bring into use the muscles?

What can be said of horseback-riding as an exercise?

Is it suitable for the weak?

What parts are benefited by heavy riding?

By whom alone should it be practised?

What is said of carriage-riding, velocipede-riding, bicycle-riding?

How can both sides of the body be given an equal chance for development?

How should children learn to bat, throw, lift, etc.?

How should a ball be kicked?

How should satchels and other burdens be carried?

How should writing and sewing be done?

How can inequalities of the limbs be overcome?

Name some open-air games which are important for health and development.

What is Wellington reported to have said?

Which limbs have the largest share of work in our popular games?

To what games should especial attention be given?

How can the parts overlooked in work and games be developed?





CHAPTER VII.

THE NERVOUS SYSTEM.

98. Regulation of the Machinery of the Body.—

We have seen that the contraction of muscles results in the moving of bones and the parts attached to them. When the arm is stretched out, or bent upwards, why does it not always so remain? Why does not the leg always rest in one position? Why does not the eye always look in one direction? Our arms, and legs, and eyes move in this way or in that, because we wish or will them so to move. Something within us directs and regulates these movements. All machinery must be guided and controlled, or it will do harm rather than good. In the case of ordinary machines, as locomotives, steam-ploughs, etc., a human being sees that the boilers are properly filled with water, that the fires are neither too low nor too high, that the belts and wheels are well oiled, that the pipes and valves are all in proper condition. The machinery of the body, however, is regulated by a part of the machine itself. A muscle moves because something tells it to move. This order must come from somewhere, and must have a road by which to travel. It comes from the brain, and journeys by way of the spinal cord and nerves to the muscle.

99. The Parts of the Nervous System.—We have already learned that some of the bones of the head form a case or box, called the skull or cranium, and that a long, hollow tube is formed in the backbone, and is known as the spinal canal. The skull is filled with the organ called the *brain*, and the spinal canal with the *spinal cord*. The brain and spinal cord are connected; they are continuous masses of nervous matter. Running off from the brain and spinal cord to every part of the body are cords, called the *nerves*. The brain, spinal cord, and nerves, with little gray masses of nervous matter called *ganglia*, which are found here and there all over the body, make up the *nervous system*.

100. Gray and White Matter of the Nervous System.—The nervous system is composed of two kinds of tissue, usually spoken of as *gray matter* and *white matter*. The outside of the brain is made up chiefly of gray substance, the interior mainly of white. The external portions of the spinal cord are composed of white matter, the internal of gray. In the brain are some isolated masses of gray matter. Ganglia are also scattered here and there throughout the body. The nerves are formed of white matter. The gray substance of the nervous system is its active portion, the source of force or power. The white matter is made up of fibres or tracts for conveying impressions. These fibres transmit the messages which are sent to and fro throughout the body.

101. Divisions of the Brain.—Fig. 23 is a view of the left half of the brain. The large mass above, which shows many windings upon its surface, is the

cerebrum, or greater brain. It comprises about six-sevenths of the entire brain. It conforms to the shape




Fig. 23.—View of the Left Half of the Brain.

of the skull. Its external surface is made up of convolutions and fissures; that is, instead of being one uniform, smooth surface, it is composed of a curious system of hills and hollows. Underneath the cerebrum is a smaller mass, the cut surface of which presents a beautiful tree-like appearance. This is the *cerebellum*, or lesser brain. Two parts, called the *medulla oblongata*, or oblong marrow, and *pons Varolii*, are also seen in the picture. The medulla oblongata is about one inch long. By some it is regarded as the uppermost portion of the spinal cord. *Pons Varolii* means the bridge of Varolius, an Italian anatomist, named Varolius, having first described it.

102. Membranes of the Brain.—The brain is enclosed by two coats or membranes. The outer mem-

brane is called the *dura mater*, from *dura*, "hard," and *mater*, "mother." The name *dura* was applied to it because of its great hardness, or toughness. The term *mater* was given because the ancients had a fanciful notion that this membrane was the mother of all the other membranes of the body. The inner membrane, which is in close contact with the brain, is called the *pia mater*, or "delicate mother." Compared with the *dura mater* it is a very thin and delicate. Some anatomists speak of a third membrane, which is called the *arachnoid*, from Greek words meaning "resembling a spider's web." It is composed of two layers, one on the inside of the *dura mater*, and the other on the outside of the *pia mater*. These so-called layers of the *arachnoid* may be considered as parts of the other membranes.

103. Functions of the Brain.—The parts of the brain just described have many divisions and subdivisions, each of which probably has its own special use or function. The gray matter of the cerebrum is the chief organ of the *Mind*. It is hard to give a definition of mind; but we know it is that something within us by means of which we become conscious of sensations, by which we can fix our attention, and by which we can remember, think, judge, reason, and govern. We know that the cerebrum is the chief organ of mind, because when it is injured, diseased, or imperfectly developed, the mind is more or less unsound. Different parts of the cerebrum are probably concerned with different functions of the mind. In one portion we become aware of sensations of touch,

sight, hearing, taste, smell, pain, etc.; in another, attention, memory, judgment, reason, and other mental faculties, are seated; in still another, are centres from which go forth the orders or impulses which cause the muscles to move. The functions of the cerebellum have not been very clearly made out by physiologists. One of them seems to be to harmonize movements, that is, to cause the muscles to move in a steady and regular manner. It has been observed that when the cerebellum has been injured or diseased, walking or other movements of the limbs became unsteady and disorderly. The pons Varolii serves chiefly to connect the medulla oblongata with the cerebellum and cerebrum. Some important nerves arise in large part in its substance. In the medulla oblongata arise the nerves which are most essential to life, those which go to the face, throat, neck, lungs, heart, and stomach. A wound or disease of a very small portion of the medulla oblongata will sometimes cause death.

104. The Spinal Cord.—The spinal cord is connected with the medulla oblongata above, and extends downwards through the cavity or canal in the backbone. It is from fifteen to eighteen inches long, and has cracks or fissures running its whole length and dividing it into different parts.

105. The Nerves.—Nerves are given off from the brain and from the spinal cord in pairs. These are called the *cerebro-spinal nerves*—those coming directly from the brain being the *cranial nerves*, because they come from within the cranium or skull, and those from the spinal cord being the *spinal nerves*. (Fig. 24.)




Fig. 24.—A Back View of the Brain and of the Spinal Cord and its Branches.

106. The Cranial Nerves, or Nerves of the Brain.

—Twelve pairs of nerves go off directly from the base of the brain. Figure 25 is a picture of the base of




Fig. 25.—The Base of the Brain.

the brain. As here seen, the nerves have been cut off before going into the openings in the skull. After passing through these holes they send branches off in various directions, some to the nose, some to the eyes, some to the ears, some to the scalp, forehead, and cheeks, some to the mouth, tongue, throat, and neck, some to the windpipe, lungs, heart, and stomach, and other organs of the abdomen.

107. The Spinal Nerves.—In the sides of the backbone or spinal column are numerous little holes, through which nerves pass to all parts of the trunk and limbs. These spinal nerves are connected indirectly with the brain as well as with the spinal cord. This is important to know; otherwise, it may not be understood how the brain receives messages from and controls all parts of the body. The spinal nerves appear to end when they reach the spinal cord; but the truth is, that in the spinal cord are tracts or roads along which messages can go up from the spinal nerves to the brain, and come down from the brain to the spinal nerves.

108. The In-coming and Out-going Nerves.—The nerves have been spoken of as if they all *went out* from the brain and spinal cord. More properly, some come in and some go out. In the spinal cord some nerve-fibres are running upwards, others downwards.



Fig. 26.—A Section of the Spinal Cord.

Both the out-going and in-coming nerves are in the same bundle up to a point near the spinal cord, where they divide. The middle part of Fig. 26 gives an idea of what would be seen if the spinal cord were cut across with a knife. In the central portion are two sets of horns. Between and outside of these are spaces, which look black in the picture but in reality are white, the horns being gray. The nerves, or their continuations, pass up and down the white parts or *columns*. The gray horns are centres of nerve force.

109. Sensory and Motor Nerves.—The in-coming nerves, those which carry news from all parts of the body to the brain, are also called *sensory nerves*; through them the brain gets acquainted with what is going on in and around the body. They are the nerves which bring about the sensations of touch, pain, temperature, etc. The out-going nerves, those which carry impulses or messages from the brain to all parts of the body, are also called *motor nerves*, because they chiefly go to muscles, and carry orders about movements. Each muscle or group of muscles has its own motor nerves. Certain parts of the brain are all the time in direct communication with certain muscles. Through some kind of an action in the brain, which we cannot fully comprehend, it is willed in the brain that a muscle shall move. Instantly the message goes to that muscle by way of the nerve tract in brain, spinal cord, and nerve, and the muscle obediently contracts. How the message is carried we cannot exactly say. Some think that it is simply by a sort of motion conveyed along the little molecules of the nerve tissue. It certainly is mysterious, and yet not much more so than the sending of messages along telegraph wires.

110. Reflex Action of the Spinal Cord and Brain.—Every movement performed by muscles is not directed by the brain. Sometimes muscular actions occur without the will or mind seeming to have anything to do with them. If your foot is tickled while you are asleep, you may draw it up without awaking. Here the mind does not seem to act, at least not in the ordinary way. Such a movement

is called a *reflex action*. The term *reflex* is derived from words meaning "to flow back again." Impressions are taken up by the sensory nerves, the ends of which are in the skin, and are carried by these nerves to nerve-centres in the gray horns of the spinal cord. From these centres they are reflected or thrown back along a motor nerve or nerves to the muscles of the foot and leg, and movement is the result. The brain is asleep and off guard, and does not take any note of such actions. Some reflex actions, such as coughing, sneezing, winking, etc., are performed through the brain. Walking, standing, piano-playing, and similar actions are also sometimes accomplished in a reflex manner, that is, without the interposition of the will.

111. The Sympathetic System of Nerves.—One set of nerves and ganglia found in the body is usually called the *sympathetic system of nerves*. One part of this system consists of a chain of gray ganglia, joined by a long cord, and situated on each side of the front of the spinal column in the neck, chest, abdomen, and pelvis. On or near the great organs, which are in the large cavities of the trunk, are networks of nerves and ganglia which belong to this system. Scattered here and there in little nooks and corners of the skull are also some of its ganglia. The different parts of the system are all connected, and are also united with the spinal cord or brain.

112. Physiology of the Sympathetic System of Nerves.—Nerves which go to blood-vessels are called *vaso-motor* nerves. Vaso-motor nerves are found in

all parts of the nervous system. They come sometimes directly from the brain and spinal cord, without getting mixed with the sympathetic system. Many of them, however, pass to the blood-vessels by way of the sympathetic ganglia. Blood-vessels have muscular tissue in their walls. The messages which travel along the vaso-motor nerves to the vessels cause them sometimes to contract or squeeze together, sometimes to dilate or become wider. In this way the supply of blood to different parts of the body, and particularly to the internal organs, is largely regulated through the sympathetic system.

113. Effect of Alcohol on the Brain and its Membranes.—The brain and its membranes are supplied with blood-vessels in the greatest abundance. Any substance absorbed into the blood soon penetrates to every nook and corner of the brain, upon which it acts with intensity. Congestions of the brain are thus caused by the temporary use of alcohol. Its long-continued use leads to changes in the substance of the brain, which degenerates and often hardens. The inner membrane of the brain, or *pia mater*, as the result of frequent congestions, loses its clearness, and becomes milky-white or amber-colored. Both this membrane and the outer membrane, or *dura mater*, may become thickened. Some authorities say that a brain once thoroughly overcome by alcohol is never again what it was before. Dr. Percy, a British physician,* injected two ounces and a half of alcohol into the stomach of a dog, which caused its almost instant

* Quoted by Parton.


death. He removed the animal's brain, subjected it to distillation, and obtained a surprising quantity of alcohol, which seemed to have rushed to the brain.

114. Different Stages in the Action of Alcohol on the Nervous System.—Dr. Richardson describes the acute effects of excessive amounts of alcohol as occurring in four stages: (1.) The first stage is one of excitement—the face flushes, the eye brightens, and conversation becomes louder and freer. This effect is due to the impairment of the nervous control, the result of the alcohol. The heart beats more rapidly, because the resistance offered by the capillary blood-vessels to the current of blood is diminished. (2.) In the second stage, the function of the spinal cord is influenced. The spinal centres control pure automatic acts—those acts which proceed systematically, even when we are not thinking about them. These now cease to be correctly carried on. The movements of the individual become uncertain and unsteady. The nervous control of certain of the muscles is lost, and the nervous stimulus is more or less enfeebled. (3.) In the third stage, the cerebral or brain centres become influenced; they are reduced in power, and the controlling influences of will and of judgment are lost. The reason is now off duty, or is fooling with duty, and all the mere animal instincts and sentiments are laid bare. The coward shows up more craven, the braggart more boastful, the cruel more merciless, the untruthful more false, the carnal more degraded. (4.) Finally, in the fourth stage, the action of the alcohol still extending, the superior brain centres are over-

powered; the senses are beclouded, the voluntary muscular prostration is perfected, sensibility is lost, and the body lies a mere log, dead by all but one-fourth, on which alone its life hangs. The heart still remains true to its duty, and while it just lives it feeds the breathing power.

115. Nervous Derangements produced by Alcohol.—*Epileptic convulsions*, some forms of *paralysis*, and *neuralgias*, or painful affections of the nerves, are sometimes attributable to alcohol. *Hysteria* is frequent among those who use alcohol, although it is more frequently produced by other causes. Such patients suffer from great emotional excitement, laughing or crying by turns, may have violent spasms, are exceedingly sensitive and irritable, and generally become a nuisance to themselves and others. Alcohol may also cause *sleeplessness*. It does this largely by the unhealthy state of the circulation which it induces.

116. Effect of Tobacco on the Nervous System.—Tobacco keeps the nervous system in a continual state of irritability and weakness, and causes a craving for itself which sometimes amounts to a kind of mental disorder. Through the sympathetic nervous system tobacco acts on the glandular system, exciting over-secretion followed by an impaired secreting power.



QUESTIONS FOR REVIEW.

- What results from the contraction of muscles?
Why do our arms, legs, and eyes move in certain directions?
What directs and regulates these movements?
Why must machinery be guided and controlled?
How are ordinary machines managed?
By what is the machinery of the body regulated?
Why does a muscle move?
Whence comes the order to move, and by what road does it travel?
Where is the brain situated?
Where is the spinal cord situated?
What are the nerves?
What parts make up the nervous system?
Of what two kinds of tissue is the nervous system composed?
Where is the gray matter of the brain found?
Where is the white matter found?
Of what are the external portions of the spinal cord composed?
Of what are the internal parts composed?
What isolated masses are found in the brain?
Where are ganglia found?
Of what kind of tissue are the nerves formed?
What portion of the nervous system is the source of force or power?
What portion conveys impressions or messages?
What is the greater brain called?
How much of the entire brain does it comprise?
To what shape does it conform?
What are seen upon its external surface?
What is situated underneath the cerebrum?
What is the length of the medulla oblongata?
How do some regard the medulla oblongata?
What is the meaning of pons Varolii?
How many coats or membranes has the brain?
What is the outer membrane called?
Why were the terms "dura" and "mater" applied to it?
What is the inner membrane called?
What is the characteristic of this membrane?
What third membrane is sometimes spoken of by anatomists?
What is the derivation of the word arachnoid?
Of what layers is it composed?

Of what may these so-called layers of the arachnoid be considered as parts?

What is the chief organ of the mind?

What is the mind?

How do we know that the cerebrum is the chief organ of the mind?

With what are different parts of the cerebrum concerned?

Of what sensations do we become aware in one portion?

What faculties are seated in another part?

What centres are located in still another region?

What seems to be one of the functions of the cerebellum?

What has been observed when the cerebellum has been injured or diseased?

What purpose does the pons Varolii serve?

What arise in its substance?

What nerves arise in the medulla oblongata?

What would be the effect of a wound or disease of a very small portion of the medulla oblongata?

How long is the spinal cord?

How is the spinal cord divided?

How are nerves given off from the brain and spinal cord?

What is meant by the cerebro-spinal nerves?

Which are the cranial nerves?

Which are the spinal nerves?

How many pairs of nerves go off from the brain?

To what do the cranial nerves send branches?

Through what do the spinal nerves pass?

With what are the spinal nerves indirectly connected?

What tracts or roads are found in the spinal cord?

Do all the nerves go out from the brain and spinal cord?

In what direction do the nerve-fibres in the spinal cord run?

Up to what point are the out-going and in-coming nerves together?

What is situated in the central portion of the spinal cord?

Where are the white columns of the cord situated?

What is the function of the gray horns?

By what name are the in-coming nerves known?

Why are they so called?

What is brought about by them?

What are the functions of the out-going nerves?

What are they sometimes called, and why?

With what is each muscle or group of muscles supplied?

With what are certain parts of the brain in direct communication?

Explain the process by which the brain causes the muscle to contract.

How are messages probably conveyed along the nerve tracts?

Are all movements performed by muscles directed by the brain?

Give illustrations of movements occurring without the control of the will or mind.

What is a movement which occurs independently of the will or mind called?

Give the derivation of the term reflex.

Explain the process by which reflex actions take place.

Mention some reflex actions performed through the brain.

What set of nerves and ganglia is found in the body?

Of what does one part of the sympathetic system of nerves consist?

Describe the other portions of the sympathetic system.

With what is the sympathetic system connected?

What are vaso-motor nerves, and where are they found?

How do many of these nerves pass to the blood-vessels?

What sort of tissue is found in the walls of blood-vessels?

How is the supply of blood to different parts of the body largely regulated?

Describe the manner in which congestion of the brain is caused by the temporary use of alcohol.

What changes result in the brain and its membranes from the continued use of alcohol?

What do some authorities say of a brain once thoroughly overcome by alcohol?

Describe the experiments of Dr. Percy.

Describe the first stage of the effect of excessive amounts of alcohol on the nervous system; the second, the third, the fourth.

Name some of the nervous derangements caused by the use of alcohol.

Describe the effect of tobacco on the nervous system.





CHAPTER VIII.

SENSATION AND THE SPECIAL SENSES.

117. Sensation.—An impression made upon any part of the body to such an extent that the mind recognizes that something has been done, is a *sensation*. Through the nervous system impressions are received and given out, and we are put in communication with other beings and objects. If, for instance, we are struck, tickled, pinched, rubbed, cut, or burned, we have sensations of sticking, tickling, pinching, etc.; if we see a tree we have a sensation of sight; if we hear a voice or music we have a sensation of sound. For all sensations the individual must have (1) an apparatus to receive impressions, that is, sense-organs in the skin, eye, ear, etc.; (2) an apparatus to carry impressions to the brain, the in-coming or sensory nerves spoken of in the last chapter; and (3) an apparatus in the brain to convert the impressions into what becomes sensation to the mind. When the skin is touched, when light strikes the eye, or a sound the ear, when the tongue comes in contact with anything sweet, or the nose is greeted with an odor, sense-organs receive the impressions, and sensory nerve-tracts carry them to the brain, where we become conscious of a sensation.

118. The Five Special Senses.—The five special senses are feeling, seeing, hearing, tasting, and smelling. These are the five ways or channels by which the mind becomes acquainted with the outside world. Sometimes all or several of the senses act; sometimes only one is brought into service. We *hear* an apple fall, we look in the direction of the sound and *see* it, we *touch* it, picking it up, we *smell* its fragrance, and finally we *taste* it. Each and all of the senses have given some information about the apple. The blind man uses touch alone when he feels a piece of cloth to determine what it is.

119. Feeling or Touch.—The skin is the great organ of the sense of touch. Immense numbers of nerve filaments are found in the true skin. The ends of these take up impressions which arise from contact of the skin with any object. These impressions finally get into the brain as sensations of touch. By this sense of touch we learn whether bodies are hot or cold, rough or smooth, wet or dry. In some parts of the body, in the fingers and hands, for instance, the sense of touch is very delicate. If the skin is burned, *pain* is caused. The reason of this is that the nerves, which usually are only slightly excited by touch, are greatly excited by contact causing pain. When the skin comes in contact with a hot or cold body a peculiar sensation is caused, which some think is entirely distinct from touch. When a weight is raised, the sensation seems also to be not altogether one of touch.

120. The Media or Clear Parts of the Eye.—The organ of sight is the eye. Cutting through the mid-

dle of the eyeball from above downwards, and from before backwards, we get the appearance seen in Fig. 27. Going from before backwards, we first see the




Fig. 27.—Section of the Eyeball.

clear part of the eye, or *cornea*, what is sometimes called, but wrongly, the "sight of the eye." The word *cornea* comes from *cornu*, "a horn," and this part of the eye is so called because it bears some resemblance to very thin horn. Next comes a little room or cavity, the front or *anterior chamber*, which contains a fluid known as the *aqueous* or *watery humor*. Hanging in this chamber is a circular curtain, the *iris*, which has a hole in it called the *pupil*. The word *iris* means "rainbow;" it is this curtain which gives the eye its peculiar color. The iris contains muscular fibres, which contract and expand, and so alter the size of the pupil. In bright light the pupil is small, in the dark it is large; and thus the amount of light admitted to the eye is regulated. Just behind the iris we come to a hard body, the *crystalline lens*, which is

perfectly clear, and has two sides curved outwards. Back of this lens is the *posterior chamber* of the eye, which is filled with a jelly-like mass, called the *vitreous* or *glassy humor*. The cornea, aqueous humor, pupil, crystalline lens, and vitreous humor are the *media of the eye*, placed between the outside light and the nerve of sight.

121. The Coats or Coverings of the Eye.—Besides the cornea in the front of the eye, this organ has three distinct coats or coverings. The outer protecting one is the *sclerotic* or *hard* coat; it forms, so far as it is visible, the “white of the eye.” To this the muscles of the eyeball are attached. The middle coat is called the *choroid*, a word which means “like the skin;” it is like the true skin in that it contains a great number of blood-vessels. It is a very dark membrane, containing many pigment or paint cells. The object of these dark cells is to absorb some of the rays of light. If all the rays of light which strike the eyeball were allowed to enter the eye, and affect the nerve of sight, vision would be dazzled and confused. The third, inner coat of the eye is the *retina*. The word *rete* means a “net,” and the retina has been compared to a network spread out over the inner surface of the eye. It is the sensitive, nervous coat of the eye.

122. The Nerve of Sight.—On page 85 is a picture of the base of the brain, to which attention was called in the last chapter. Near the front of this picture two tracts of nerve tissue can be seen crossing each other, somewhat like the letter X. These are the

optic nerves, or nerves of sight, forming at this point what is called the *optic chiasm* or *commissure*. *Chiasm* comes from a Greek verb, which means "to make the letter X;" and *commissure* signifies "a joining together;" and hence it can be seen why these names are given. Back of the place of crossing one of these nerve tracts goes to one side of the brain, while the other passes to the opposite side; in front of the chiasm one nerve proceeds through an opening in one of the bones of the head to the right eye, the other goes to the left. The nerve passes through the two outer coats of the eye, and becomes continuous with the inner coat or retina.

123. The Bending of Light in the Eye.—When light passes from one clear substance to another of different density, it is bent from the straight course which it has been taking. These clear substances will cause more or less bending of the rays of light according to their shape. A curved surface will cause a very considerable bending. A piece of glass with a double curve, like that of the crystalline lens, has a very decided refracting power. It will bend rays of light to a point. When rays of light come to the eye they strike first upon the curved cornea, which bends them a little from their course. After awhile they reach the crystalline lens, which bends them very decidedly; so much so as actually to cause the rays to fall upon the retina in such a way as to produce an image upside down.

124. Pictures upon the Retina.—When the photographer takes a picture he places his subject before

a box, with a hole in the front part of it. This is what is called the *camera obscura*, or dark chamber; it is coated or painted inside with some dark substance. At the end next to the person who is being photographed is an opening, containing a lens. At the other end is a piece of glass coated with a chemical substance, on which light acts very quickly. The rays of light coming from the subject strike the lens, and are bent by it in such a way that they fall right upon the chemical substance, and form there a picture. The eye may be compared to a camera obscura. The retina has, during life, a red color, due to a peculiar coloring matter, which is called *retinal red*. It is probably a chemical substance of extreme delicacy and sensitiveness, on which light waves from different objects, or objects of different colors, so act as to give rise to different changes in it. According to the kind of change effected will be the impression made on the nerve-ends, and conveyed back to the brain.

125. The Process of Seeing.—Rays of light pass through the beautifully clear media of the eye and through the pupil; they are bent by the crystalline lens so that they fall directly upon the retina. They cause a picture of the object from which they come to be made upon the retina. They produce a stir in the retina. They probably set up in it some kind of minute motion. We commonly say that light makes an impression on the retina. This stir, or motion, or impression, travels from the retina back along the optic nerves to the brain; and in the brain, in some way not fully understood, it becomes the sensation of sight, and the object is seen right side upwards.

126. The Organ of Hearing.—Only second to sight in importance is the sense of hearing. The organ of hearing is the *ear*, of which you have a view (Fig. 28). It consists of three parts, the external ear, the middle ear, and the internal ear. The *external ear* includes the projecting and curiously curved part commonly called the ear and the little tube or canal, the *external*




Fig. 28.—View of the Ear.

auditory canal, which can be seen extending inwards from the outside. This canal is about one inch long. At its inner end it is closed by a membrane called the *membrane of the tympanum*. The *middle ear* is a little cavity just inside of this membrane. This cavity is called the *tympanum* or drum. A canal or tube about one and a-half inches long runs from this middle ear or tympanum to the throat. It is called the Eustachian tube, after an anatomist, Eustachius, who first described it. Both the Eustachian tube and middle ear are lined with delicate mucous membrane. The *internal ear* is

also called the *labyrinth*, because of its complex character. This internal ear or labyrinth is made up of curiously shaped canals and cavities in the bones.

127. The Nerve of Hearing.—The auditory nerve, or nerve of hearing, is one of the nerves given off directly from the brain. It proceeds from the base of the brain by bony passages to the internal ear, in the cavities and canals of which it is distributed, ending in minute plates and hair-like filaments. This ner-



Transmission of Sound.

vous portion of the organ of hearing is bathed all the time in a fluid which is within the labyrinth.

128. The Process of Hearing.—A sound like that of a voice, a bell, or a cannon sets the air around into vibration. This vibration is carried as a wave of sound to the external ear. It passes into the external auditory canal, and strikes against the membrane of the tympanum, which is also made to vibrate. These vibrations are communicated to little bones within the

ear, by which they are carried along to the labyrinth or internal ear. The liquid in the labyrinth, and finally the little nerve ends, take up the motion, which is conveyed along the trunk of the auditory nerve to the brain and becomes there the sensation of hearing. This is the usual process. Sound, however, instead of coming through the external canal of the ear, may reach the labyrinth by the bones of the head. If a watch is placed against the forehead, or against the teeth, its ticking can be heard very distinctly, the sound being carried by way of the bones of the head to the internal ear.

129. Taste.—If salt, sugar, vinegar, or a bitter medicine is placed on the tongue, it produces a peculiar sensation—it is tasted, for the tongue is the organ of taste. The tongue is supplied by two nerves, branches from one going to the front, and from the other to the back part of the organ. Impressions are carried by one or both of these nerves to the brain. The mucous membrane which covers the tongue is raised into little points or papillæ, and to these go little nerve filaments and blood-vessels. Through these points impressions of taste and other impressions also are received.

130. Smell.—The sense of smell is brought about by an arrangement very similar to that for the other senses. The nose, as has already been learned, is lined with mucous membrane. At the front part of the base of the brain are the nerves of smell, or olfactory nerves, one on each side. They are of large size and club-shaped (Fig. 25). From these nerves of smell a large number of little nerve branches go down

through minute holes in the floor of the skull to the mucous membrane which lines the nostrils and the cavities connected with them. This membrane, like the tongue, has scattered all over it little papillæ or projections, in which the delicate nerve-branches end, or, perhaps, more properly, begin. Odors carried by the air enter the nose, act upon the nerve-ends, and the impressions made are hurried back to the great nerves of smell in the brain, and the sensation of smell results.

131. Effect of Alcohol on the Eye.—Alcohol, used as a drink, often produces chronic congestion or inflammation of the eye and delicate lining membrane of the lid. A disease well known to physicians, called *Amblyopia potatorum*, or “feebleness of sight of drinkers,” often results. In this condition, if drink is persisted in, nutritive and structural changes take place in the eye, and the optic nerve, which conducts to the brain the impressions formed on the retina, wastes away, and the case is hopeless.

132. Effect of Tobacco on Sight and Hearing.—In moderate smokers, the sight is often perplexed; in reading, letters become confused, luminous specks float before the eyes, and deep-seated pain is felt in them. The best evidence that tobacco is acting injuriously on the sense of sight is supplied when there is a long retention of images after the eye ceases looking at objects. This indicates that the retina, or nervous screen, is becoming affected. The specific effect of smoking on the sense of hearing is indicated by a

confusion of sounds, with a difficulty in appreciating sounds that are very soft or unusually loud.

133. Effect of Tobacco on the Lips, Tongue, and Teeth.—Cancer of the lips or tongue has not unfrequently been attributed to smoking. A recent writer* in a journal devoted to dentistry has shown that the constant use of tobacco injures the teeth, which is contrary to an old view, and one which is even now commonly accepted. According to this writer, the injurious effects are not very noticeable until the person has been using the weed for about fifteen years, but the use of the pipe to excess will show its injurious effects in less time.



QUESTIONS FOR REVIEW.

What are the functions of the nervous system?

What is a sensation? Give illustrations.

What three things are necessary in order that sensations may be produced?

Give illustrations of the forms of apparatus for sensations.

What are the five special senses?

What are the functions of these senses?

How many of the senses may act at one time?

Give an illustration of the action of all the senses.

Give an illustration of the use of only one sense.

What is the organ of the sense of touch?

What are found in the true skin?

How are sensations of touch brought about through the nerves of the skin?

Of what do we learn by the sense of touch?

* John D. Harper, D.D.S., in the *Southern Dental Journal* for January, 1883.

Where is the sense of touch very delicate?

Explain the difference between the sensation of touch and that of pain.

What results when the skin is touched by a hot or cold body?

What results when a weight is raised?

What is the organ of sight?

What is the cornea? Why is it so called?

What is the name of the little room or cavity in the front of the eye?

What fluid does the anterior chamber of the eye contain?

What curtain hangs in this chamber?

What is the pupil of the eye?

What is the meaning of the word "iris"?

What does the iris give to the eye? What does the iris contain?

How is the admission of light to the eye regulated?

Where is the crystalline lens? Describe it.

Where is the posterior chamber of the eye? What does it contain?

What are the media of the eye?

How many coats or coverings has the eye?

What is the outer coat of the eye called?

What does this coat form and what are attached to it?

What is the middle coat of the eye called? Why?

What does the choroid coat contain?

What is the object of the dark cells of the choroid?

What is the inner coat of the eye called? Why?

What is the function of the retina?

Where do the optic nerves cross?

What is the meaning of the words chiasm and commissure?

What is the course of the optic nerve tracts behind the chiasm?

With what coat of the eye is the optic nerve continuous?

What happens to a ray of light when it passes from one clear substance to another?

What is the effect of a curved surface? What of a double curve like that of the crystalline lens?

Describe the course of rays of light after reaching the eye.

Describe a camera obscura.

To what is the red color of the retina during life due?

What is the probable nature of retinal red? How does it act?

Describe the process of seeing.

What is the organ of hearing?

- Of what three parts does the ear consist?
 What does the external ear include?
 What is the membrane of the tympanum?
 What is the middle ear? What is its cavity called?
 What tube runs from the middle ear to the throat?
 With what are the Eustachian tube and middle ear lined?
 What is the internal ear also called? Why?
 Of what is the internal ear or labyrinth composed?
 What is the name of the nerve of hearing?
 Where does the nerve of hearing originate? Describe its course.
 In what is the nervous portion of the organ of hearing bathed?
 Describe the usual process of hearing.
 Instead of coming through the external auditory canal, in what other way may sound reach the internal ear? Give an illustration.
 What is the organ of taste?
 What nerve branches are found in the tongue?
 What are their functions?
 What are the papillæ of the tongue?
 How is the sense of smell brought about?
 With what is the nose lined?
 Where are the nerves of smell situated and what are they called?
 Describe the course of the branches of the nerves of smell.
 Describe the process of smelling.
 Describe the effect of alcohol on the eye.
 How does tobacco affect the sight?
 How does tobacco affect the hearing?
 What effect has tobacco on the lips, tongue, and teeth?





CHAPTER IX.

CARE OF THE NERVOUS SYSTEM AND SENSE ORGANS.

134. Importance of Caring for the Nervous System.—The importance of carefully guarding the nervous system is very evident. The brain, being the governing part of the body, must be kept in good health, or the machinery of the system, which it directs, will be allowed to jangle and get out of tune. The spinal cord, along which some of the messages to and from the brain centres are carried, and which contains centres of its own, must also be sound, or the performance of its functions will not be properly effected. The sensory nerves must not be broken or injured, or impressions will not be conveyed smoothly upwards to the spinal cord and brain. The motor nerves must be intact in order to receive and convey the messages from the brain as they are sent.

135. Exercise of the Brain.—As the brain is the chief organ of the mind, its regular exercise will improve the mental powers. Much can be done in childhood towards establishing good habits of mind. Careful training of the senses will help in this direc-

tion, as our knowledge really comes from sensations. Even the higher faculties of the mind, such as attention, will, memory, and judgment, are improved by exercise of the brain. Children sometimes seem to look without seeing, and to listen without hearing; they should learn to observe closely and attend to what they observe. In reading, they should try to understand clearly every word and thought. Study will improve the mind, and will not injure the body, if proper care is taken to preserve the health by regular habits of eating, sleeping, exercise, and recreation. Mental labor must not be carried to excess.

136. Causes of Disease of the Brain and Nervous System.—Alcoholic drinks, such as whiskey, brandy, gin, wine, beer, ale, etc., as has already been shown, are often the cause of serious diseases of the nervous system. We have seen that when large quantities of alcohol are taken in a short time, drunkenness is produced, chiefly through its effects upon the brain. If its use is continued, the faculties of the mind become impaired. Sometimes the tissues and the vessels of the brain become so altered that they cannot properly perform their functions. Continued care, anxiety, or excitement will also have a tendency to weaken and depress the brain. Prolonged exposure to the sun, or to excessive heat, with fatigue, is also a cause of disease of this organ.

137. Paralysis.—A condition known as *paralysis*, or *palsy*, is sometimes the result of disease or injury of some part of the nervous system. The term paralysis comes from a Greek word meaning to “loosen”

or "disable." It is an affection characterized by a loss or diminution of power. The arm that is completely paralyzed cannot be lifted from the side; the palsied leg will drag like a dead weight. The muscles no longer act as they do in health. The disease or injury which causes the paralysis may be situated in the brain, in the spinal cord, or in the nerves. A vessel may break in the brain, causing a blood-clot to form, and this clot destroys the centres which govern and direct muscular movements. The spinal cord may be crushed, or may be diseased, so that messages cannot travel up and down it, or so that its centres cannot act, and spinal paralysis results. Disease or injury of a nerve causes paralysis by cutting off communication between the muscles and the brain or spinal cord. When the serious nature of paralysis is considered, the importance of carefully guarding the nervous system from harm and overstrain will be recognized.

138. Sleep.—Sleep has well been called "tired nature's sweet restorer." Without sleep the brain would soon wear out. The work and turmoil of the day keep the brain in a state of constant activity. Wear and waste always go hand in hand with activity; hence, the brain becomes exhausted. Sleep helps to renew and rebuild. During sleep the voluntary muscles are at rest, and breathing, circulation, and temperature are diminished. About eight hours out of the twenty-four is the proper allowance of sleep for most adults. Children, and those who are weakly or hard-worked, will generally require more than eight hours.

139. Defects of Sight.—Two of the most common defects of vision are short-sight and long-sight, which are generally due to a faulty shape of the eyeball. In short-sight, or near-sightedness, the globe of the eye is too long, and rays of light are bent to a focus in front of the retina. Objects can then only be seen clearly when they are close to the eye. Concave glasses are employed to correct this defect. In long-sight, or far-sightedness, the globe of the eye is too short, and hence rays of light from an object at an ordinary distance come to a focus behind the retina. Convex glasses must be used. Sometimes, instead of the eyeball being simply too long or too short, it is irregular in shape. Glasses made with special curvatures in different directions are then necessary. The eye can be adjusted to see near or distant objects by what is called the function of accommodation, which is performed by the crystalline lens, the curvature of this body increasing or diminishing. As age advances, however, the lens becomes less elastic and its curvature cannot well be increased, so that convex glasses are also required for this condition.

140. How to Preserve Good Sight.—The sight often becomes poor because the eyes are sadly abused, especially in childhood and youth. Near-sightedness, in particular, which is said to be rapidly increasing in all civilized countries, is frequently acquired during school-life. At home and at school every precaution should be taken to counteract the injurious effects of protracted use of the eyes at a near point, as, in reading, writing, drawing, sewing, and similar work.

Study-rooms should be well lighted. The light should be abundant, steady, and not glaring, and should enter from the left side. Desks should be inclined, so as not to compel the pupil to bend over too much when at work. School-books should be printed in large, clear type, and the pages should not be too broad. Whenever defective vision is suspected, the eye should at once be examined. If the condition of the sight was determined before entering school, much misery in after life would often be saved.

141. Color-Blindness.—A peculiar defect of sight is called color-blindness. Usually, those who are color-blind are not able to distinguish between certain colors. The most frequent form of color-blindness is that for red; that for green comes next in frequency; rarely that for blue will be found. The term "Daltonism" is applied to color-blindness, after Dalton, a famous English chemist, who was red-blind, and was the first to call scientific attention to the subject, describing his own case in 1794. Children should be taught early to attend to colors. The color-sense can be improved by training, and sometimes the defect is apparent rather than real.

142. Care of the Ears.—The ears, like the eyes, should be watched and guarded. They are often injured by introducing too much cold water, and by boring and working at them. The ears can be cleaned with a soft, dry towel, or with a little warm water. The introduction of solid instruments, such as pins, probes, and ear-spoons, may injure the auditory canal, or even the drum of the ear. The ear may be injured even

by probing it roughly with the finger. If a foreign body gets into the ear, it can usually best be removed by gentle, steady syringing with warm water. Whenever the hearing is affected, when noises are heard in the ears, or when a discharge from this organ is noticed, a physician should be called.

143. Cultivation of the Senses.—All of the senses can be improved by cultivation. Great delicacy of touch can be acquired by practice, as is seen in musicians, sculptors, mechanics, and sometimes to a remarkable extent among the blind. A girl, named Laura Bridgman, through severe sickness occurring in her infancy, lost sight, hearing, taste, and smell; but she was taught to write, and to read and talk with her fingers, learning more with her one sense of touch than some do with all their senses. The eye can be trained to see farther and better. The hearing can be improved by listening carefully, and trying to distinguish different sounds. The Indian, who depends so largely on his senses, usually has acute sight and hearing. Persons with “musical ears” can tell the slightest differences in notes. Even taste and smell can be improved by cultivation. If the senses are the inlets or channels by which knowledge enters the mind, those who cultivate most thoroughly each and all of them will, in the end, have acquired the most knowledge.

144. Sleep Produced by Alcohol and other Narcotics.—While alcohol will sometimes cause wakefulness and unrest, in other cases, particularly if taken in large quantities, it produces heavy, stupor-

ous sleep. This sleep, however, is not of the kind that restores "tired nature." Instead of arousing from "alcoholic sleep" refreshed and strengthened, the individual awakens with disordered digestion and headache, and in a state of nervous irritability. His sleep is not that which comes naturally as the result of physiological fatigue, but is due rather to the action of a deadening agent introduced into the blood upon the nerve centres. The sleep produced by alcohol, or other drugs, such as opium and chloral, is never as beneficial as that which comes in the natural way. In serious disease, physicians are sometimes compelled to resort to narcotics to produce sleep, but this is only done in extreme cases, and with great caution. No one should ever use such narcotics except on trustworthy medical advice. The habit of using either alcohol or other narcotics to induce sleep is fraught with danger to body and mind.



QUESTIONS FOR REVIEW.

- Why should the brain be kept in good health?
- Why should the spinal cord be sound?
- Why must the sensory nerves not be broken or injured?
- Why must the motor nerves be intact?
- What will be the effect of regular exercise of the brain on the mental powers?
- When can much be done towards establishing good habits of mind?
- What is said of careful training of the senses?
- What is said of the higher faculties of the mind?

How should children learn to observe?

How should they read?

What effect will study have upon the mind and body?

What diseases are often caused by alcoholic drinks?

How is drunkenness produced?

What effect has alcohol on the tissues and vessels of the brain?

Name some other causes of diseases of the nervous system.

From what is the term paralysis derived?

By what is it characterized?

Give some illustrations of forms of paralysis.

Where may the disease or injury which causes the paralysis be situated?

Give an example of the manner in which paralysis may be caused by brain disease.

How is spinal paralysis produced?

How does disease or injury of a nerve cause paralysis?

What does the serious nature of paralysis teach?

What has sleep been called?

What would be the effect of going without sleep?

What organs are at rest and what functions are diminished during sleep?

What is the proper amount of sleep for most adults?

How much sleep do children and the weakly or hard-worked require?

What are two of the most common defects of vision?

To what are they frequently due?

What is the condition in short-sight?

What kind of glasses is employed to correct short-sight?

What is the condition in long-sight?

What kind of glasses are used to correct this defect?

What other defect of the eyeball besides its being too long or too short is sometimes found?

How is this defect corrected?

How is the crystalline lens adjusted to see near or distant objects?

What effects has age on the function of accommodation?

What kind of glasses is required to correct the defect of sight which results from advancing years?

How does sight often become defective?

When is near-sightedness frequently acquired?

What precaution should be taken with reference to the eyes?

- How should study-rooms be lighted ?
How should desks be inclined ? Why ?
How should school-books be printed ?
What should be done when defective vision is suspected ?
What should be done before entering school ?
What is color-blindness ?
What is the most frequent form of color-blindness ?
What is the origin of the term "Daltonism" ?
What is said about teaching children to attend to colors ?
How are the ears often injured ?
How can the ears be cleaned ?
Should solid instruments be introduced into the ear ?
What course should be taken when any serious affection of the ear is present ?
Can the senses be improved by cultivation ? Give illustrations.
Who in the end will have acquired the most knowledge ?
What effect has alcohol in relation to sleep ?
When only should narcotics be used ?





CHAPTER X.

THE BLOOD.

145. What Blood Is.—The blood of living man is a red, warm fluid. It has been well called the vital or life-giving fluid. Good blood in proper quantity usually means good health. It is found almost everywhere in the body; only a few tissues, such as the nails and hair, will not bleed when stuck or cut. Blood cannot be seen coursing along in the human body, even in rosy cheeks, where much of it is near the surface. In order to study it in a living animal, however, physiologists sometimes look at the web of a frog's foot, which is very thin and contains many blood-vessels.

146. Quantity of Blood in the Living Body.—The quantity of blood in the human body is about one-thirteenth or one-fourteenth of the weight of the body. If a man weighs one hundred and fifty-six pounds, about twelve pounds of this weight will be blood. About one-fourth of this blood is distributed in the heart, lungs, large arteries, and veins; one-fourth in the liver; one-fourth in the muscles; and one-fourth in other organs.

147. Composition of the Blood.—When blood first flows, it appears to the naked eye like a perfectly simple red fluid. It is not, however, as simple in composition as it appears, as can be learned by looking at a drop of blood under the microscope. It will then be seen to be made up of a solid and a liquid portion. The liquid, which is colorless, is called *plasma*; the solid part is composed of *corpuscles*. These corpuscles, or “little bodies,” are of two kinds—the *red corpuscles* and the *white corpuscles*. In Fig. 29 is a view




Fig. 29.—Red and White Corpuscles of the Blood Magnified.

of some of the appearances presented by these corpuscles, red and white.

148. The Red Corpuscles.—The red corpuscles are flat, circular disks, dimpled on each side like a

shirt-button. In the figure are views of them looking at them in front and edgeways. They have a curious fashion of sometimes sticking together like a roll of pennies, as is also shown. A single red corpuscle really looks yellowish; but when many of them are seen together they look red. They give to the blood its red color. The blood has been compared to a stream of water filled with an immense number of very little red fishes, the red corpuscles. One drop of blood may contain as many as a million.

149. The White Corpuscles.—The white corpuscles are somewhat larger than the red. They are usually globular. They will, however, even while one is looking at them with the microscope, change their shape several times—one moment being globular, the next pear-shaped, the next three-cornered, and so on. They are colorless, and are less numerous than the red corpuscles, healthy blood containing only one white corpuscle to about four or five hundred red. It is supposed that the white corpuscles become in time changed into the red. When the proportion of white corpuscles to red is much increased, a serious disease is the result.

150. Clotting or Coagulation.—If fresh blood is put into a bowl, it soon becomes like jelly. If it is left standing for some hours, it will separate into two parts—one a red, solid mass, the *clot*, and the other a clear liquid, which is called *serum*. The whole process is spoken of as *clotting* or *coagulation*. In the plasma, or liquid part of blood, a substance called *fibrin* forms. This is made up of very delicate

threads or filaments. These run in all directions like an extremely fine net-work. The corpuscles get caught in this net-work, and in this way the clot is formed. The serum is the plasma with its fibrin removed; the clot is equivalent to the corpuscles with fibrin added. It is not yet known exactly where the fibrin, which plays such an important part in clotting, originates. It forms in the blood after it has left the body. It has been thought probable that it is in part, at least, made out of the white corpuscles breaking in pieces.

151. Clotting of Blood in the Living Body.—In health, blood does not clot in the living body. It is fortunate that this is the case. The smallest islet of flesh becomes barren and dead without its supply of blood. If a vessel should be stopped by a clot, the parts to which the vessel goes would not receive this supply. This clotting sometimes occurs in grave diseases. Clotting sometimes serves a useful purpose when blood-vessels are cut or otherwise injured. The bleeding is checked by the clots plugging the open mouths of the vessels.

152. Composition of Serum.—Even the serum, or liquid part of the blood which separates from the clot, is not a simple fluid. It contains more than water. It is largely made up of albumen, the same substance that is found in the white of egg. This albumen is composed of the four great elements carbon, hydrogen, nitrogen, and oxygen, sometimes called *albuminoids*. Albumen, and substances like it, are found here and there all over the body. Our food, out of which

the blood is made, contains also the albuminoid elements. Vegetables are largely made up of oxygen, hydrogen, and carbon; while most animal food contains all these, and nitrogen in addition. Some parts of vegetables, however, contain all four elements, and the *fat* of animals is composed only of the oxygen, hydrogen, and carbon. The serum of the blood can be dried, and it will then readily burn. The part which burns is chiefly albumen; and in burning, this substance gives rise to carbonic acid, water, and ammonia. Carbonic acid contains carbon and oxygen; water contains hydrogen and oxygen; and ammonia contains nitrogen and hydrogen. In burning, the albumen breaks up into its different elements, some of which unite with oxygen from the air, and, as stated, carbonic acid, water, and ammonia are formed. Albumen is, as the chemists would say, a body which can be burned or oxidized.

153. Composition of Fibrin.—Fibrin is a substance very similar in composition to albumen, although the two are not identical. It is an albuminoid; like albumen, it is composed of carbon, hydrogen, nitrogen, and oxygen. Fibrin, albumen, and other albuminoids, largely make up the important tissues of the body, muscle, nerve, gland, etc.

154. Water of the Blood.—In one hundred parts of serum about ninety parts are water; and in one hundred parts of wet corpuscles about fifty-six or fifty-seven parts are water. The entire blood contains nearly eighty per cent. of water. It is "thicker than water" chiefly because of the immense numbers of

corpuscles which it contains; although the solid matters dissolved in the plasma also help to render it thicker and heavier.

155. Mineral Substances in the Blood.—In addition to the corpuscles, the fibrin, the albumen, and the water, the blood also contains minute quantities of minerals or salts. When blood is dried and then burned, a small amount of *ash* will always be left. This ash, if examined carefully, will be found to contain numerous mineral substances, the most important of them being iron, potassium, sodium, calcium, chlorine, sulphur, and phosphorus. These substances, although present in such very small quantities, are essential to healthy blood.

156. Uses of the Blood.—The feeding of the tissues of the body is carried on chiefly by the fluid part of the blood. The tissues take nutritive material from the blood, and the blood itself is fed from the food taken into the stomach. This blood builds bone and brain, liver and lungs, marrow and muscle; from it are derived bile, tears, saliva, and other secretions. Even the vessels which carry the blood are made from it. It supplies each tissue with the kind of material it needs. It carries oxygen to every part which requires oxygen. The blood also collects the waste matters of the body and conveys them to the organs which cast them out.

157. Effect of Alcohol on the Blood and Blood-Vessels.—Alcohol disturbs the normal action of the different constituents of the blood. The flow of

blood through the arteries is regulated through the sympathetic system of nerves, which is not under the influence of the will. Alcohol paralyzes the centres which govern these nerves, and the vessels to which they go, become over-dilated. In confirmed drinkers a chronic dilatation often remains, and is shown by the persistent redness of the face, and especially of the nose. The blood-vessels, particularly the arteries, are liable to disease from the abuse of drink. Sometimes an artery becomes quite rigid; its elasticity and its power of expansion and contraction are destroyed. These changes throw more work on the heart, and cause it to degenerate in structure. Dr. Parkes calculated that the free consumption of alcoholic liquors easily added twenty per cent. of additional work to the heart's normal task. The heart is excited and spurred to a rapid, unnatural gait.



QUESTIONS FOR REVIEW.

- What is blood? What has it been called?
- Where is it found?
- How do physiologists study blood in a living animal?
- To what is the quantity of blood in the body equal?
- How is this blood distributed?
- Of what two portions is the blood composed?
- What are the two kinds of corpuscles called?
- Describe the red corpuscles.
- In what manner do the red corpuscles often come together?
- What is the color of a single red corpuscle?
- To what has the blood been compared?

- How many red corpuscles may one drop of blood contain?
How do the white corpuscles compare in size with the red?
What is the shape of the white corpuscles?
What is said about the white corpuscles changing shape?
What is said about their color?
How do the white corpuscles compare in number with the red?
What becomes of the white corpuscles?
What is the result when the white corpuscles increase out of proportion to the red?
What happens if fresh blood be allowed to stand in a bowl?
Into what two parts does the blood separate?
What is the process of separation called?
What substance is found in the plasma, or liquid part of blood?
Describe the process by which a clot is formed.
To what is the serum equivalent?
To what is the clot equivalent?
What is known about the origin of fibrin?
Does blood clot in the healthy living body?
What would happen if blood clotted in the living body?
What useful purpose is sometimes served by clotting?
Of what is serum largely composed?
Of what elements is albumen composed?
What are these elements sometimes called?
Where is albumen found?
Does the food contain albuminoid elements?
Of what are vegetables largely composed?
What does animal food contain?
What is said of drying and burning serum?
What substance chiefly burns?
In burning, to what does albumen give rise?
What is the composition of carbonic acid, of water, and of ammonia?
How would the chemists describe albumen?
What is fibrin? Of what is it composed?
What are largely made up by the fibrin, albumen, and other albuminoids?
What is the proportion of water in serum?
What is the proportion of water in wet corpuscles?
What is the per cent. of water in the entire blood?
What makes blood "thicker than water"?

What is contained in the ash of blood?

How are the tissues fed?


How is the blood fed?

Name some of the uses of the blood.

What is collected by the blood?

What is the effect of alcohol on the blood and blood-vessels?

11*



1864

1864



CHAPTER XI.

THE CIRCULATION OF THE BLOOD.

158. Machinery for Distributing the Blood.—As the blood builds every tissue, the body must have machinery to distribute this blood. The *heart* is the pump which propels, and the *blood-vessels* are the pipes which convey, the red fluid of life to every little particle of tissue. The blood is constantly travelling round and round to every part of the system. This journey of the blood through the body is called the *circulation*, the word *circulate* meaning to “move round.” In ancient times it was said that “all roads led to Rome,” because Rome was the centre of the world’s activities. In like manner, in regard to the circulation, all roads lead to the heart. The roads by which the blood travels are blood-vessels of three kinds, called *arteries*, *veins*, and *capillaries*. The blood goes out of the heart and finds its way through these vessels back to the heart again.

159. The Heart.—The heart (Figs. 30, 31) is a hollow organ, situated in a space in the chest between the two lungs. It is conical in shape, its pointed end, or apex, hanging downwards. Its usual weight is ten to twelve ounces. It is not a single chamber or cavity. It is divided, in the first place, from above downwards into a

right and left half; and then each of these halves is

again subdivided into an upper and lower cavity (*auricle* and *ventricle*). If the head is placed on the left side of the chest, a peculiar double sound, or rather two sounds, something like *lubb dup, lubb dup*, can be heard. To hear these sounds best, the listening ear should be about on a level with the fifth rib, or over the space between the fifth and sixth ribs, and a little




Fig 30.

The Heart and Large Blood-vessels.

to the left of the breast-bone. These are the sounds of the heart, which is ceaselessly working.

160. Valves of the Heart.—The word *valve* comes from a Latin word which means “folding-doors.” A valve is usually a little lid or door, so made as to permit a fluid to pass in one direction, but not to come back. In the common pump a valve allows the water to come up, and then closes to prevent its return, so that it is compelled to flow out of the spout. Between the upper and lower cavities of the heart, and also between the lower cavities and the vessels which go out from them, are valves, which allow the blood to flow forward, but prevent it getting back again, so that the circulation is kept up steadily in one direction.

161. Arteries.—The term *artery* comes from Greek words meaning “to contain air.” The ancients believed that the arteries were air-tubes, because they usually found them empty after death. The first and largest of the arteries is given off directly from the




Fig. 31.—A View of the Chest, Showing the Heart, the Lungs, and the Large Blood-vessels.

left lower cavity of the heart. It is called the *aorta*, from Greek words meaning to “support,” because it is supported or suspended from the heart. It goes up from the heart, makes a great curve from right to left, and then descends through the trunk in front of

the backbone. It sends off branches to all parts of the body. In Fig. 32 is a view of the aorta and




Fig. 32.
The Aorta and its Branches.

some of its branches. The first of these go to the organs in the chest, abdomen, and pelvis. A large artery goes to each leg, dividing and subdividing until the toes are reached. Each arm is supplied with a main artery also, which divides at the elbow into two branches, and these subdivide again and again down to the very finger-tips. In Fig. 33 is a view of the arteries of the arm and forearm and their subdivisions. If the ends of the fingers are placed along the front of the wrist, near its thumb side, a steady beat will be felt. This is the impulse of the blood in an artery. It is the "pulse" which the doctor feels. On the temples this impulse can also be made out. It could be felt in hundreds of places, if the blood-vessels were not so covered by the tissues. A large artery goes up each side of the neck, and this has an internal

branch which passes through a hole in the skull to the brain, and an external branch which supplies the neck and face, as shown in Fig. 34.

162. The Veins.—The vessels which bring the blood back to the heart are called *veins*, the Latin *vena* meaning a “pulse,” or “vein.” The arteries begin in one great vessel, the aorta; the veins end in two great vessels, both of which open into the right upper chamber of the heart. Veins, like arteries, are found in all parts of the body. Instead of starting as large vessels, like the arteries, they begin as minute tubes, and come together to form larger and larger trunks. They have thinner walls than the arteries. The veins have *valves*, like little watch-pockets, along their inner walls. They open the way the blood travels (Fig. 35). Their mouths are always towards the heart.



Fig. 33.
Arteries of the Forearm.

163. The Capillaries.—Arteries do not open into veins, nor veins into arteries; but communication between them is made by another set of very fine vessels, the *capillaries*, from the Latin *capillus*, a hair. All the arteries of the body may be said to end, and all the veins to begin, in these capillaries.

164. Contractions of the Heart.—The heart is a muscular organ, and it is the property of a muscle to

contract. The muscular fibres which compose the walls of the heart run in various directions around its cavities. When these fibres contract, they squeeze together the heart-walls. If a hollow India-rubber ball, with a hole in it, is filled with water, and is firmly grasped and twisted in the hand, the water




Fig. 34.—The Arteries of the Head and Face.

will be driven out through the opening. The hand and fingers contain many muscles, and it is through their contractions that the force which expels the water is exerted. During the passage of blood through the heart, a series of squeezings or contractions takes place.

165. Description of the Course of the Circulation.

—All the blood from the capillaries of the body is collected by veinlets and veins, and is carried to the upper cavity of the right side of the heart. As soon as this cavity is full, its walls begin to contract, and the blood within is squeezed through the valve into the lower cavity of the same side. The valve between the two cavities is composed of little flaps, and, as the blood fills the lower cavity, it gets behind these flaps and pushes them shut. From the right lower cavity of the heart a large vessel, called the *pulmonary* or *lung* artery, goes out and sends branches to both lungs. Where this artery begins, the opening is guarded also by a valve. The walls of the heart-cavity squeeze together, and the blood rushes forward into the artery, and is prevented by the valve from reflowing. Carried by the pulmonary artery and its branches, the blood is distributed to millions of capillaries in the lungs. From these it passes into *pulmonary* or *lung* veins, the largest of which finally convey it to the upper of the two cavities of the *left* side of the heart. The journey through the left heart is very much like that through the right. The upper cavity contracts and forces the red stream onward through a valve into the lower. This left lower cavity next contracts. The blood cannot flow back, so it pushes forward with a great wave into the aorta, the opening into which is also guarded by a valve. On and on the blood travels until the capillaries of all parts of the body, except the lungs, are reached.



Fig. 35.—A Vein Opened so as to Show the Valves in Parts.

166. The Circulation through the Liver.—The liver is supplied with blood for its nourishment by branches of the aorta. In addition, the blood which circulates in the stomach, intestines, and some other organs, is collected by a large vein and carried into the liver. The liver acts upon the blood, so as to render it better fitted for the uses of the body. It is thought that the liver destroys a poisonous material which forms in the blood in other parts of the system. The liver also manufactures sugar to be used by the system. After the blood has been changed in the liver, it is collected by veins and conveyed to the right side of the heart.

167. The Spleen.—The spleen, a dark, red organ, about five inches long, and weighing about six or seven ounces, is situated to the left of the stomach. It has no ducts or canals. Its exact functions are not known.

168. How the Tissues are Supplied by the Blood.—The walls of the capillaries are very thin. Everywhere these capillaries surround little islets of tissue. Nutritive materials from the blood soak through the thin walls of the capillaries into these little islets. If a bladder containing water, in which sugar has been dissolved, is placed in a vessel of pure water, the water in the vessel after a short time will taste of the sugar. The dissolved sugar has passed through the membrane. In a similar way materials pass out of the blood into the tissues.

169. Effect of Alcohol on the Heart.—The action of the heart is governed or regulated by a nerve.

centre or centres. When the governing region is in a healthy condition, the heart has a certain stroke and rhythm, by virtue of which it does its work of pumping the blood to all parts of the body in a quiet, uniform way. Alcohol exerts a paralyzing influence on these nerve-centres. The heart is no longer healthfully controlled, because the centres have lost their tone. Under these circumstances, the heart has been compared to a steam-engine without a governor—its action is quickened for a time. Soon it becomes feeble from overwork.

170. Effect of Alcohol on the Liver.—When alcohol has been taken into the stomach and absorbed, it passes almost directly to the liver. Various affections of the liver are caused by the abuse of alcohol. Sometimes it is congested and enlarged. In the course of time it may become fatty, or shrunken and hardened. The liver of the confirmed drinker is probably never free from the influence of the poison; it is too often saturated with it. The prolonged use of alcoholic drinks is the most frequent cause of *cirrhosis* of the liver—a form of chronic inflammation of this organ of the most serious character. So frequently is this disease dependent upon the irritant action of alcohol, that it is commonly known as “gin-drinker’s liver,” especially among English physicians. The term “*cirrhosis*” comes from a Greek word meaning “yellow,” the cirrhotic liver often having a yellowish appearance.

171. Effect of Tobacco on the Heart.—While

tobacco does not directly produce organic disease of the heart or other parts of the circulatory system, it renders the blood unnaturally fluid: it injures the red blood corpuscles, and disturbs the action of the heart and of the arteries.



QUESTIONS FOR REVIEW.

- What propels the blood?
- What conveys it to the tissues?
- What is the journey of the blood through the body called?
- What are the three kinds of blood-vessels?
- What is the heart?
- Where is it situated?
- What is its usual weight?
- Into how many cavities is it divided?
- Describe the sounds of the heart.
- Where are these sounds best heard?
- From what is the word valve derived?
- What is a valve? Give an example of a valve.
- What valves are found in the heart?
- From what is the term artery derived?
- Where is the first and largest artery?
- Why is it called the aorta?
- Describe the course of the aorta.
- To what organs do the first branches of the aorta go?
- How are the legs and arms supplied with arteries?
- Where can the impulse of the blood in an artery be felt most readily?
- At what other points can it be felt?
- Why cannot the pulse be felt in hundreds of places where arteries are found?
- Describe the course of the arteries which go to the brain, neck, and face.
- What are the vessels which bring the blood back to the heart called?

How do the veins end? How do they begin and increase?

How do their walls compare with those of the arteries?

Describe the valves of the veins.

What are the capillaries?

Of what sort of tissue is the heart composed?

How do the muscular fibres of the heart run?

What is the effect of the contraction of these fibres?

Illustrate by a hollow India-rubber ball the method in which muscular action causes fluid to be expelled from a cavity.

What takes place during the passage of blood through the heart?

How is the blood from the capillaries of the body collected?

To what cavity of the heart is the blood carried by the veins?

Describe the journey of the blood through the right side of the heart.

What large vessel goes out from the right lower cavity of the heart to the lungs?

How is the opening of this vessel guarded?

Describe the distribution of the blood to the capillaries of the lungs.

Into what does the blood pass from the capillaries of the lungs?

To what cavity of the heart do the pulmonary veins convey the blood?

Describe the journey of the blood through the left side of the heart and the general system.

How is the liver supplied with blood for its nourishment?

What is done by the portal vein?

What are some of the functions of the liver?

What becomes of the blood after it has been changed in the liver?

What is the spleen? Where is it situated?

What is known about its functions?

Describe the manner in which nutritive materials get into the tissues from the capillaries.

Illustrate by a bladder containing water in which sugar has been dissolved.

What is the effect of alcohol on the heart?

What is the effect of alcohol on the liver?

What is the effect of tobacco on the heart?





CHAPTER XII.

FOOD.

172. Why we Eat.—A witty writer has said that some people eat to live and others live to eat. It is certain that unless we eat we cannot live. Our tissues are constantly wasting, because every part of the body is constantly at work. Walking, writing, breathing, thinking, lead to waste. This waste must be made good by what we eat and drink, by what we take into the system. We eat that we may make blood, and from the blood each part of the body takes something to keep it alive and growing. What we eat does not go at once into the blood; it must first be got ready. It is true that doctors sometimes throw medicine, liquid food, or even fresh blood itself, directly into a patient's blood; but this is something unusual and unnatural, and it is only done in extreme sickness, and when food cannot be taken in ordinary ways.

173. Food.—Anything which goes to nourish the body, which is used to make good its wear and waste, is *food*. It might be said that food is anything we eat or drink, were it not that we sometimes take substances into our mouths and stomachs which are

not food; and some, indeed, which do more harm than good to the body. Eggs, milk, meat, bread, sugar, butter, salt, and water are well-known articles which contain the essentials of a real food; on them one could live, grow, and develop.

174. Digestion.—*Digestion* must be performed before food, of whatever kind it may be, becomes blood. The word *digestion* means the act of dissolving or separating into parts. It is a process of breaking up and changing the food until it gets just right for the blood.

175. The Different Classes of Food-Stuffs.—We have learned that albumen, of which the serum of the blood is mainly composed, contains the four great elements, carbon, hydrogen, nitrogen, and oxygen; and also that the food which makes the blood, and the tissues and organs of the body, are largely formed of these elements. Foods, or food-stuffs, are of different kinds, according to the proportions or arrangement of these elements. *Nitrogenous* food-stuffs contain these four elements; but they are most important because of their nitrogen. They are the only forms of food which contain nitrogen. They are sometimes called *albuminoids*, because of the albumen which abounds in them. The best examples of nitrogenous food are found in lean meat, eggs, and milk. *Sugars and starches*, which constitute another class of food-stuffs, contain carbon, hydrogen, and oxygen, with a large proportion of the last. Sugar is chiefly obtained from fruits and vegetables, but sometimes comes from the animal world, as when obtained from honey and milk. Starch is abun-

dant in such food as wheat, corn, rye, rice and potatoes. *Fats and oils*, a third kind of food, also contain carbon, hydrogen, and oxygen, but comparatively little of the last. They also are derived both from the animal and vegetable world; for example, the fat of meats, of butter, and of milk from the animal kingdom; from the vegetable, olive oil, palm oil, and cocoa butter. *Mineral substances*, such as common salt, lime, and iron, form a necessary part of food, although they are not needed in large quantities. Our chief drink, *water*, is one of the most important articles of food. It makes up the greater part of the weight and bulk of the body.

176. Remarks on the Different Kinds of Food.—

Food-stuffs get into the blood after undergoing certain changes. Our food should contain different articles in proper proportion. Milk, and food prepared from it, are among the best articles of diet, because milk contains every one of the different classes of food,—nitrogenous, sugary, fatty, and mineral, and a good supply of water. It is usually easy of digestion. If compelled to live on a single article, milk would be the best. The term “flesh-food” is sometimes applied to the different kinds of meat—beef, mutton, pork, fowl, fish, etc. These, like eggs, abound in nitrogenous material. Breads supply us with plenty of sugary and starchy matters. They, however, contain also gluten, which is a form of nitrogenous or albuminous food. The potato is composed of water, starch, and a little albumen. Fruits are largely made up of water and sugar, and are useful as food, as well as

agreeable to the taste. What is called a "mixed diet" is the best. Body and mind are kept in the best condition by using both animal and vegetable food.

177. Quantity of Food Required.—The quantity of food required to maintain health varies greatly according to certain circumstances, such as age, activity, season, and climate. The young need more than the old. Those who are active, who work hard either physically or mentally, require a large supply of good food. In cold weather and cold climates more food, and of a stronger quality, is needed than in warm seasons and hot climates. Animal food should not be taken oftener than twice daily. The amount of animal and vegetable food combined, should not exceed thirty ounces in the twenty-four hours; and for the majority of persons an average of twenty-four ounces of mixed solid food, a third only of which should be animal, is sufficient. The amount of fluid taken in any form should not exceed the average of twenty-four ounces daily.*

178. Cooking.—Good cooking is of great importance. The best food may be rendered almost worthless by bad preparation. Articles are cooked to fit them for digestion and improve them in taste. Sometimes cooking is necessary to make food *safe*. A minute worm called the *trichina spiralis*, or "spiral hair-like worm," sometimes is present in different forms of pork, and in beef. If the pork or beef is eaten raw or underdone, this worm may get into the human body and produce a painful disease.

* B. W. Richardson's "Diseases of Modern Life."

179. When and How to Eat.—Persons in ordinary health should eat at regular intervals. Three meals a day, from five to six hours apart, should be taken. Eating between meals should be avoided. The stomach needs to rest between its efforts at digestion. We should eat slowly, carefully chewing solid food. We should be cheerful while eating. The brain and the stomach cannot both be worked hard at the same time without injury to one or the other; therefore, we should not think deeply, nor allow our minds to be excited, while eating. Pleasant conversation assists digestion. The old saying that one should leave the table feeling hungry is not true; but, on the other hand, we should not eat until we are uncomfortable. A disease known as dyspepsia, which means “difficult digestion,” is usually caused by errors of diet—by taking food at irregular hours, or of improper quality or quantity, or by not devoting sufficient time to eating and drinking.

180. Drinks.—Tea, coffee, and cocoa, when properly used, are admirable drinks and very serviceable, particularly for grown people. They soothe and stimulate the nervous system, and prevent the tissues from wasting too rapidly. They should not be taken in excess. One cup of each a day is enough. Alcoholic drinks, such as wine, ale, beer, brandy, and whiskey, should never be used as common drinks. Used as medicine, when the system is much reduced by disease or by accident, they may be of service, but they should be used only when directed by physicians.

181. Pure Water.—Of all drinks, pure water is the

best. By pure water we mean water free from injurious impurities. Absolutely pure water is not found in nature, but can be obtained by carefully condensing steam. Rain-water, where it falls in the country, is a good example of a soft and comparatively pure water. If water is acted upon by sewer-gas, or receives foul matters of any kind, it becomes a source of disease. Water obtained from lakes or rivers should be carefully filtered before being used.

182. Alcohol not Food.—Such food as bread, meat, and potatoes is transformed into both tissues and force; it renews and builds the body and helps to give strength and energy. The Esquimaux, or the Arctic explorer, eats large quantities of fat, and yet does not become fat himself. The fat is a producer of heat and force. It is a sort of fuel to the body, which is burned up to maintain the bodily heat. It is conceded that alcohol is not a food out of which tissues are built; and many physiologists hold that it is not even a heat-producer.

183. Alcohol and Food Contrasted.—Dr. Lees strongly contrasts the effects of alcohol and of food as follows: "Food is digested; alcohol is not. Food warms the body directly or indirectly; alcohol lowers the temperature. Food nourishes the body; alcohol does not. Food makes blood; alcohol never does anything more innocent than mixing with it. Food feeds the blood-cells; alcohol destroys them. In health, food excites to normal action only; alcohol tends to inflammation and disease. Food gives force to the body; alcohol excites reaction and weakens force."

QUESTIONS FOR REVIEW.

- Why are the tissues of the body constantly wasting?
- How is this waste made good? Why do we eat?
- What must take place before what we eat gets into the blood?
- Define the word food.
- Name some articles which contain the essentials of a real food.
- What is the meaning of the word digestion?
- What four elements does the albumen of blood and food contain?
- What do nitrogenous food-stuffs contain?
- What are they sometimes called, and why?
- What do sugar and starches contain?
- From what is sugar obtained?
- In what kind of food does starch abound?
- What do fats and oils contain, and from what are they derived?
- What is said of mineral substances and of water as articles of food?
- To be most useful, what should our food contain?
- Why is milk one of the best articles of diet?
- To what is the term "flesh food" applied?
- What sort of matters are supplied by breads?
- What form of nitrogenous food is found in breads?
- What is the composition of fruits? What is the best diet?
- How is the quantity of food required to maintain health varied?
- Do the young or old need most food? What do the active require?
- What effect has weather and climate?
- How often daily should animal food be taken?
- How much animal and vegetable food should be taken daily?
- What amount of fluid should be taken daily?
- Why are articles cooked? How many meals a day should be taken?
- Why should we avoid eating between meals? How should we eat?
- What should be our condition of mind while eating?
- What is the meaning of the word dyspepsia?
- What is said of tea, coffee, and cocoa? What of alcoholic drinks?
- What is the best of all drinks?
- What is a good example of a soft and comparatively pure water?
- How may water become a source of disease?
- What should be done with water obtained from lakes and rivers?
- What is said of alcohol as a tissue-builder and heat-producer?
- Recite Dr. Lees' comparison of alcohol with food.



CHAPTER XIII.


DIGESTION.

184. The Organs of Digestion.—The organs of digestion are the different parts of the *alimentary* or *food canal*, and the glands communicating with it. This canal is a long tube, which is at some places wide and at others narrow, at some straight and at others twisted. It begins as the *mouth* and *throat*. In the back part of the chest it is a narrow, straight tube, the *gullet* or *œsophagus*, the word *œsophagus* meaning “food-carrier.” It continues into the abdomen as the large bag or pouch called the *stomach*, and as the *intestines* it becomes a long tube, wound and turned upon itself in a curious fashion.

The Teeth are important accessory organs of digestion. They are placed just within the lips and cheeks in the form of two semi-circles, and are inserted into sockets in the upper and lower jaw-bones. These sockets or pits are called *alveoli*, from *alveus*, a “cavity.” Around the alveoli and close up to the necks of the teeth, acting as protecting cushions, are the *gums*, which are composed of tough fibrous tissue covered by mucous membrane. We are provided with two sets of teeth—the *temporary* or *milk teeth*, and the *permanent* teeth.

The Temporary, or Milk Teeth, are twenty in number. They appear in infancy, and drop out from the fifth to the fourteenth year. They are succeeded by the permanent teeth. At about the age of five years we have more teeth than at any other period of life. Ten milk teeth are in each jaw, and beneath are springing twenty-eight of the permanent teeth. The milk teeth do not differ in any important features from the permanent teeth.

The Permanent Teeth are thirty-two in number. On each



A VIEW OF THE PERMANENT TEETH.—1, Incisors; 2, canines; 3, bicuspids; 4, molars; 5, wisdom teeth; 6, the crown; 7, the fang, or root.

side of the upper and of the lower jaw are eight teeth—two incisors, one canine, two bicuspids, and three molars.

The Inci'sors are the front teeth, and are so named because they are chisel-shaped, and therefore adapted to biting or cutting the food. **The Ca'nine**, or dog teeth, come next, and correspond to the long, sharp fangs of a dog: They are for seizing and holding things. In the human being the upper canines are called *eye teeth*, and the lower canines *stomach teeth*.

The Bicus'pids, placed next to the canine teeth, have a grinding surface which consists of two points, with a rough groove between them. **The Mo'lars**, or grinders, have each a large crown and a grinding surface, which has four points separated by grooves. The last molar teeth, which usually appear after seventeen or eighteen years of age, are often called the *wisdom teeth*.

The exposed portion of a tooth projecting beyond the gums is called its *crown* or *body*; the portion inserted into the socket of

the jaw is the *fang* or *root*; and the part clasped by the gums is the *neck*.

In the interior of each tooth is a small cavity, filled with soft *pulp*, which contains a tiny nerve and blood-vessels. *Dentine* resembles dense bone and forms the principal bulk of the tooth. *Enamel* (the hardest organic substance known) covers the crown of the tooth. The fang or root is covered with a thin layer of bone, called *cement*.

The teeth may be injured by blows, by biting hard substances, by acid medicines, by food decaying between them, and by very hot or cold substances. They should be cleaned at least once or twice daily by means of a toothbrush dipped in tepid water. It is a good plan to lightly brush them after each meal. If a tooth-powder is used, it should be composed of finely-powdered chalk, or some equally harmless substance. Food should be well chewed or masticated. Meat does not need to be chewed as much as vegetable food. A dentist should be called in when the teeth begin to decay.

185. What Takes Place in the Mouth.—When liquid food is taken into the mouth, it leaves it very quickly, passing by way of the throat and gullet to the stomach. If the food is solid or partly solid, it is chewed by the teeth and acted upon by the secretions of the mouth. The mucous membrane of the mouth is full of little glands which pour out a watery fluid which mixes with the food. Three pairs of large glands also pour their secretion, called *saliva*, into the mouth. The largest of the three is the *parotid gland*, which is beneath the skin in front and below each ear. The word parotid means “near the ear.” One of the other two is situated just beneath the back part of the lower jaw, and the other in the floor of the mouth under the tongue. Saliva has the peculiar property or function of converting starch into sugar. This turning of starch into sugar is one of the useful pro-

cesses of digestion. Sugar, being more soluble than starch, will go through the membranes and get into the blood more readily than starch. After the food has undergone mastication in the mouth, it is swallowed, and passes through the gullet to the stomach. This gullet or œsophagus has a muscular coat which contracts around the food, forcing it onward and preventing it from returning.

186. Digestion in the Stomach.—The stomach is a large bag or pouch situated in the upper part of the abdomen. In the walls of the stomach are numerous glands. Most of these glands secrete an *acid* fluid which is called the *gastric juice*, or juice of the stomach. When the food reaches the stomach an active flow of this juice takes place. The food breaks up and dissolves more than it did in the mouth. This breaking-up process is partially due to the action of the gastric juice, and partly to a churning movement of the stomach. The saliva acts particularly on the starchy food. The gastric juice acts most rapidly and strongly on nitrogenous or albuminoid substances, such as meats, eggs, etc. It is supposed also that some saliva




Fig. 36.
The Stomach and Intestines.

flows down into the stomach, and acts upon such starchy food as may have escaped its action above. The food, after undergoing these processes in the stomach, becomes a soft, pulpy, grayish mass, which is often called *chyme*, from a Greek word meaning "juice." While the food is digesting in the stomach, it is prevented from escaping by two rings, one at the entrance and the other at the outlet of the stomach. The ring at the outlet of the stomach, at the end which opens into the intestines, is called the *pylorus*, this word meaning "gate-keeper." It guards the gate from the stomach to the intestines.

187. Digestion in the Small Intestine.—As digestion in the stomach is completed, the pylorus relaxes, and allows the food to pass into the *small intestine*, a tube much twisted upon itself and about twenty-five feet long. In the walls of the small intestine are little glands which secrete an alkaline fluid, the *intestinal juice*. The intestinal juice keeps the food-pulp moist, and probably helps to remove an excess of acidity. Stretching across the abdomen, behind the stomach, is a long, thin gland, the *pancreas* or *sweetbread*. It secretes the *pancreatic juice*, which is poured by a duct into the small intestine near the stomach. This juice acts strongly upon the fats and oils of the food. Like saliva, it also has some power of converting starch into sugar, and acts upon nitrogenous food, but not with the same energy as gastric juice. Still another digestive juice, and a very important one, acts upon the food-pulp in the small intestine. This is a greenish-yellow liquid, called *bile*. It is secreted by the *liver* the largest gland in the body, which is situ-

ated in the upper part of the right side of the abdomen. A duct or canal from the liver unites with the duct from the pancreas, and the pancreatic juice and bile are poured into the small intestine at the same place. The bile, like the pancreatic juice, acts particularly upon the fats and oils, and to some extent upon starchy food. Sweet oil and water will not mix well, but if they are shaken up with a little pancreatic juice and bile, a uniform creamy mixture is produced. A similar effect is brought about by the action of pancreatic juice and bile upon the food in the small intestine.

188. Chyle.—The food, which left the stomach as chyme, after it has been acted upon by the intestinal juice, the pancreatic juice, and the bile, becomes converted into a thick, milky fluid which is called *chyle*, a name derived from a Greek word meaning “juice.” The nutritious portions of the food are now ready to be taken into the blood.

189. Absorption.—Absorption is the process by which substances are taken up and carried into the blood. Absorption is performed chiefly by two sets of vessels—(1) the *lacteals* or *lymphatics*, and (2) the *blood-vessels*.

190. Lacteals.—The mucous or lining coat of the small intestine is covered with little projections or eminences called *villi*, from the Latin word *villus*, which means a “tuft of hair.” In these villi minute tubes called *lacteals*, from *lac*, “milk,” terminate. Thousands of these little pipes open into the intestines




Fig. 37.

The Thoracic Duct and Lymphatics.

by way of the villi. They absorb from the creamy mass which is passing through the intestine what is needed to strengthen the blood.

191. The Thoracic Duct.—Leaving the intestine, the lacteals pass through numerous glands in the abdomen, and then come together into one common duct called the *thoracic duct*, which is a feeding-pipe to the blood. This duct, which is about as large as a goosequill, and eighteen to twenty inches long, passes upward through the abdomen and chest in front of the backbone. It is called the *thoracic duct* because its course is chiefly in the back part of the chest or thorax. It pours its contents into a big vein a little above the heart.

192. Lymphatics.—The lacteals are a part of a system of vessels called *lymphatics*. These lymphatics

are tubes or vessels distinct from arteries, veins, and capillaries. They usually run along near the veins. They carry a colorless fluid called *lymph*. The arteries and capillaries sometimes convey to the tissues more nutritive material than the tissues can at the time use. The lymphatics take up this surplus, but valuable, material, and thus keep it from doing harm or going to waste. They finally join with the lacteals to empty into the thoracic duct. Along the course of the lymphatics are little roundish or flattened bodies called *lymphatic glands*.

193. Absorption Directly into the Blood.—Some things get into the blood directly. Sugar, for instance, may pass into blood-vessels almost anywhere along the alimentary canal, because it dissolves so readily and thoroughly. Water also can slip into the blood almost anywhere. Little thin-walled blood-vessels, which are in the villi, take up some of the chyle.

194. The Large Intestine.—The last portion of the alimentary canal is the *large intestine*. It is from two to two and a half inches wide and about five feet long. Some things taken into the alimentary canal as food and drink pass off undigested by way of this large intestine. Water is absorbed by the large intestine, and some digestion may go on in it, but it acts mostly as a temporary receptacle for undigested matters, which are finally cast out.

195. Effect of Alcohol on Digestion and the Stomach.—Alcohol, except in small quantities, chemically injures the pepsin and gastric juice, and prevents these substances from doing the work in digestion

assigned to them by nature. A German physician named Buchner, as the result of a series of recent researches upon the influence of alcohol upon digestion, came to the conclusion that, in the process of digestion, alcohol appears to act unfavorably even in small quantities. Its use may lead to a chronic inflammation or catarrh of the stomach and intestines.

196. Experiments with Alcohol and Gastric Juice.—An English physician named Munroe has published some experiments to show that alcohol will separate pepsin from gastric juice, and thus interfere with digestion. Into a bottle he put minced beef, gastric juice, and water; into a second, gastric juice and alcohol; and into a third, gastric juice and ale. He kept the bottles in motion and at the same heat as the human stomach, so as to make the experiments correspond as nearly as possible to nature. The results obtained indicated that alcohol impaired the digesting power of the gastric juice, by separating the pepsin from it, as shown in the following table:

Minced Beef,	2d Hour.	4th Hour.	6th Hour.	8th Hour.	10th Hour.
<i>1st Bottle.</i> Gastric juice and water.	Beef becomes opaque.	Beef separating.	Beef much less in quantity.	Beef broken into shreds.	Beef dis- solved as in soup.
<i>2d Bottle.</i> Gastric juice and alcohol.	No change.	No change.	Slight coating on beef.	No change.	Beef solid on cooling. Pepsin sepa- rated from the gastric juice.
<i>3d Bottle.</i> Gastric juice and ale.	No change.	Cloudy, with coating on beef.	Beef partly loosened.	No change.	Beef not digested. Pepsin sepa- rated from the gastric juice.

197. Effect of Tobacco on the Digestive System.—The tongue of the confirmed smoker is rarely clean, the appetite rarely perfect. The mucous membrane of the mouth, tongue, throat, and stomach suffers. The stomach is irritated and secretes its digestive fluids irregularly, which causes heartburn, eructation, and general debility. The muscular fibres of the stomach are also influenced, losing their tone and activity. The food, therefore, in a confirmed smoker, seldom passes through complete digestion. Dyspepsia is one of the maladies of the confirmed smoker, and the terms “smoker’s sore throat,” and “smoker’s tongue,” indicate familiar disorders.




QUESTIONS FOR REVIEW.

- What are the organs of digestion?
- Describe the different parts of the alimentary canal?
- What are the pits or sockets in which the teeth are placed called?
- What are the gums? How many temporary or milk teeth has man?
- What is the number of permanent teeth?
- Describe the incisors, canine teeth, bicuspid, molars, and wisdom teeth.
- What is the crown of a tooth, the fang or root, and the neck?
- Define pulp, dentine, enamel, and cement.
- How may the teeth be injured? How should they be cared for?
- What becomes of liquid food taken into the mouth?
- What happens to solid or half-solid food in the mouth?
- What glands are present in the mouth?
- What is saliva? What does the word parotid mean?
- Where are the salivary glands situated?
- What peculiar property is possessed by saliva?

- What becomes of food after it has undergone mastication?
What is the stomach? Where is it situated?
What do the glands of the stomach secrete?
What takes place when the food reaches the stomach?
What is the alimentary or food canal?
On what food-stuffs does the gastric juice act most strongly?
What does the food become after undergoing stomach digestion?
How is food kept in the stomach during digestion?
What is the ring or valve at the outlet of the stomach called?
What glands are present in the walls of the small intestine?
What are the functions of the intestinal juice?
What long, thin gland is situated behind the stomach?
Into what is pancreatic juice poured? On what does it act most?
What is bile? By what organ is bile secreted?
Into what part of the alimentary canal is bile poured?
Upon what does the bile particularly act?
Give an illustration of the action of bile and pancreatic juice.
What is chyle? From what is the word chyle derived?
What is absorption? By what vessels is it chiefly performed?
With what is the lining coat of the small intestine covered?
What are the lacteals? What is the thoracic duct?
What are the lymphatics? Into what do they empty?
What are found along the course of the lymphatics?
Name some substance absorbed directly into the blood.
What are the functions of the large intestine?
What is the effect of alcohol on the digestion and on the stomach?
Describe the experiments of Munroe with alcohol and gastric juice.
What is the effect of tobacco on the digestive system?





CHAPTER XIV.

BREATHING.

198. The Air we Breathe.—The air is composed chiefly of two gases, oxygen and nitrogen, elements which also enter largely into our food. Oxygen is the great life-supporter. An animal deprived of it would soon die. When a candle burns, the substances in it unite with the oxygen of the air, and thus its burning is supported. When a lighted candle is put under a jar containing air, it will burn for a while and then go out, because it has used up all the oxygen and left only nitrogen. Nitrogen is necessary to man, but not in the same way as oxygen. In the air it acts to dilute or weaken the oxygen. Pure oxygen would be too much of a good thing. A candle in pure oxygen burns very brightly, but it soon burns itself out; so life would soon burn out if we breathed pure oxygen.

199. The Blood Needs Oxygen.—The blood must have oxygen, and it gets most of what it needs from the air we breathe. The blood in the arteries generally is of a bright red hue. The pulmonary or lung arteries, however, which carry blood from the

right side of the heart to the lungs, contain dark blue or purple blood. The bright redness is due to the oxygen present. If air is kept out of the lungs of a living animal—by compressing the windpipe, for instance—the blood in the arteries will lose its redness; it will become dark, like venous blood. The oxygen attaches itself in some way to the red corpuscles of the blood. It can actually be pumped out of arterial blood.




Fig. 38.—The Larynx, Trachea, Bronchi, and Lungs.

200. The Chief Organs for Breathing.—The chief organs for breathing are the *trachea* or windpipe,

which includes the *larynx* or voice-box, and the *lungs*. The nose, mouth, and throat also act as doorways and passage-ways for the air; and the diaphragm and certain muscles of the chest help in the act of breathing.

201. The Part Played by the Nose in Breathing.

—The part played by the nose in breathing is by no means unimportant. The external air is first drawn through the nostrils. Inside the nose are thin plates of bones coiled upon themselves and covered with mucous membrane containing many blood-vessels. These are really “warming plates,” like the plates of a stove.* The air passing over them is warmed before going to the lungs. Air should not be breathed in through the mouth, because it does not contain these “warming plates.” Colds are sometimes caught by taking cold air into the chest through the mouth.

202. The Windpipe.—In the front of the neck is the trachea or windpipe, the large tube or pipe by means of which the air gets down into the lungs. It is firm and hard and made up of a number of rings of gristle placed one above the other. Behind it is the food-pipe or *oesophagus*. By running the fingers along the front of the neck, the rough windpipe can be felt through the skin.

203. The Voice-Box.—The windpipe widens out at its upper part to form a sort of box, which opens above into the throat. This box is called the *larynx*, a harsh-sounding word, which is derived from a Greek

* Fothergill's “Animal Physiology for Schools.”

word meaning "to shout." The hard swelling seen on the outside of the upper portion of the neck, especially in thin people, and sometimes called "Adam's apple," is produced by the bulging outwards of the larynx. Mucous membrane, vessels, nerves, muscles, ligaments, and cartilage all go to make up this wonderful little box in which the voice is formed. Vessels supply it with blood; nerves serve to regulate its actions, and the muscles and ligaments are the agents for moving it and holding it together. Several cartilages, or pieces of gristle, are so arranged as to give the larynx a peculiar shape and fit it better to be a good voice-box.

204. The Vocal Chords.—Voice is made in the larynx with the help of the *vocal chords*. These "chords," as they are called, are not free bands or strings running across the cavity of the larynx. They are rather elastic lips or cushions fixed to the sides of the larynx, and having sharp free edges, between which is a narrow chink, the *glottis*, a Greek term which means the "mouth-piece of a flute." In ordinary breathing, a current of air passing through this chink produces no sound. When air is forced out of the lungs in voice-making, however, the vocal chords become tight, and are drawn in and made to shake or vibrate. This shaking or vibration makes the sound of the voice, just as sound comes from the tight fiddle-string when the bow sets it to vibrating. *Speech* is more than voice. It is the voice changed into sounds which have a meaning by the action of the throat, palate, tongue, teeth, and lips.

205. The Lid of the Larynx.—A little lid of gristle or cartilage is placed over the top of the larynx. It is just behind the tongue at the lower and front part of the throat. When it is down, it covers the glottis or chink between the vocal chords. It is called the *epiglottis*, from *epi*, which means “upon.” When we breathe, this little lid lifts up; but when we swallow, it drops, and thus food or drink is prevented from getting into the voice-box and windpipe. Occasionally, especially if we talk or laugh at the same time that we are swallowing, the epiglottis does not shut down quickly enough, and food goes down the wrong way, causing us to cough or choke. Life has been lost in this way.

206. Bronchial Tubes and Air-Cells.—At the bottom of the windpipe, tubes or pipes branch to each side; from these others of smaller size proceed, and from the latter others still smaller. These are the *bronchi* or *bronchial tubes*. We have already spoken of the trachea as the windpipe; in the Greek, however, *bronchus* means “windpipe,” and *bronchus* is an old term, now not often used, for the trachea or windpipe. The bronchi, then, are smaller windpipes, branches of the large windpipe. Some of the final bronchi are very small, but they are all hollow, just as much as are the trachea and large bronchi,



Fig. 39.—Air-Cells Magnified.

into which sticks might be thrust. Away out at the ends of the very finest bronchial tubes are little round bladders called *air-cells*. The lungs are made up largely of millions of these air-cells and fine bronchial tubes.

207. Inspiration and Expiration.—Air drawn in through the nose or mouth, or both, passes into the larynx and windpipe, and then into the bronchi and air-cells. This drawing of air into the lungs is *inspiration*. After it has done its part, the air is driven out again from the air-cells through bronchi, windpipe, larynx, throat, and mouth or nose, this being *expiration*. The whole process of breathing, including both inspiration and expiration, is called *respiration*. In the case of an adult in good health, this breathing in and breathing out takes place about seventeen or eighteen times every minute.

208. The Lungs and the Chest.—The lungs are within the cavity called the chest or thorax. It is an air-tight chamber. The diaphragm is its lower boundary. It has the sternum or breast-bone in its front and the back-bone or spine behind; and from back-bone to breast-bone run around the ribs. They are firmly attached to the breast-bone by gristle, but each rib is connected with the back-bone by a joint, which allows a little motion. Between the ribs are muscles; and when these muscles contract they pull up the ribs and cause the breast-bone to bulge forward, and thus more room is made for the lungs during inspiration.

209. The Diaphragm.—Between the chest and the

abdomen is the strong muscular partition, the *diaphragm*. The lungs come down closely upon this diaphragm. When they are empty, or nearly so, that is, just after expiration, this diaphragm arches upward, following them as they shrink. When air is drawn into the lungs, the air-cells everywhere fill out; room must be made; the diaphragm moves downwards before the swelling air-cells. The organs below the diaphragm—the liver, stomach, spleen, intestines, and kidneys—are also pushed downwards. The diaphragm being a muscle, its fibres contract during in-breathing, causing it, as a whole, to flatten and descend. When next air is breathed out, it is relaxed and at rest, and it is drawn up by the lungs, to which it closely clings.

210. Stationary Air and Tidal Air.—The lungs are not entirely emptied at each expiration or entirely filled at each inspiration. A certain amount of air, called *stationary air*, always remains in the air-cells of the lungs. Fresh air, or *tidal air* as it is called, is breathed in through the windpipe and bronchi, and this mixes with the stationary air of the air-cells and makes it purer. Breathing out or expiration then takes place, and some of the impure stationary air mixed with tidal air is driven out.

211. How the Oxygen of the Air gets into the Blood.—Around the millions of air-cells of the lungs is a network of millions of capillary blood-vessels. Pumped by the heart, the dark venous blood gathered from all parts of the body, rushes through the lung arteries into these little vessels. This purple blood is loaded with poisonous carbonic acid

gas, which leaks through the very thin walls of the blood-vessels and air-cells and mingles with the air, and is breathed out. At the same time oxygen from the air that has just been drawn into the lungs finds its way through cell-walls and vessel-walls into the blood. The blood gains oxygen and loses carbonic acid; the air gains carbonic acid and loses oxygen. Volatile organic matter and watery vapor are also breathed out with the carbonic acid. This organic matter is practically the most poisonous constituent of expired air. Headache, drowsiness, and weariness in a close room are largely due to it. To get rid of it is a prime object of ventilation.

212. Oxidation.—Combustible substances contain elements called carbon and hydrogen. The oxygen which is in the air unites with the carbon or hydrogen of the burning body, and this process is called *oxidation*. Heat is given out when bodies burn. One result of oxidation is the production of warmth or heat. Oxidation is constantly going on in the body. In food are the same elements which are in the fuel burned in the stove or furnace, or in a candle, or in the oil of a lamp. We breathe in oxygen. This oxygen gets into the blood and then unites with the elements of food. The food is oxidized. In this way *animal heat* is produced and life is sustained. Breathing is one of the chief means of keeping the body warm. Oxygen is breathed in by the lungs and filters into the blood; it is carried hither and thither by the blood; it unites in the blood or tissues with the elements of the food. Oxidation is going on when we move, feel, will, think, or carry out any other function.

213. Effect of Alcohol on the Lungs.—The lungs probably suffer more than we at present know, from the acute evils imposed by alcohol. Their vessels are easily relaxed by alcohol; and as they, of all parts, are most susceptible to heat and cold, they are readily congested. Fatal congestions of the lungs frequently occur among confirmed drinkers, especially in very cold weather. Dr. Richardson has described a peculiar form of consumption occurring among drunkards, which is extremely fatal. In the regular course of the circulation, alcohol in the blood passes through the lungs. It can be smelled on the breath of those who drink. The lungs endeavor to get rid of it by expiration, and are to some extent weakened and enfeebled by the effort. The air-cells as well as the vessels of the lungs may be injured by alcohol.

214. Effect of Tobacco on the Lungs.—The action of the smoke of tobacco on the mucous lining of the bronchial passages is to produce much irritation, attended often with cough and expectoration. When either pulmonary consumption or bronchitis is present, smoking adds to the mischief.



QUESTIONS FOR REVIEW.

- Of what is the air composed?
- Which constituent of the air is the great life-supporter?
- How is the burning of a candle supported?
- Why does a lighted candle put under a jar go out?
- How does the nitrogen act?
- Where does the blood get the oxygen which it needs?
- What in general is the color of blood in the arteries?

- What arteries alone contain dark blue or purple blood?
To what is the bright redness of arterial blood due?
How can the blood in arteries be made to turn dark?
To what in the blood is the oxygen attached?
What are the chief organs for breathing?
What part is played by the nose in breathing?
What "warming plates" are found inside of the nose?
Why should air be breathed into the mouth?
How are colds often caught?
Where and what is the trachea or windpipe?
What is the larynx? Describe its structure.
How is the voice made in the larynx?
What are the vocal chords?
What is the glottis?
What happens to the vocal chords in voice-making?
What is placed over the top of the larynx?
What is the lid of the larynx called, and why?
What happens to the epiglottis when we breathe?
What occurs when we swallow?
What accidents sometimes happen from talking or laughing at the same time that we are swallowing?
What are the bronchial tubes?
What is the meaning of the word bronchus?
What are found away out at the ends of the very finest bronchial tubes?
Of what are the lungs largely composed?
What is the process of inspiration?
What is expiration?
What is the whole process of breathing called?
How often does breathing in and breathing out take place in a healthy adult?
Describe the chest or thorax.
What is the action of the muscles situated between the ribs?
What is the diaphragm?
How are the lungs placed with reference to the diaphragm just after expiration?
What happens to the diaphragm when air is drawn into the lungs, and the air-cells everywhere expanded?
Are the lungs entirely emptied at each expiration?
Are the lungs entirely filled at each inspiration?

What is the air that always remains in the air-cells called?

What is the air breathed in at each inspiration called?

What net-work surrounds the air-cells of the lungs?

Describe the manner in which the venous blood gets into the capillaries of the lungs.

With what is the purple venous blood loaded?

What becomes of the carbonic acid gas?

At the same time that carbonic acid leaves, how does oxygen enter the lungs?

What does the blood gain? What does it lose?

What does the air gain? What does it lose?

What is breathed out with the carbonic acid?

What is the most poisonous constituent of expired air?

What elements are found in combustible substances?

What is oxidation?

What is given out when bodies burn?

What is one of the results of oxidation?

What is constantly going on in the body?

What elements are found in food?

How is animal heat produced?

What is one of the chief means of keeping the body warm?

What is the effect of alcohol on the lungs?

What is the effect of tobacco on the lungs?





CHAPTER XV.

THE AIR AND HEALTH.

215. Pure Air and Its Relation to Health.—Pure air is essential to health; the blood calls for enough of it to give a full supply of oxygen. In the last Chapter, we learned that the lungs were never entirely emptied at expiration, nor filled at inspiration, but that a certain amount of stationary air always remained. This stationary air in the lungs needs to be constantly changed and renewed by fresh or tidal air, that it may be kept pure. The stationary air has been estimated at two hundred and fifty cubic inches; and the tidal air, which comes in at each breath, at twenty-six cubic inches. The tidal air is, therefore, continually renewing and purifying the stationary air. Sickness, and other evils, result from an imperfect supply of pure air, or from a supply of impure air, to the lungs

216. How the Air is kept Pure in Nature.—The open air is kept pure and wholesome by certain natural processes. It is washed by the dew and rain. The sun warms and dries it. Its supply of oxygen and carbonic acid is largely regulated by the vegetable world—by the gardens, fields, and forests. Oxygen is

given out by plants; carbonic acid is absorbed by them. Animals, on the other hand, give out carbonic acid, and absorb oxygen; and thus a proper balance is preserved. All gases have a tendency to spread or diffuse themselves in all directions; so that carbonic acid, oxygen, or nitrogen, will not collect in one place. This diffusive power helps to keep the air pure. The winds increase the diffusion.

217. How the Air may be Rendered Unwholesome.—The air may be rendered impure and unwholesome in various ways. The total amount of air supplied to a given space may be too small. Some of the ingredients of the air may be wanting or in excess. We have learned that the air is chiefly composed of oxygen and nitrogen; but, besides these, pure air also contains a nearly fixed amount of carbonic acid, and a variable amount of watery vapor. As the amount of carbonic acid may be influenced by many special causes, variations in the quantity of this gas often render the atmosphere impure. The temperature of the air may be too high or too low. The air may contain too much or too little moisture or watery vapor. Sometimes impurity in the form of dust, often unseen, is in the air. It is supposed that the dust of our rooms frequently contains the germs of disease. Exhalations from decaying animal or vegetable matters sometimes poison the air. The air of our houses, particularly of our city houses, is not infrequently rendered impure by sewer-gas, which escapes from the drain-pipes which are intended to carry off waste and foul matters.

218. Amount of Fresh Air Required for Health.

—An individual should be supplied with from one to two thousand cubic feet of fresh air per hour. It has been calculated that every man should have at least eight hundred cubic feet of space to himself, and that the atmosphere should have free access directly or indirectly to that space. A cubical room, a little more than nine feet in each of its dimensions, would give this amount of space. A little thought will show us how seldom this requirement is met in our homes, school-rooms, and public halls.

219. Air Spoiled by One Man's Breath.*—Could

all the carbonic acid exhaled by one man in twenty-four hours be collected, and its carbon extracted, the latter would be equal to half a pound or more of charcoal, besides the organic matter given off, the amount of which cannot be easily estimated. In twenty-four hours, one person will render many thousand cubic feet of confined air unfit for breathing, chiefly through the organic matter exhaled. The air of occupied rooms should be changed continually.

220. Excess of Carbonic Acid in the Air.—Sometimes the air contains too much carbonic acid. This poisonous gas is constantly being given off by the lungs in breathing. Decaying animal and vegetable matter and burning bodies also produce it. Too

* *Our Homes*, by Henry Hartshorne, A.M., M.D. One of the series of *American Health Primers* edited by W. W. Keen, M.D., and published by Presley Blakiston, Philadelphia, 1880. Many valuable facts and ideas with reference to the air and ventilation have been obtained from this book.

many people should not be gathered together in a small or badly-aired room, or carbonic acid and poisonous organic matter will collect in large amounts, and cause depression and languor. In mines, carbonic acid, and other poisonous gases, sometimes form, which injure or cause the death of the miners.

221. Deadly Effects of Carbonic Acid.—Many striking illustrations might be given of the deadly effects of an excess of carbonic acid in the air. In Italy is a cave or grotto through which a man may pass without danger, but a dog on entering it is instantly suffocated. Carbonic acid gas is here constantly issuing from the earth, and, on account of its weight, accumulates at the bottom of the cavern, while the air above is comparatively pure. In the Island of Java is a "Valley of Poison," where the ground is covered with the skeletons of birds and animals which have been suffocated by carbonic acid, which is present in large quantities. In Italy, also, is the Lake of Avernus, surrounded on every side but one by steep and densely wooded hills. The word "Avernus" is derived from Greek words meaning "without birds." According to the story, birds flying over the lake are poisoned by carbonic acid, and fall dead into the water. The ancients believed that this lake was the entrance to the infernal regions. Carbonic acid gas is sometimes used to suffocate butterflies and other insects when it is desired to preserve their colors perfect. In some of our large cities it is used to kill the dogs at the pounds, death by this method being painless.

222. Terrible Results of Crowding.—When human beings are crowded together, they breathe not only the carbonic acid and impure matters exhaled by others, but also rebreathe their own impure exhalations. The blood is poisoned, and the effects are sometimes terrible. The story of the “Black Hole of Calcutta” is often told to illustrate this fact. During a war in India, in the hot month of June, 1756, one hundred and forty-six Englishmen were shut up in a little room which contained only two very narrow windows. In eight hours all but twenty-three died. A steamer was overtaken at sea by a storm; the captain ordered all the passengers below, and then fastened down the hatches to prevent the water from getting into the vessel. In six hours, seventy-two died of suffocation.

223. Diseases of the Lungs and Air-Passages.—That common form of indisposition or sickness called a “cold,” is sometimes caught by breathing through the mouth instead of the nose. Cold air is thus taken directly into the lungs instead of being tempered by the “warming-plates” in the nose. Colds are taken in many other ways, however; as, by exposure, particularly when heated, to draughts of air; by remaining too long in wet clothes; or by an insufficient or excessive amount of clothing. *Croup*, an affection of the larynx and windpipe; *bronchitis*, an inflammation of the mucous membrane which lines the bronchial tubes; and *pneumonia*, or inflammation of the lungs, are some of the diseases which result from improper exposure to cold and dampness. Consumption, or

phthisis, that much dreaded chronic disease, which causes destruction of the lungs, is often induced by impure air. A life in the open air, with plenty of good food and sufficient exercise, is one of the best means of warding off or treating this disease.



Natural Shape of
the Waist.



Shape of the Waist Deformed
by Tight-Lacing.

224. Clothing with Reference to the Lungs and Breathing.—Clothing should be so worn as to allow the lungs and chest full chance to expand, or sufficient air will not enter the lungs to purify the blood. In children especially, while the bones are soft and yielding, the clothing should not be too tight. The bony frame-work of the chest is by nature somewhat wider below than above. Tight lacing changes this natural state of things and causes deformity.



QUESTIONS FOR REVIEW.

Why is pure air essential to health?

Why does the stationary air in the lungs need to be constantly changed and renewed?

To how much does this stationary air amount?

How much tidal air comes in at each breath?

What result from an imperfect supply of pure air?

How is the open air kept pure and wholesome?

By what is it washed? What warms and dries it?

How is its supply of oxygen and carbonic acid largely regulated?

What is given out by plants? What is absorbed by them?

What is given out by animals? What is absorbed by them?

What tendency have all gases?

What does the diffusive power of gases help to do?

How do the winds act?

Mention some of the methods by which the air may be rendered impure and unwholesome.

What is said of carbonic acid and organic matter rendering the air impure?

What is said of temperature, moisture, dust, organic exhalations, and sewer-gas?

How much fresh air per hour should be supplied to an individual?

How many cubic feet of space should he have to himself?

How many cubic feet of air will a man render unfit for breathing in twenty-four hours?

How much carbon could be extracted from the carbonic acid exhaled by a man in twenty-four hours?

Mention some of the ways in which an excess of carbonic acid originates.

Give some illustrations of the deadly effects of an excess of carbonic acid in the air.

Give some illustrations of the terrible results of crowding.


How are colds sometimes caught?

Name some diseases of the air-passages and lungs which result from improper exposure to cold and dampness.

How is consumption often induced?

State the best means of preventing or treating this disease.

How should clothing be worn? What is said about tight lacing?



CHAPTER XVI.

VENTILATION.

225. Ventilation.—The word ventilation is derived from the Latin, *ventus*, “air” or “wind.” To “ventilate” a place literally is to “cause the air to pass through it.” Ventilation is the process by which the air to be breathed is kept pure. The buildings in which we live, and the lungs with which we breathe, should always be kept well ventilated. The tidal air ventilates the stationary air of the lungs. When we speak of ventilation, however, we generally have reference to the processes employed to keep our houses, churches, school-rooms, and public halls supplied with pure air.

226. Objects to be Aimed at in Ventilation.—The objects to be aimed at in ventilation are: 1. To move uniformly through a building the required amount of pure, fresh air. 2. Duly to distribute this air to the different apartments in the house. 3. Properly to diffuse it in each room. 4. To remove the vitiated air from every room in the building. 5. To

warm the air sufficiently in winter. 6. To supply it with an appropriate amount of moisture.*

227. Natural Ventilation.—The term natural or accidental ventilation is applied to that ventilation which is brought about by the ordinary construction of our dwelling-houses and public buildings—chiefly by doors, windows, and open fireplaces. Doors and windows which can be opened and shut at pleasure answer very well in some seasons and climates. Open fireplaces, when constructed properly, are efficient aids to ventilation. A fireplace with a wide-throated chimney, and either a coal-grate or a wood-fire burning in it, seldom needs any inlets or outlets for ventilation besides the cracks which unintentionally exist in windows and doorways.

228. The Walls of Buildings Permeable to Air.—Natural ventilation is accomplished in part by the walls of our buildings, through which more or less air will find its way. Brick, sandstone, and mortar can be penetrated by the air. The air which passes through walls may not be felt, because currents of air moving at a rate less than about twenty inches a second are not sensibly perceived. A scientist, named Pettenkofer, devised a curious experiment to show how air penetrates through gravel. He half filled a glass cylinder with gravel, over which a wire netting was placed; in this a canary bird was put, over him another wire netting, and above that the cylinder was filled to the top with gravel. The bird lived all day without

* The facts in this and several succeeding paragraphs have been chiefly obtained from Dr. Hartshorne's book.

seeming to be incommoded for want of air. The warmth of its body induced a gentle ascending and descending current of air around it through the two layers of gravel, the upper one communicating with the atmosphere. Without such a movement to renew the air for it to breathe, it would have been fatally poisoned in a very few hours.

229. Artificial Ventilation.—Artificial ventilation is that which is afforded by special apparatus or arrangements. To admit pure air to a room, one of the simplest plans is the insertion of a piece of wood made to fit under the lower sash of a window raised a few inches. Air then enters upwards between the two sashes at their place of junction. Another arrangement * is to place a piece of cloth or paper on the lower ten or twelve inches of the window-frame, and then raise the lower sash more or less, according to the weather. To get an upward-directed draught, a good method is to fix an upward-sloping board about six or eight inches below the top of a window, and then let down the upper sash a few inches. To allow air to come in slowly and without draught, another plan is to remove a pane from a window, and in its place to introduce wire gauze, or a piece of zinc perforated with a number of small holes. An ingenious, but not complicated, apparatus is that known as Maine's elbow-tube ventilator, which consists of a board (made in two parts sliding on each other, so as to be adjusted to different windows) to be placed under a raised sash, but having passed through it two pipes

* Suggested by Dr. W. W. Keen, of Philadelphia.

or tubes, about six inches in diameter, each bent upward in an elbow—the top of each tube being open above, and supplied with a regulating valve.

230. Relation of Inlets to Outlets in Ventilating.

—To ventilate a room thoroughly, it is necessary to have outlets as well as inlets for the air. For rooms warmed by heated air, various arrangements for allowing air to enter and pass out have been invented. Sometimes, warm air enters near, or in the floor, and escapes above, near or in the ceiling. The outlet may be situated at various points with reference to the inlet. Some of the best recent authorities recommend that outlets should be at or near the level of the floor, because a great loss of heat occurs when outlets are in or near the ceiling, and because in this case narrow currents of air are established between the inlets and outlets, leaving much of the impure air undisturbed below. In the northwestern part of Philadelphia several blocks of houses have been built with an improved arrangement for ventilation. Each house has an air-chamber between the roof and upper floor. Narrow openings for air are placed in the walls at the sides of this chamber; and a ventilator is placed between it and the room below. The outlet to the chamber is a ventilating-pipe in the roof.

231. Temperature of the Air in Living Rooms.

—For a school-room or sitting-room a temperature of about 68° to 70° Fahrenheit is the best in our climate. For a workshop, gymnasium, or any room in which active exercise is being taken, a lower temperature

will be better. For a sick-chamber, a temperature above 70° may sometimes be desirable. Over-heated or unequally-heated rooms are injurious to health.

232. Moisture of the Air in Living-Rooms.—

The air of a living room, to be healthy, should always contain a certain amount of moisture. Stoves and furnaces sometimes cause undue dryness of the atmosphere. The proportion of moisture or aqueous vapor in the atmosphere may vary greatly. The possible amount present depends largely on the temperature. The higher air is heated the more watery vapor it is able to contain. When the rooms of a house are kept at a high temperature by means of heated air, some special arrangements should be made to evaporate water in them. A shallow pan of water placed over a stove or near a register will answer. Many heaters are supplied with an evaporating pan, by means of which moisture is supposed to be supplied to a whole house; but this alone will not do, as different apartments may be heated unequally, and the degree of humidity, as just stated, varies with the temperature.

233. The Ventilation of School-Rooms and Public Buildings.—

School-rooms, where growing children spend so many hours at their tasks, should be thoroughly ventilated. The mind cannot be bright when the air is impure. Good authority asserts that from one to two thousand cubic feet of pure air should be supplied hourly to every child confined in school, in order that perfect health may be sustained. Very much less than this is usually furnished. Too often

little or no attention is paid to ventilation; pupils become listless and stupid; and their health is undermined. Our churches, theatres, and public halls are equally neglected.

234. The Ventilation of Bedrooms.—Fresh air should not be excluded from bedrooms. Some people, believing night-air to be unhealthy, keep the rooms in which they sleep as close as possible; they try to shut out every breath of air as if it were poison. Unless a house is very loosely built, it is better, as a rule, to open the windows of a sleeping-room a little, even in cold weather; although most people cannot stand to have a draught of air blowing directly upon them while asleep. The old fashion of surrounding a bed with curtains, or putting it in a curtained recess, was a very bad one, but fortunately is now but little in vogue. The sleeper was thus compelled to breathe over and over again his own poisonous breath.



QUESTIONS FOR REVIEW.

- From what is the word ventilation derived?
- Define ventilation.
- By what is the stationary air of the lungs ventilated?
- When we speak of ventilation, to what do we generally refer?
- What six objects should be aimed at in ventilation?
- To what is the term natural or artificial ventilation applied?
- How is natural ventilation usually accomplished?
- What is said of doors, windows, and open fireplaces?
- Does air penetrate the walls of our buildings?
- At what rate must currents of air move in order to be sensibly perceived?

Describe an experiment to show how air penetrates through gravel.

What is artificial ventilation?

Mention some of the best methods of admitting air into a room.

Describe Maine's elbow-tube ventilator.

What is said of outlets for air?

What do some of the best recent authorities recommend as to inlets and outlets?

Describe an arrangement for ventilating some houses recently built in Philadelphia.

What is the best temperature for a school-room or sitting-room?

What is the best temperature for a workshop or a gymnasium?

What temperature may sometimes be desirable for a sick-room?

What is said about moisture in the air of a living-room?

What is sometimes the effect of stoves and furnaces?

Upon what does the possible amount of moisture in the atmosphere largely depend?

When the rooms of a house are kept at a high temperature, what should be done to insure a proper amount of moisture?

How many cubic feet of air should be supplied hourly to every child in school?

Is proper attention paid to ventilation of school-rooms and public buildings?

Mention some facts about the ventilation of bedrooms.





CHAPTER XVII.

EXCRETION, OR GETTING RID OF WASTE MATTERS.

235. Wear and Waste.—The body is wearing and wasting, as well as growing and repairing, all the time. We eat and drink a number of times each day, and, besides, we are constantly breathing in oxygen, which is a real food to the blood. Food, as we have learned, makes the blood rich, and the blood feeds the tissues—bone, muscle, nerve, glands, etc. The blood is constantly building these tissues. The parts of the body are, however, always at work, and everything that works must wear and waste, so that tissues are as constantly breaking down as they are building. Our bodies are always being made and unmade. It is a curious fact that the blood, which is the chief agent in building the tissues, also receives the products of their wasting. It takes up the useless particles, and carries them to the organs which cast them out of the body.

236. Wasting and Destruction are not the Same.—The different parts of the body waste through the

process of oxidation, but they are not destroyed. They change into other forms. When a frame house burns, it disappears as a house and as wood, but in the smoke and in the ashes are the same elements which were in the wood at first, with the addition of the oxygen which was taken from the air during the burning. This is similar to what takes place in the body. Substances which the blood gets from the food are oxidized or burnt up; tissues also are oxidized; but their elements are not destroyed.

237. The Principal Waste-Products of the Body.—These waste-products of the body usually become in the blood either *water*, *carbonic acid*, or *urea*, with small quantities of certain *salts*. Water is composed of hydrogen and oxygen; carbonic acid, of carbon and oxygen; urea, of carbon, hydrogen, nitrogen, and oxygen; and most of the salts contain oxygen, metals, and such substances as sulphur and phosphorus. In our food and tissues we have carbon, hydrogen, nitrogen, oxygen, phosphorus, sulphur, etc.; in the air is all-important oxygen. It is in great measure through the process of oxidation—through other substances seizing oxygen or oxygen seizing them—that waste-products are formed.

238. Waste Water.—Water is taken into the body, or is formed there in many ways. Much is taken in by drinking, much in our solid food. Oxygen seizes hydrogen in many places where tissues are breaking up into their elements, and thus also water is formed.

239. Carbonic Acid.—The oxygen which is being constantly breathed in by the lungs goes, as we have learned, all through the body; the red corpuscles of the blood acting as oxygen-carriers. They carry the oxygen into the tissues, wherever it is needed. The tissues all contain carbon. In some way, not yet fully understood, this carbon unites with the oxygen; and carbonic acid gas is formed. The blood, if examined chemically, can be shown to contain this carbonic acid.

240. Urea.—Urea is a substance in some respects like ammonia or hartshorn, but more complicated in composition. Many tissues, such as muscle and nerve, contain nitrogen in large amounts. Urea results largely from the wasting of these nitrogenous tissues; but it is also partly derived from other tissues containing carbon and hydrogen. It also springs partly from the action of some of the fluids of the alimentary canal upon nitrogenous food. It is really produced by a partial oxidation—the same process of oxidation which gives carbonic and water, only the process does not go far enough for carbonic acid and water to be formed.

241. Excretion.—The process by which these waste-products of the body are taken from the blood and cast out of the system is called *excretion*, which means the “act of sifting out.” The waste-products themselves are called *excretions*. Excretions differ from *secretions*, such as saliva, bile, gastric juice, and the like, in that the latter have a purpose to serve in the body, while the former are simply refuse and waste matters.

Excretion is carried on by the *skin*, the *lungs*, the *kidneys*, the *liver*, and the *intestines*.

242. The Skin as an Organ of Excretion. In Chapter I. the skin was described as consisting of an outer very thin layer called the *epidermis*, and of an inner and thicker layer, the *dermis*, or true skin. Running through both epidermis and dermis is an open channel, the *sweat-duct*, which in the latter coils up into a knot. This knotted end of the tube is a *sweat-gland*, (Fig. 40.) It is surrounded by a mesh or network of thin-walled capillary blood-vessels. The sweat-glands, which are exceedingly numerous, excrete waste water from the system as sweat or perspiration. We are sweating more or less all the time. There are two kinds of perspiration, *sensible* and *insensible*. Sensible perspiration is the ordinary sweat which we can see and feel; insensible perspiration is that which is passing off as vapor without being seen. The reason it is not recognized is because it passes off as steam or vapor as soon as it is formed.




Fig. 40.

Vertical Section of the Skin. (Highly magnified.)

243. The Lungs as Organs of Excretion.—The blood loaded with carbonic acid and poisonous organic matter comes to the capillary vessels of the lungs. This gas finds its way through the thin walls of the vessels and air-cells. Much water also leaks

from the blood and is exhaled with the breath. Glass can be moistened by breathing on it.

244. The Kidneys as Organs of Excretion.—The kidneys are two in number, and are situated in the lower back part of the abdominal cavity, one on each side of the spinal column. Each kidney is between four and five inches long and from two to three inches in breadth. Blood-vessels enter the kidneys. The blood brought to the kidneys contains some of the waste-products of the tissues, particularly the urea. These waste matters, in the form of a liquid, are secreted or filtered from the blood into little tubes in the kidneys. This liquid, which consists mainly of urea dissolved in a very large quantity of water, with, however, small quantities of other animal and mineral substances, is finally collected in the bladder, and then cast out of the body.

245. Similarity of the Organs of Excretion.—The skin chiefly excretes water in the form of sweat, but small quantities of carbonic acid, and even of urea, are also passed off by it. The lungs are mainly concerned with casting out carbonic acid, organic matter, and water, but urea in small amount is also found in expired air. The kidneys have for their chief function the excretion of water and urea, but they also get rid of some carbonic acid. These three sets of organs, working together, prevent the machinery of the body from becoming clogged and choked with impurities. We should constantly aim to keep them in good working condition, in order that they may be able to carry out their functions.

246. Effect of Alcohol on the Kidneys.—The kidneys suffer greatly from the continued influence of alcohol. Their minute structure undergoes fatty changes; their vessels lose elasticity and power of contraction; or their membranes permit that important constituent of the blood which is known as *albumen* to pass through them. The body loses power as it is thus gradually drained. The serious affection known as Bright's disease of the kidneys" often results from the use of alcoholic drinks.



QUESTIONS FOR REVIEW.

- What is happening to the body all the time?
- What is the chief agent in building tissues?
- What receives the products of the wasting of the tissues?
- What does the blood do with the useless particles?
- Through what process do the different parts of the body waste?
- What happens when a frame house burns?
- What substances are oxidized?
- Are the tissues also oxidized?
- Are the elements of the food and of the tissues destroyed when oxidation takes place?
- What are the principal waste-products of the body?
- What is the composition of water, of carbonic acid, of urea, and of the salts?
- What elements enter into our food and tissues?
- What important element is in the air?
- How is water taken into the body?
- How is it formed in the body?
- Describe the process by which carbonic acid is formed in the body
- What substance does urea resemble?
- What tissues contain nitrogen in large amounts?
- How is urea largely produced?
- From what, also, does it partly spring?

What is the real nature of the process by which urea is produced?
Define excretion.

What is the difference between excretions and secretions?

What are the organs of excretions?

What channel runs through the skin?

What is the knotted end of the sweat-duct called?

What do the sweat-glands excrete?

What is sensible perspiration?

What is insensible perspiration?

What excretions are cast out by the lungs?


Describe the kidneys.

What waste matters are excreted by the kidneys?

Explain the similarity between the organs of excretion.

What do the three sets of excretory organs accomplish?

What is the effect of alcohol on the kidneys?





CHAPTER XVIII.

HINTS ON HYGIENE, ACCIDENTS, AND POISONS.

247. Rules of Simple Hygiene.*—The following rules of simple hygiene will be found useful:

Wash the whole body, at least twice in every week, either with cold or slightly warmed water, and rub thoroughly dry with a rough towel.

The least one can do, with any attention to cleanliness or health, is to sponge the face, chest, and back with water, and dry rub the rest of the body at least once every day.

For a thorough wash of the hands, use warm water, and before soaping them, steep them well in the water for a minute or two, rubbing them the while, then use soap and a nail-brush. End by holding the hands under a tap of cold water, and "give them a shower-bath:" it is refreshing and strengthening to the fingers; or dip them into cold water and rub them dry as quickly as possible.

* These "rules of simple hygiene" are from *Hints and Remedies for the Treatment of Common Accidents and Diseases, and Rules of Simple Hygiene*, compiled by Dawson W. Turner, D.C.L.: Macmillan & Co., New York. The rules are given with omissions, additions, and changes in language and arrangement. Dr. Turner's book has been drawn upon for other material for the present chapter. We have also made use of a valuable little book by Dr. Charles W. Dulles, entitled *What to do First in Accidents or Poisoning*, published by Presley Blakiston, Philadelphia, 1880; and of a larger volume of *Plain Directions for Accidents and Poisons*, distributed by the Mutual Life Insurance Company of New York.

If possible, get that most cleansing thing, a hot bath, once a week; use plenty of soap, with a flannel, over the whole body, and scour with a pretty hard bath-brush; then soak for a few minutes, and come out "as clean as a new shilling."

Use a flesh-brush, or rough towel, on the skin once a day. The best time is at night.

Brush the teeth the last thing every night before going to bed, and comb and brush the hair the wrong way, or any way but the right way, so as to let the air in upon the head.

Rinse out the mouth, or, better still, brush the teeth after every meal.

Tooth-brushes cannot be too soft. Hard brushes make the gums recede from the teeth, and produce premature decay by causing the soft bone of the tooth to be exposed to the air, beyond the part of the tooth protected by the enamel.

Do not plaster down the hair with pomatum or pomade; the hair is meant to assist in carrying off perspiration, and should not be clogged with grease. No appreciable mischief results from oiling it occasionally; nor does sweet-oil do any harm to any part of the body, if it is rubbed into the skin before a fire, but, on the contrary, it does good, as it renders the limbs supple and more capable of strong muscular exertion.

Beware of drinking any very hot fluids. After fatigue and long fasts, hot fluids, only not too hot, are valuable, and a few mouthfuls, taken in such cases before beginning to eat, are useful, especially for elderly people.

Avoid much use of sweets, tarts, pastry, confectionery, and sugar.

All clothing, particularly that which is worn next to the skin, should be turned inside out before going to bed, and hung up to air above the level of the head.

Open the bed entirely in the morning, lifting the sheet and blanket so as to let the air get underneath; and leave the windows open top and bottom.

Never sit down to breakfast without first going out into the open air for a few minutes. Make the walk longer or shorter according to health and strength.

If any one is ill with fever, or with any infectious disease, do not visit him the first thing in the morning before eating, but take a

mouthful of coffee or tea, and a crust of bread, before entering his bedroom.

To avoid infection, keep everything clean. Cleanliness is the best of disinfectants. Keep all drains in good repair and flush them with plenty of water. Corrosive sublimate is now regarded as the most powerful disinfecting agent. One-fourth to one-half an ounce can be added to a gallon of water for disinfecting purposes. It is, however, a deadly poison, and should be used with extreme care. Copperas and chloride of zinc are safe and valuable disinfectants. About an ounce of either of these salts may be used in a water-closet. Carbolic acid, half a pint to a pailful of water, may be used, although not now considered as valuable as the others. All powerful disinfectants are more or less poisonous.

If troubled with cold feet at night, rub them well before getting into bed; and if that does not answer, sponge them with cold water, and, while drying them, rub the toes and ankles upwards, and not downwards. In case this plan fails, as it does sometimes, and the feet still remain cold, try putting them in a mustard foot-bath before stepping into bed, and put on a pair of thick, dry woollen socks directly afterwards. The socks can be removed as soon as the feet are warm.

Avoid all hot and heavy suppers, unless desirous of an attack of nightmare. A so-called "severe tea" late at night is usually unwholesome. Never go to bed, however, with an entirely "empty stomach." This is often the cause of "insomnia," or sleeplessness, especially in elderly persons.

If troubled with sleeplessness, sponge the whole body before going to bed, and rub dry with a Turkish towel; use the dumb bells or any other gymnastic exercise, and jump into bed warm, and banish unpleasant thoughts.

Finally, try to keep a clear conscience, an even temper, a light heart, and a good digestion.

248. Asphyxia.—The word *asphyxia*, now commonly applied to cases of suspended animation or apparent death from various causes, is a term derived from the Greek, and really means an "absence of pulse." The lungs, as we have learned, convert the dark and

poisonous venous blood into life-renewing arterial blood. This change is effected through the pure tidal air which is breathed in by the lungs. In asphyxia, the supply of tidal air is in some way cut off. When the head is under water, as in drowning; when foul gases are inhaled, or when a foreign body stops up the air-passages, asphyxia may result. Death in such cases may be prevented by taking prompt measures that will insure the admission of abundance of fresh air into the lungs.

249. Apparent Drowning.—In apparent drowning, the body should be taken from the water as soon as possible, and turned over upon its face for a moment. A finger should be swept around in the mouth to bring away any mucus or other substances that may be present. The body should be laid out flat on the back, with something a few inches high under the shoulders. The tongue should be drawn well forward and held out of the mouth by means of a handkerchief, and the effort to secure artificial respiration begun as follows: Some one should place himself on his knees behind the patient's head, seize both arms near the elbows and sweep them around horizontally, away from the body and over the head till they meet above it, when a strong pull should be made upon them, and kept up two or three seconds. This effects an inspiration—fills the lungs with air, by drawing the ribs up and so enlarging the cavity of the chest. The second manœuvre consists simply in returning the arms to their former position alongside the chest, and then making firm pressure against the

lower ribs, so as to drive the air out of the chest and effect an act of expiration. This need occupy but a second of time. If this plan is regularly carried out, it will make about sixteen complete acts of respiration in a minute. It should be kept up for a long time, until a competent person has ascertained that the heart has ceased to beat. Warmth should be applied by heated flannels, or in any other convenient way; and a stimulant should be given as soon as it can be swallowed. A teaspoonful to a tablespoonful of whiskey or brandy should be given every few minutes, until a decided effect is produced. As natural respiration begins to be attempted, it should be aided as much as possible by timing the artificial to it. When resuscitation is accomplished, the person should be put in a warm bed, being carried carefully, with the head low, and a watch kept to see that the breathing does not suddenly stop.

250. Asphyxia from Noxious Gases.—Certain poisonous gases are given off during the burning of charcoal. Anthracite and bituminous coal, when burned in a close room, as a kitchen shut up for the night with an open stove of these burning coals, also give off noxious gases. Persons sleeping in such a room, unless awakened as the air becomes fouled, will be found senseless or dead soon after. Persons retiring at night may leave the gas “turned down;” the flame becomes extinguished, and enough gas escapes to poison the inmates of the room. Asphyxia, or suffocation, from these or other noxious gases, calls for removal to the open air, dashing with cold water, stimulants, and

the employment of artificial respiration, as described in speaking of apparent drowning. Risk of poisoning from these sources can be obviated by leaving the window down from the top, and raising it a few inches from the bottom, thus securing proper ventilation.

251. Heatstroke or Heat-Exhaustion.—Intense heat, either from the sun or from artificial sources, produces one of two conditions, either heatstroke or heat-exhaustion. Heatstroke, sometimes called sunstroke, appears to be decidedly favored by intemperance, want of acclimatization, and debility. The skin is hot and dry, the pulse rapid, and the patient unconscious. The person attacked should at once be carried to a cool, airy spot. Unnecessary bystanders must be kept at a distance, as the person in this, as in every other accident, needs all the pure air he can get. The clothing should be removed, and the patient placed on his back, with the head raised a couple of inches by a folded garment. The entire body, particularly the head and chest, should be dashed with cold water in profusion, should be rubbed with ice, and ice should be applied to the head and spine. Physicians usually inject quinine beneath the skin. For heat-exhaustion, in which the body is cool, the skin moist, the pulse small, and the muscles relaxed, or sometimes convulsed, a few drops of laudanum in a tablespoonful of whiskey or brandy will be very useful. In these cases it has been found by physicians that morphia injected beneath the skin gives immediate relief.

252. Fainting.—Persons sometimes fall in what is called a swoon or faint. An attack of fainting is ordi-

narily not dangerous to life; although sometimes attacks which look like a simple faint are the result of serious disease of the heart or brain. The fainting person suddenly becomes pale, loses consciousness, and usually falls, the pulsations of the heart and the movements of breathing becoming diminished. In a faint, the brain is commonly deprived temporarily of its proper supply of blood. The individual in the faint should be carefully placed flat on the back, and the clothing loosened. In some cases it is well to raise the body and limbs a little above the level of the head; especially is this procedure called for when unconsciousness has been produced by a blow or anything giving rise to a decided shock. In this way the circulation will be given the best possible chance to right itself. Sprinkling cold water on the face, and applying ammonia water to the nostrils and warmth to the extremities and over the stomach, will also assist in bringing about reaction.

253. Convulsions.—In convulsions, or “fits,” which are usually epileptic, movements calculated to injure the person must be controlled. It is useless to struggle against such as will do no injury; they had better be simply regulated, and no attempt made to entirely prevent them; but a folded towel or a piece of soft wood may be, when possible, thrust between the teeth, to prevent the usual biting of the tongue. If the clothing constricts any portion of the body sufficiently to interfere with the breathing, or the circulation of the blood, it should be loosened. When the height of the convulsion is passed, rest in

the flat position, quiet, and sometimes a moderate stimulation, may be required.

254. Burns or Scalds.—When clothes are on fire, the wearer must not run about, but should be made to lie down, and should be covered with a rug, or carpet, or shawl, or coat—anything that will exclude the air and smother the flame. Afterward, the burned part must be disturbed as little as possible, and the patient may be enveloped in lint soaked in a mixture of equal parts of linseed-oil and lime-water. Stimulants and anodynes should be administered. Medical advice should always be taken in such grave circumstances. Slight burns are best treated by applying a cloth soaked in a strong solution of baking soda—the bicarbonate of soda. Linseed-oil and lime-water is also a good application for such burns.

255. Sprains.—In a sprain the joint is twisted, and its ligaments are stretched or even torn. Sprains most frequently occur at the wrist and ankle-joints. The injury is rapidly followed by inflammation of the joint and adjacent parts, with great pain and often swelling. Sprains must be treated by rest, and heat or cold, as is best suited to each case. Sprains of the finger or wrist usually require cold and moist applications. A lotion of lead-water and laudanum is useful to allay inflammation. To promote absorption of any inflammatory products that may be left, painting over the joint with tincture of iodine, and rubbing and kneading, are useful.

256. Foreign Bodies in the Eye.—Particles of cinder, dust, or fragments of metal often get into the

eye and cause trouble. A good plan is to hold a knitting-needle or thin lead-pencil over the upper lid: then, while the person looks, or turns his eye downward, seize the lashes of that lid by the fingers of the disengaged hand, and gently turn the lid upward and backward over the needle or pencil. Usually the intruder can be seen and removed. Should the foreign body be imbedded in the eyeball or the eyelid, the case should be left to a surgeon. The foreign body often cannot be seen, but the person assures us that he feels it. Often he does not really feel the body, but the roughness left by it. In such a case or even if the body has been seen and removed, a soothing application to the injury is as useful as the same thing applied to a wound of the hand. A good eyewash is made by dissolving eight grains of borax in a mixture of one-half ounce of infusion of sassafras, and one ounce and a half of camphor water. Never draw a handkerchief, or anything else, between the eyelids to remove a foreign body. We know of one case in which the sight was almost destroyed as the result of an inflammation set up by dragging the foreign body across the eyeball in this way. In fact, it is better not to meddle with the eye at all if a physician can possibly be secured.

257. Insects in the Ear.—Insects sometimes get into the ear. The best way of getting them out is to fill the cavity of the ear with sweet-oil or glycerine. It drowns the animal by closing up its breathing pores, and in a short time it floats to the surface of the fluid used. The tube of the ear is somewhat curved, and

when straightened by catching hold of the upper tip, and gently pulling it upward toward the crown of the head, the liquid flows in more readily.

258. Foreign Bodies in the Throat.—Foreign bodies sometimes get lodged in the throat. A crust of bread, or a bone, or some other object, may be lodged where it can be reached, when it is best removed with the fingers. Forceps may be used if at hand. If a piece of food is caught in the windpipe, owing to the epiglottis not shutting down quickly enough, usually it will be coughed out. If, however, it remains, an effort should be made to remove it with the fingers, and a physician should be called at once. Tickling the ear with a feather, or slapping the back with the hand, will sometimes excite coughing.

259. Foreign Bodies in the Nose.—If a foreign body, such as a pebble or grain of coffee, gets into a nostril, the first thing to do is to try to expel it by gently blowing the nose. The nose should never be blown violently, for this may set up inflammation of the middle ear, and greatly impair the hearing. If ordinary blowing does not succeed, the child should be made to take a full breath; then closing the other nostril and the mouth, when the lungs empty themselves by expiration the foreign body may be driven out of the nostril. If it should not be expelled by either of these methods, a physician must be called.

260. Bleeding from the Nose.—Bleeding from the nose can usually be stopped by application of cold water or ice to the outside and inside of the nostrils;

but sometimes the bleeding is profuse and obstinate. Vinegar, or a strong solution of alum in warm water, can be snuffed up the nose ; or cotton, soaked in vinegar or alum-water, may be used as a plug. The bleeding may frequently be stopped by pressing the finger with moderate firmness over the upper portion of the upper lip to the outer side of the nostril from which the blood proceeds. A small, hard roll of paper passed well up beneath the upper lip in the same situation is often sufficient. Water as hot as can be borne, carried into the bleeding nostril by gentle efforts at inspiration, while the mouth and opposite nostril are closed, in many cases is promptly effectual. Do not blow the nose during or soon after the bleeding; keep the mouth shut, and breathe through the nose.

261. Bleeding from Wounds.—Capillary hemorrhage follows every cut. The color of the blood is bright red; the flow is generally slow and not very considerable. It usually stops of itself. If it does not, cold water, ice, or vinegar may be applied. For oozing from a large raw surface, a towel may be folded, dipped in water as hot as the hand can bear, lightly squeezed, so as not to drip, and laid upon the bleeding surface. Bleeding from the veins is also generally slow and steady, the blood being of a darker color. The application of cold and continuous pressure upon and below the wound are the proper methods of treatment. Hemorrhage from the arteries is very dangerous. In such a case the blood is bright red, and spurts in a stream or leaps in jets from the divided vessel. For wounds of the arteries of the hand, raising the hand above

the head, and making firm pressure with the thumbs just above and in front of the wrist, will usually stop the bleeding. If this fails, and for wounds below the elbow, first grasp the upper part of the arm with both hands and squeeze as hard as possible; then let some one make a thick, hard knot, as big as an egg, in the middle of a handkerchief, place it over the middle of the front of the arm, immediately above the elbow, tie the ends tight at the back, and bend the forearm up so as to press hard against the knot. This, if successfully done, will obstruct the main bloodvessel, which in this place lies in the middle line of the bend of the elbow. For wounds in the upper arm, a knot as big as a fist may be made in any piece of cloth, and shoved hard up into the armpit, and the elbow then brought straight down and held firmly against the side of the chest. The principal object is to obstruct the bloodvessel above the cut, and this can be effected by a knot placed, in the several cases, in front of the bend of the elbow, in the armpit; or for the lower extremity, behind the bend of the knee, or just below the groin, against which the nearest part of the limb is to be firmly pressed.

262. Poisons in General.—Some knowledge of poisons and of the substances used to counteract their effects (antidotes) will frequently save valuable lives. Many poisonous substances are in common use as medicines, for domestic purposes, or in the mechanic arts. Bottles or packages containing poisons should be carefully labelled and kept out of the way of children. When a poison has been swallowed, it is a good plan

to empty the stomach as speedily as possible. Vomiting can be effected by several methods. Simple warm water, given cup after cup, is often all that will be necessary. A tablespoonful of ground mustard or of common salt can be mixed with a large tumblerful of water, and this can be given and repeated several times until vomiting is produced. After vomiting has commenced, warm water, flaxseed tea, or gum-arabic water may be given to continue the vomiting and soothe the stomach. Fat, oils, milk, raw eggs beaten up—all in moderate quantities—are especially valuable when the poison has been of an irritant character. If the sufferer is much depressed or cold, some stimulant, as hot tea, hot coffee, brandy, whiskey, or wine, may be administered. Warmth should also be applied.

263. Different Classes of Poisons.—Poisons can be arranged into different classes: some are acids, some are alkalies; some are irritant mineral poisons, such as arsenic, sugar of lead, corrosive sublimate, tartar emetic, phosphorus, and lunar caustic; and some are special vegetable poisons, such as strychnia, opium, aconite, Jamestown weed, hemlock, nightshade, toadstool, tobacco, etc., etc. Certain general principles of treatment apply for all the poisons of each special class.

Acid Poisons.—The strong acids, such as sulphuric, nitric, and muriatic, are violent poisons, and yet are in common use, particularly in certain mechanical pursuits. The proper treatment for poisoning by any of these mineral acids is to give an alkali, as magnesia, lime, baking soda, whitewash, chalk, hartshorn mixed with plenty of water, etc. Vomiting should be provoked and bland liquids given. A little calcined magnesia in a case like this might be the means of saving a life. For oxalic acid, lime-water, chalk, white-

wash, or even plaster crushed and stirred up in water, will answer. *Carbolic Acid* is a substance now much used as a medicine and as a disinfectant, and cases of poisoning from it occasionally occur. This odor, which is like that of creasote, should serve to put a person on guard with reference to the substance. Strong carbolic acid will corrode or burn the skin. If it should be accidentally poured or spilled upon the skin, the burn produced should be treated with cooling lotions, oils, or salves, as other burns. Taken internally, carbolic acid is a very poisonous substance. Besides the caustic or burning effect upon the mucous membrane of the mouth, throat, and alimentary canal, it exerts a peculiar effect upon the system, which shows itself by nausea or vomiting, sweating, lividity, labored breathing, feeble pulse, tremor, and paralysis. A good antidote for carbolic acid is the common Epsom salt or sulphate of magnesium. In case of poisoning by carbolic acid, therefore, after having tried to provoke vomiting, and after giving draughts of oil or milk to relieve the burning of the mouth and throat, a large quantity of Epsom salt should be dissolved in water and given freely to the sufferer. To accomplish the purpose for which it is given, the antidote must be administered early and in large amounts.

Alkaline Poisons.—The strong alkalies are ammonia, or harts-horn, potash and soda, the latter two usually dissolved in water, the solution being generally called *lye*. Liniments sometimes contain ammonia, and are swallowed by mistake. Alkalies burn skin or mucous membrane rapidly and severely. The proper antidotes are mild acids, such as diluted lemon juice or vinegar, which should be given in large quantity.

Arsenic.—When arsenic has been taken, an antidote must be administered immediately, if life is to be saved. It can be obtained in the following manner: Take tincture of iron or Monsel's solution, and into it pour ammonia-water or some strong alkali; a precipitate will be obtained, which should be strained and given immediately, with large doses of calcined magnesia. Vomiting should be provoked or continued, and a dose of castor-oil should be given. Dialyzed iron, a preparation which can now be obtained from any drug-store, may be given in tablespoonful doses, following each dose by a tablespoonful of common salt in a teacupful of water. Paris green is an arsenical preparation.

Sugar of Lead.—For poisoning by sugar of lead, to produce vomiting, give Epsom salt, milk, eggs, and castor-oil.

Corrosive Sublimate.—Corrosive sublimate dissolved in whiskey is an article frequently used to destroy vermin. If it should be swallowed by mistake, the stomach should be emptied by means of mild emetics; plenty of eggs and flour in soothing drinks should be given, and, later, sweet-oil. To relieve pain, and strengthen, opium in some form, and whiskey might also be required.

Tartar Emetic.—By mistake, an overdose of tartar emetic may be administered. A strong decoction of good green tea, or oak bark, if taken soon, will change the tartar emetic into a harmless compound.

Phosphorus.—Phosphorus is sometimes sucked from matches by children. It is a poison which acts slowly, and affords ample time for securing medical advice; but five-grain doses of sulphate of copper, dissolved in water, may be given at intervals of ten minutes, until vomiting comes on. Then a dose of magnesia should be administered, but no fat oil.

Lunar Caustic.—Lunar caustic is sometimes swallowed. The antidote for this is a very strong solution of salt and water given again and again; and vomiting should be provoked until the vomited matters cease to have a look like thin milk.

Copper.—Vessels of copper often give rise to poisoning. Though the metal undergoes but little change in a dry atmosphere, it is rusted if acids be present, and its surface becomes covered with a green substance—one of the salts of copper,—a poisonous compound. It has sometimes happened that a mother has, from want of knowledge, thus poisoned her family. For poisoning with copper, milk, eggs, or baking soda should be given.

Nux Vomica, or Strychnia.—For poisoning by nux vomica, or strychnia, use emetics or stomach-pump; chloral hydrate and bromide of potassium in large doses; chloroform to relieve spasm of glottis; stimulants, if needed; and morphia in one-half grain doses, repeated if necessary.

Opium.—Opium, and its preparations, such as *laudanum*, *paregoric*, *black drop*, many quack-medicines sold as soothing-syrups, etc., when taken in poisonous amounts, cause deep sleep, with narrowing of the pupil of the eye to a small circle, which does not

enlarge in the dark. Emetics must be used promptly and persistently, and frequent vomiting produced. Strong coffee must be freely given as a stimulant. So long as the breathing does not fall below ten to the minute, there is no *immediate* danger of death; but opium is a treacherous poison, and requires all the skill that can be obtained to combat it. The important matter is to keep up the breathing. If an electrical battery can be obtained and used, it is the best thing that can be done. The next is to lay the patient upon a lounge and slap his skin with the back of a broad brush or with a slipper. This is all the rousing that is necessary, so long as the breathing keeps above ten to the minute. Should it fall below this, or if the breathing should cease, artificial respiration should be employed.

Special Vegetable Poisons.—*Aconite, hemlock, deadly nightshade, the Jamestown weed, monk's-hood, toadstools, and tobacco,* in poisonous doses, all produce deep depression, and persons poisoned by them must be treated with vomiting, followed by stimulation and warmth.



QUESTIONS FOR REVIEW.

How often should the whole body be washed?

What is the least that one can do with any attention to cleanliness or health?

Describe the best process for a thorough wash of the hands.

How often should a hot bath be taken?

What is said about the use of a flesh-brush or rough towel?

When should the teeth be brushed?

How should the hair be combed and brushed at night?

When should the mouth be rinsed out?

Should tooth-brushes be soft or hard? Why?

What is said about pomade?

What is said about oiling the hair?

How may sweet-oil be of service to the body?

Should hot fluids be drunk?

How should sweets, tarts, pastry, confectionery, and sugar be used?

What should be done to the clothes before going to bed?

What should be done to the bed and bedroom in the morning?

What should always be done before sitting down to breakfast?

When and how should those sick with fever, or any infectious disease, be visited?

What precaution should be taken to avoid infection or any low fever?

Mention some good disinfectants and the methods of using them.

How should cold feet at night be treated?

Why should hot and heavy suppers be avoided?

What does going to bed with an entirely empty stomach often cause?

Mention some good rules of hygiene for those troubled with sleeplessness.

To what is the word asphyxia now commonly applied?

What is the derivation of the word?

In asphyxia, what happens to the tidal air?

Mention some of the ways in which asphyxia is produced.

How may death be prevented in cases of asphyxia?

Describe what should be done in apparent drowning.

Name some of the noxious gases which may produce asphyxia.

What is the treatment for asphyxia or suffocation from noxious gases?

How may risk of poisoning from noxious gases be obviated?

What two conditions may be produced by intense heat?

By what is sunstroke decidedly favored?

What are the symptoms of heatstroke or sunstroke?

What treatment should be adopted for a person attacked with sunstroke?

How should a case of heat-exhaustion be treated?

Is an attack of fainting ordinarily dangerous to life?

Describe a faint.

What happens to the brain in a faint?

What should be done to the individual in a faint?

What movements should be controlled in a case of convulsions?

What are the suggestions with reference to the treatment of a convulsion?

When clothes are on fire, what should the wearer do?

Afterward, how should the burned part be treated?

What should be given internally?

How are slight burns best treated?

What is the condition in a sprain?

Where do sprains most frequently occur?

By what is the injury followed?

How should sprains be treated?

What is a good plan for removing foreign bodies from beneath the eyelids?

What advice is given when the foreign body is imbedded in the eyeball or eyelid?

What should be done for the irritation remaining after the removal of a foreign body?

How can a good eye-wash be made?

Should a handkerchief ever be drawn between the eyelids to remove a foreign body?

What is the best method of getting an insect out of the ear?

Mention some of the methods of removing foreign bodies from the throat.

Mention some of the methods of removing foreign bodies from the nose.

How can bleeding from the nose usually be stopped?

If the bleeding is profuse and obstinate, how may it be stopped?

What sort of hemorrhage follows every cut?

If capillary hemorrhage does not stop of itself, how may it be controlled?

How can bleeding from the veins be controlled?

What is the most dangerous form of hemorrhage?

How can bleeding from wounds of the arteries of the hand usually be stopped?

Give the methods of controlling arterial hemorrhage from wounds below the elbow.

Give the methods for wounds in the upper arm, and for wounds in the lower extremities.

What are antidotes?

When a poison has been swallowed, what should be done at once?

How can vomiting be effected?

After vomiting has commenced, what should be given?

What are especially valuable when the poison has been of an irritant character?

What should be done if the sufferer is much depressed or cold?

Name some of the classes into which poisons can be arranged.

What is the proper treatment for the strong mineral acid poisons?

What is the treatment for oxalic acid poisoning?

- How will strong carbolic acid act on the skin?
 How should a burn produced by it be treated?
 What is a good antidote for carbolic acid?
 Give the entire plan of treatment in poisoning by carbolic acid.
 Mention some of the alkaline poisons.
 What are the proper antidotes for alkaline poisons?
 Describe the method of making an antidote for arsenic.
 What should be done besides administering an antidote?
 What is the name of a common arsenical preparation?
 For poisoning by sugar of lead, what should be done?
 Give the treatment for corrosive sublimate poisoning.
 Give the treatment for tartar emetic poisoning.
 How are children sometimes poisoned by phosphorus?
 How should such cases be treated?
 What is the antidote for lunar caustic?
 How do vessels of copper often give rise to poisoning?
 For poisoning with copper, what should be given?
 What is the treatment for poisoning by nux vomica, or strychnia?
 What are some of the preparations of opium?
 What symptoms are caused by opium preparations when taken in poisonous amounts?
 What is the treatment for opium poisoning?
 What symptoms are produced by poisonous doses of aconite, hemlock, deadly nightshade, the Jamestown weed, monk's-hood, toadstools, and tobacco?
 How should persons poisoned by these substances be treated?





CHAPTER XIX.

ALCOHOL, TOBACCO, AND OTHER NARCOTICS.*

264. Stimulants and Narcotics.—The word *stimulant* is derived from the Latin, *stimulus*, a “spur” or “goad.” A stimulant is a substance which has the power to excite or increase the force of the nervous system. The word *narcotic* is derived from a Greek verb, *narkon*, which means to “benumb” or “deadens.” A narcotic is a deadening agent which diminishes the activity of the nervous system; and *narcosis*, the condition which results from the use of narcotics, is a more or less complete paralysis of the nervous system. Alcohol, tobacco, absinthe, opium, Indian hemp, and some other substances, are stimulants when used in small quantities, and narcotics in large quan-

* In the preparation of this chapter we have made use of the following works: *The Cantor Lectures on Alcohol, For and Against Tobacco, and The Field of Disease*, by Dr. B. W. Richardson; *Stimulants and Narcotics*, by Dr. Francis E. Anstie; *Smoking and Drinking*, by James Parton; *A Manual of Practical Hygiene*, by Dr. Edmund A. Parkes; *An Inquiry into the Prescription of Intoxicating Liquors, etc.*, by F. R. Lees; *The Use and Abuse of Tobacco*, by John Lizars; *An Address on the Effects of Alcoholic Drinks*, by J. Estabrook, President of the Michigan State Teachers' Association, etc.

tities. Their abuse has brought terrible evils upon the human race. They have certain uses, but only physicians, and those who have a thorough scientific knowledge of their actions, are competent to say when and how they should be used. Their dangers are so real and numerous, and they are the cause of so much misery and misfortune, that every one should be familiar with their injurious and deadly properties.

265. Derivation of the Word Alcohol.—The word ALCOHOL is derived from the Arabic, *al-kahol*, which means “something very subtle.” It was used, originally, to designate a fine powder with which Eastern women were in the habit of staining their hair and eye-lids in order, as they thought, to add to their charms. The same name was given after a time to other subtle powders, and later by Europeans to the spirits of wine.

266. Fermentation and Distillation.—The term *fermentation* is applied to the peculiar change which sometimes takes place when moist animal or vegetable matter is exposed to the air at ordinary temperatures. Some forms of vegetable matter have an especial tendency to ferment. The juice of the apple is at first sweet, but after it has stood for a time it works, or ferments, and becomes “hard cider,” which has a sharp taste and contains alcohol. Alcohol can be obtained by fermentation not only from the juice of fruits, such as the apple, pear, peach, and grape, but also from seeds, grain, and other sources. The substances which yield alcohol

contain sugar, and it is really from the fermentation of sugar that the alcohol is derived. By fermentation alcohol is formed, but when thus made it is often impure. *Distillation*, from the Latin *stillo*, meaning to "drop little by little," is a process of separating the pure alcohol from other substances.

267. Alcoholic Beverages.—Intoxicating liquors owe their specific intoxicating properties to alcohol. Wine is the fermented juice of the grape. Wines contain from seven to twenty per cent. of pure alcohol. Beer is made of malt, water, and hops. Ale, stout, lager, and porter are varieties of beer. The amount of alcohol contained in beer varies from four to ten per cent. Many beer drinkers seem to think that they are not taking alcohol, or not in quantities that can do any harm. Beer is harmful in proportion to the amount of it taken and because of the alcohol it contains. Hard cider is the fermented juice of apples and contains about five per cent. of alcohol. Whiskey is obtained by distilling grain or potatoes; gin, from fermented corn and juniper berries; rum, from the refuse of sugar and molasses; brandy, from the juice of the grape or other fruit. Whiskey, gin, rum, and brandy contain from fifty to sixty per cent. of alcohol. Alcohol is also the chief ingredient of the "bitters" and of many other "quack medicines" so largely used. They are alcoholic beverages in their most dangerous and insidious form.

268. Uses of Alcohol in Science and Medicine.—Like many other substances which are poisonous and deadly when improperly employed, in its proper

place alcohol has a field of great usefulness. The "spirit-lamp," in which alcohol is the burning fluid, is one of the most useful of inventions. In burning, alcohol gives forth no smoke nor soot, and yet evolves considerable heat, hence the advantages of this lamp. Alcohol prevents organic substances from decay; hence, it is used by scientists to preserve specimens. It is also employed to harden specimens so that they can be cut into thin sections for microscopical examination. Ether, chloroform, and other most precious sleep-producing agents have been derived from alcohol. Spirit lotions, consisting of alcohol and water, are often useful in external swellings and wastings. When the system is much reduced, alcohol may be of service, but its use should be directed by physicians.

269. Medical Conclusions about Alcohol.—At the International Medical Congress which met in Philadelphia, in 1876, Dr. Ezra M. Hunt, of New Jersey, read a paper on alcohol. The chief conclusions of Dr. Hunt's paper were as follows: 1. Alcohol is not shown to have any definite value as food. 2. Its use as a medicine is chiefly that of a stimulant, and it can often be substituted by something else. 3. The purity of alcoholic liquors is, in general, not as well assured as that of articles used for medicines should be. The American Medical Association, an assemblage of physicians from all parts of the United States, in 1883 adopted a series of resolutions, stating their conviction that "alcohol should be classed with other powerful drugs; that when prescribed medically, it should be done with conscientious cau-

tion and a sense of great responsibility; that used as a beverage it is productive of a large amount of physical and mental disease; that it entails diseased and enfeebled constitutions upon offspring, and is the cause of a large percentage of the crime and pauperism of our large cities and country."

270. Alcohol in Relation to Cold and Heat.—

Alcoholic drinks are often taken in the winter with the idea that they assist nature in resisting cold, and in summer to counteract the effects of heat. The testimony of science is against the practice. Dr. Hayes, the Arctic explorer, not only did not use alcohol himself, but on one of his voyages would take no man accustomed to use it. An increase of temperature occurs at first after taking alcohol, but subsequently it rapidly decreases. Dr. Richardson placed alcohol and cold side by side in experiment, and determined that the great reduction of animal temperature is one of the most pressing causes in death from alcohol. According to Parkes, the greatest fatigues both in hot and cold climates have been best borne by men who use no alcohol. Sir John Hall, an English general, says that the healthiest army he ever served with had not a single drop of alcohol. Dr. Livingstone, the celebrated African explorer, in 1862, wrote that he had lived on the principle of total abstinence during more than twenty years. He said, further, "The most severe labors or privations may be undergone without alcoholic stimulants, because those of us who have endured the most had nothing else than water, and not always enough of that."

271. Poisonous Action of Alcohol.—That alcohol may and frequently does act as a poison has been repeatedly demonstrated. The word intoxication is derived from the Latin word, *toxicum*, which means a "poison." *Toxicum* is itself derived from a Greek word meaning a bow or an arrow, it being the custom of the barbarians to poison the latter. Strong alcohol when taken in large quantities will produce narcosis and death. Alcohol, absinthe, opium, etc., are not only injurious in themselves, but used once the appetite for them grows. Used in small quantities at first, after a time larger quantities become necessary to produce the same effects. They lead their victims on and on to ruin.

272. Early Symptoms of the Injurious Effects of Alcohol.—Frequent headaches, sleepless hours, unpleasant dreams, morbid feelings, and a sense of languor and depression are some of the symptoms present in the case of the drinker who first begins to use alcohol to excess. The work of physical deterioration thus indicated is accompanied by a gradual weakening of the will, causing disastrous results.

273. Some Special Forms of Alcohol Poisoning.—Alcohol causes *drunkenness* or *intoxication*, sudden *alcoholic coma*, *mania a potu*, and *delirium tremens*. The drunkard, with his foul breath, his noisy tongue, his foolish or dangerous acts, his bloated face, and reeling gait, is in many communities an every-day warning to young and old of the sad effects of drink. *Coma* is a profound state of unconsciousness. When a large amount of alcohol is taken in a short time, the person will sometimes drop down instantly, and will be

found unconscious and insensible, cold to the touch, blue in the face, covered with sweat, breathing heavily, and with a feeble, frequent pulse, and sometimes convulsed. Many such patients die. *Mania a potu*, or mania from drink, is a form of wild excitement and fury which comes on suddenly as the direct result of alcoholic excess. *Delirium tremens* is the result of the excessive use of alcohol, or of suddenly stopping its use after it has been taken for a long time to excess. The disease begins with restlessness, sleeplessness, tremor, and depression of spirits, and often with disturbances of the pulse, heart, and stomach. Later the patient mutters to himself, talks wildly, or screams with fright. He imagines that he sees about him fiends, snakes, rats, or frightful monsters. He hears terrible voices. He is pursued by foes. Completely exhausted, he dies, or recovers only after a severe illness.

274. Alcohol and Insanity.—The long-continued use of alcohol may give rise to various chronic forms of insanity. *Dementia*, or great mental enfeeblement, *melancholia*, or depression of the faculties of the mind, and its opposite, *mania*, or mental excitement, may be caused by alcohol. Alcohol also gives rise to a special form of chronic insanity, in which strange and dangerous delusions are present. *Dipsomania*, or “thirst-mania,” from *dipsa*, “thirst,” is a term applied to that condition in which an individual has a constant craving for alcoholic drinks. Dr. Norman Kerr* holds that intemperance is a cause of insanity, and insanity is a cause of intemperance. Dr. Edgar Shepherd says

* *American Psychological Journal*, April, 1883.

that, directly and indirectly, forty per cent. of British insanity springs from drink. On the other hand, the defective nervous organization of the insane, is apt to render those of an unsound mind an easy prey to alcohol.

275. Effect of Alcohol on the Muscular System.—Alcohol taken in excess injures the muscular system both directly and indirectly. It leads sometimes to what is called “fatty degeneration.” The fibres of flesh which form the muscles change one by one to fat. The muscles become weak, flabby, and wasted. Even the heart, which is a muscular organ, becomes affected in this way, resulting in “fatty degeneration of the heart,” one of the most serious and fatal of diseases. Indirectly, alcohol causes loss of muscular control. Every muscular movement is in some degree under the control of the nervous system. Alcohol impairs the nervous control of the muscles. This impairment is seen not only in the thick tongue, wandering eyes, and staggering gait of the drunkard, but also in a feeble and trembling condition well known to physicians as “alcoholic tremor,” which affects the limbs more or less permanently.

276. Physical Endurance not Increased by Alcohol.—Alcohol does not enable us to endure either short and severe physical efforts or long-continued trials of endurance. Men who row, or run races, or take part in other athletic contests, do not resort to alcoholic stimulants either when in training or at the time of their contests. Experience has shown that alcohol is worse than useless in such cases. Weston,

a pedestrian and total abstainer, performed one of the most wonderful feats of physical endurance on record. He agreed to walk fifty miles a day for one hundred consecutive days. He completed the walk successfully with some miles to spare, demonstrating that a resort to intoxicating stimulants is not essential to the accomplishment of severe and long-continued bodily exertion.

277. Effect of Alcohol on the Brain and its Membranes.—The brain and its membranes are supplied with blood-vessels in the greatest abundance. Any substance absorbed into the blood soon penetrates to every nook and corner of the brain, upon which it acts with intensity. Congestions of the brain are thus caused by the temporary use of alcohol. Its long-continued use leads to changes in the substance of the brain, which degenerates and often hardens. The inner membrane of the brain, or *pia mater*, as the result of frequent congestions, loses its clearness, and becomes milky-white or amber-colored. Both this membrane and the outer membrane, or *dura mater*, may become thickened. Some authorities say that a brain once thoroughly overcome by alcohol is never again what it was before. Dr. Percy, a British physician,* injected two ounces and a half of alcohol into the stomach of a dog, which caused its almost instant death. He removed the animal's brain, subjected it to distillation, and obtained a surprising quantity of alcohol, which seemed to have rushed to the brain.

278. Different Stages in the Action of Alcohol

* Quoted by Parton.

on the Nervous System.—Dr. Richardson describes the acute effects of excessive amounts of alcohol as occurring in four stages. (1.) The first stage is one of excitement—the face flushes, the eye brightens, and conversation becomes louder and freer. This effect is due to the impairment of the nervous control, the result of the alcohol. The heart beats more rapidly, because the resistance offered by the capillary blood-vessels to the current of blood is diminished. (2.) In the second stage, the function of the spinal cord is influenced. The spinal centres control pure automatic acts—those acts which proceed systematically, even when we are not thinking about them. These now cease to be correctly carried on. The movements of the individual become uncertain and unsteady. The nervous control of certain of the muscles is lost, and the nervous stimulus is more or less enfeebled. (3.) In the third stage, the cerebral or brain centres become influenced; they are reduced in power, and the controlling influences of will and of judgment are lost. The reason is now off duty, or is fooling with duty, and all the mere animal instincts and sentiments are laid bare. The coward shows up more craven, the braggart more boastful, the cruel more merciless, the untruthful more false, the carnal more degraded. (4.) Finally, in the fourth stage, the action of the alcohol still extending, the superior brain centres are overpowered; the senses are beclouded, the voluntary muscular prostration is perfected, sensibility is lost, and the body lies a mere log, dead by all but one-fourth, on which alone its life hangs. The heart still remains true to its duty, and while it just lives it feeds the breathing power.

279. Nervous Derangements produced by Alcohol.—*Epileptic convulsions*, some forms of *paralysis*, and *neuralgias*, or painful affections of the nerves, are sometimes attributable to alcohol. *Hysteria* is frequent among those who use alcohol, although it is more frequently produced by other causes. Such patients suffer from great emotional excitement, laughing or crying by turns, may have violent spasms, are exceedingly sensitive and irritable, and generally become a nuisance to themselves and others. Alcohol may also cause *sleeplessness*. It does this largely by the unhealthy state of the circulation which it induces.

280. Effect of Alcohol on the Eye.—Alcohol, used as a drink, often produces chronic congestion or inflammation of the eye and delicate lining membrane of the lid. A disease well known to physicians, called *Amblyopia potatorum*, or “feebleness of sight of drinkers,” often results. In this condition, if drink is persisted in, nutritive and structural changes take place in the eye, and the optic nerve, which conducts to the brain the impressions formed on the retina, wastes away, and the case is hopeless.

281. Sleep Produced by Alcohol and other Narcotics.—While alcohol will sometimes cause wakefulness and unrest, in other cases, particularly if taken in large quantities, it produces heavy, stuporous sleep. This sleep, however, is not of the kind that restores “tired nature.” Instead of arousing from “alcoholic sleep” refreshed and strengthened, the individual awakens with disordered digestion and headache, and in a state of nervous irritability.

His sleep is not that which comes naturally as the result of physiological fatigue, but is due rather to the action of a deadening agent introduced into the blood upon the nerve centres. The sleep produced by alcohol, or other drugs, such as opium and chloral, is never as beneficial as that which comes in the natural way. In serious disease, physicians are sometimes compelled to resort to narcotics to produce sleep, but this is only done in extreme cases, and with great caution. No one should ever use such narcotics except on trustworthy medical advice. The habit of using either alcohol or other narcotics to induce sleep is fraught with danger to body and mind.

282. Effect of Alcohol on the Blood and Blood-Vessels.—Alcohol disturbs the normal action of the different constituents of the blood. The flow of blood through the arteries is regulated through the sympathetic system of nerves, which is not under the influence of the will. Alcohol paralyzes the centres which govern these nerves, and the vessels to which they go, become over-dilated. In confirmed drinkers a chronic dilatation often remains, and is shown by the persistent redness of the face, and especially of the nose. The blood-vessels, particularly the arteries, are liable to disease from the abuse of drink. Sometimes an artery becomes quite rigid; its elasticity and its power of expansion and contraction are destroyed. These changes throw more work on the heart, and cause it to degenerate in structure. Dr. Parkes calculated that the free consumption of alcoholic liquors easily added twenty per cent. of addi-

tional work to the heart's normal task. The heart is excited and spurred to a rapid, unnatural gait.

283. Effect of Alcohol on the Heart.—The action of the heart is governed or regulated by a nerve-centre or centres. When the governing region is in a healthy condition, the heart has a certain stroke and rhythm, by virtue of which it does its work of pumping the blood to all parts of the body in a quiet, uniform way. Alcohol exerts a paralyzing influence on these nerve-centres. The heart is no longer healthfully controlled, because the centres have lost their tone. Under these circumstances, the heart has been compared to a steam-engine without a governor—its action is quickened for a time. Soon it becomes feeble from overwork.

284. Effect of Alcohol on the Liver.—When alcohol has been taken into the stomach and absorbed, it passes almost directly to the liver. Various affections of the liver are caused by the abuse of alcohol. Sometimes it is congested and enlarged. In the course of time it may become fatty, or shrunk and hardened. The liver of the confirmed drinker is probably never free from the influence of the poison; it is too often saturated with it. The prolonged use of alcoholic drinks is the most frequent cause of *cirrhosis* of the liver—a form of chronic inflammation of this organ of the most serious character. So frequently is this disease dependent upon the irritant action of alcohol, that it is commonly known as “gin-drinker’s liver,” especially among English physicians. The term “*cirrhosis*” comes from a Greek word meaning “yellow,” the cirrhotic liver often having a yellowish appearance.

285. Alcohol not Food.—Food is that which is capable of supplying material or tissue, or that which produces heat or some other form of force. Such food as bread, meat, and potatoes, is taken into the stomach, and is digested and transformed into both tissues and force; it renews and builds the body, and helps to give strength and energy. The Esquimaux, or the Arctic explorer, eats large quantities of fat, and yet does not become fat himself. The fat is a producer of heat and force. It is a sort of fuel to the body, which is burned up to maintain the bodily heat. It is conceded that alcohol is not a food out of which tissues are built; and many chemists and physiologists hold that it is not even a heat-producer.

286. Alcohol and Food Contrasted.—Dr. Lees strongly contrasts the effects of alcohol and of food as follows: "Food is digested; alcohol is not. Food warms the body directly or indirectly; alcohol lowers the temperature. Food nourishes the body; alcohol does not. Food makes blood; alcohol never does anything more innocent than mixing with it. Food feeds the blood-cells; alcohol destroys them. In health, food excites to normal action only; alcohol tends to inflammation and disease. Food gives force to the body; alcohol excites reaction and weakens force."

287. Effect of Alcohol on Digestion and the Stomach.—Alcohol, except in small quantities, chemically injures the pepsin and gastric juice, and prevents these substances from doing the work in digestion assigned to them by nature. A German physician named Buchner, as the result of a series of recent researches upon the influence of alcohol upon diges-

tion, came to the conclusion that, in the process of digestion, alcohol appears to act unfavorably even in small quantities. Alcohol not only interferes with the pepsin and gastric juice, but, if its use is continued, causes irritation and congestion of the mucous membrane of the stomach. It may lead to a chronic inflammation or catarrh of the stomach and intestines.

288. Experiments with Alcohol and Gastric Juice.—An English physician named Munroe has published some experiments to show that alcohol will separate pepsin from gastric juice, and thus interfere with digestion. Into a bottle he put minced beef, gastric juice, and water; into a second, gastric juice and alcohol; and into a third, gastric juice and ale. He kept the bottles in motion and at the same heat as the human stomach, so as to make the experiments correspond as nearly as possible to nature. The results obtained indicated that alcohol impaired the digesting power of the gastric juice, by separating the pepsin from it, as shown in the following table:

Minced Beef,	2d Hour.	4th Hour.	6th Hour.	8th Hour.	10th Hour.
<i>1st Bottle.</i> Gastric juice and water.	Beef becomes opaque.	Beef separating.	Beef much less in quantity.	Beef broken into shreds.	Beef dis- solved as in soup.
<i>2d Bottle.</i> Gastric juice and alcohol.	No change.	No change.	Slight coating on beef.	No change.	Beef solid on cooling. Pepsin sepa- rated from the gastric juice.
<i>3d Bottle.</i> Gastric juice and ale.	No change.	Cloudy, with coating on beef.	Beef partly loosened.	No change.	Beef not digested. Pepsin sepa- rated from the gastric juice.

289. Effect of Alcohol on the Lungs.—The lungs probably suffer more than we at present know, from the acute evils imposed by alcohol. Their vessels are easily relaxed by alcohol; and as they, of all parts, are most susceptible to heat and cold, they are readily congested. Fatal congestions of the lungs frequently occur among confirmed drinkers, especially in very cold weather. Dr. Richardson has described a peculiar form of consumption occurring among drunkards, which is extremely fatal. In the regular course of the circulation, alcohol in the blood passes through the lungs. It can be smelled on the breath of those who drink. The lungs endeavor to get rid of it by expiration, and are to some extent weakened and enfeebled by the effort. The air-cells as well as the vessels of the lungs may be injured by alcohol.

290. Effect of Alcohol on the Kidneys.—The kidneys suffer greatly from the continued influence of alcohol. Their minute structure undergoes fatty changes; their vessels lose elasticity and power of contraction; or their membranes permit that important constituent of the blood which is known as *albumen* to pass through them. The body loses power as it is thus gradually drained. The serious affection known as “Bright’s disease of the kidneys” often results from the use of alcoholic drinks.

291. Effect of Alcohol on Dogs.—Dogs whose food has been mixed with alcohol, if fed in this way a long time, become restless and melancholy. According to Magnan, they have hallucinations; thinking

themselves pursued, they run off affrighted, howling and snapping at the empty air.

292. Hereditary Diseases produced by Alcohol.

—Dipsomania may be inherited, and many other hereditary diseases can be traced to alcohol. Epilepsy, insanity, and paralysis frequently occur in the descendants of those who have been addicted to drink.

293. Vice and Crime the Result of Alcohol.—

Not only are vicious and criminal acts often committed by individuals excited and unstrung by recent indulgence in alcohol, but its continual use in excess undermines the moral nature of the inebriate. He loses all sense of right and wrong. Reason and self-control are permanently impaired.

294. Inebriates Succumb Quickly to Acute Diseases.—

It is a matter of common observation among physicians, that inebriates, when attacked by some serious acute disease, such as pneumonia and typhoid fever, are more likely to die than the temperate. Alcohol has sapped their resisting power. It is difficult for the doctor to know how far to push supporting measures in these cases. In large city hospitals, which usually contain many victims of the alcohol habit, the mortality from such diseases is much greater than in private practice.*

* "When yellow fever prevailed in Memphis, it was noted that it found its earliest and most constant victims among those who were habituated to the use of alcoholic drinks. During the cholera epidemic in Glasgow, in 1832, a physician states that only 19 per cent. of the temperate perished, while 91 per cent. of the intemperate were swept away. In the same year, out of 1000 persons who died in

295. Alcohol Shortens Life.—The abuse of alcoholic liquors shortens life. Statistics show that for every ten temperate persons who die between the ages of twenty-one and thirty, fifty-one intemperate persons die. The mortality of the intemperate is, therefore, five times greater than that of the temperate.

296. History of the Use of Tobacco.—In 1492, Columbus beheld at Cuba the natives smoking cigars. This seems to have been the first knowledge of tobacco gained by Europeans. Tobacco was not at once brought from America to Europe. In 1559, Hernandez de Toledo introduced it into Spain and Portugal. In 1560, Jean Nicot, French ambassador to Portugal, made a report to his sovereign about it. An Englishman named Raphelengi, who had accustomed himself to smoking tobacco in Virginia, introduced the practice into England. Sir Walter Raleigh began to use the pipe after the return of Sir Francis Drake from America in 1586.

297. Derivation of the Word "Tobacco."—The word tobacco is supposed by some to have been derived from *Tabaca*, the name of a province in St. Domingo, where a Spanish monk recognized the plant a few years after the discovery of America. According to others, it was derived from *tabac*, a name applied by

Montreal, only two were teetotalers. Of the 366 persons above 16 years of age carried off by the cholera at Albany, all but four belonged to the drinking classes; and out of 204 cases in New York, only six were temperate, and these recovered, while 122 of the others died. While the general death-rate of all the population of England is 23 per 1000, it has been ascertained that out of 1000 adult drunkards of both sexes, 118 die."—*Philadelphia Record*.

the natives of the West Indies to the tube, or pipe, or roll of leaves which they used in smoking.

298. Composition of Tobacco Smoke.—Tobacco smoke contains watery vapor, free carbon, ammonia, carbonic acid, *nicotine*, a *volatile substance* having a peculiar odor, and a dark, resinous *bitter extract*.

299. Effects of the Different Constituents of Tobacco.—Symptoms of tremor, palpitation, and paralysis, after smoking or chewing, depend on the nicotine. Nicotine is supposed by many to be the only source of trouble in tobacco. The bitter extract, however, probably produces the vomiting in those not used to tobacco. The carbonic acid tends to cause headache and drowsiness. The ammonia excites the salivary glands, and causes the acrid taste and dryness of the mouth and throat of the smoker.

300. General Physiological Effect of the Use of Tobacco.—In small quantities, tobacco may produce, for the time, a state of calmness and repose. This condition changes to one of nervous restlessness and a general feeling of muscular weakness. It sometimes causes tremor and palpitation. When excessively used, or when used by one unaccustomed to it, dizziness, nausea, vomiting, faintness, and extreme weakness often result.

301. Evil Effects of Tobacco on the Young.—Upon the young, all injurious drugs act with more violence than upon adults. According to Richardson, smoking checks the nutrition and the bodily and mental development of the young to a serious extent.

302. Effect of Tobacco on the Nervous System.

—Tobacco keeps the nervous system in a continual state of irritability and weakness, and causes a craving for itself which sometimes amounts to a kind of mental disorder. Through the sympathetic nervous system tobacco acts on the glandular system, exciting over-secretion followed by an impaired secreting power.

303. Effect of Tobacco on Sight and Hearing.—

In moderate smokers, the sight is often perplexed; in reading, letters become confused, luminous specks float before the eyes, and deep-seated pain is felt in them. The best evidence that tobacco is acting injuriously on the sense of sight is supplied when there is a long retention of images after the eye ceases looking at objects. This indicates that the retina, or nervous screen, is becoming affected. The specific effect of smoking on the sense of hearing is indicated by a confusion of sounds, with a difficulty in appreciating sounds that are very soft or unusually loud.

304. Effect of Tobacco on the Lips, Tongue, and Teeth.—

Cancer of the lips or tongue has not unfrequently been attributed to smoking. A recent writer* in a journal devoted to dentistry has shown that the constant use of tobacco injures the teeth, which is contrary to an old view, and one which is even now commonly accepted. According to this writer, the injurious effects are not very noticeable until the person has been using the weed for about fifteen years, but the use of the pipe to excess will show its injurious effects in less time.

* John D. Harper, D.D.S., in the *Southern Dental Journal* for January, 1883.

305. Effect of Tobacco on the Heart.—While tobacco does not directly produce organic disease of the heart or other parts of the circulatory system, it renders the blood unnaturally fluid; it injures the red blood corpuscles, and disturbs the action of the heart and of the arteries.

306. Effect of Tobacco on the Digestive System.—The tongue of the confirmed smoker is rarely clean, the appetite rarely perfect. The mucous membrane of the mouth, tongue, throat, and stomach suffers. The stomach is irritated and secretes its digestive fluids irregularly, which causes heartburn, eructation, and general debility. The muscular fibres of the stomach are also influenced, losing their tone and activity. The food, therefore, in a confirmed smoker, seldom passes through complete digestion. Dyspepsia is one of the maladies of the confirmed smoker, and the terms “smoker’s sore throat,” and “smoker’s tongue,” indicate familiar disorders.

307. Effect of Tobacco on the Lungs.—The action of the smoke of tobacco on the mucous lining of the bronchial passages is to produce much irritation, attended often with cough and expectoration. When either pulmonary consumption or bronchitis is present, smoking adds to the mischief.

308. Absinthe.—Absinthe or wormwood is a plant, from the tops and leaves of which an oil is made called wormwood oil, which is a poisonous substance. The liquor sold under the name of absinthe is one-half alcohol; the other half is made up of water.

aromatic oils, sugar, coloring-matter, and the oil of wormwood. In absinthe, therefore, evil effects are derived both from absinthe and from alcohol. Taken even in small quantities, absinthe gives rise to dyspepsia, and it has a peculiar power to tempt its victims on and on to destruction. Absinthe causes grave evils to the nervous system. Weakness and trembling of the limbs are produced, and, later, giddiness and staggering. Partial insensibility and a frightful mental state, and severe convulsions may occur. A French physician records a case in which a man was picked up in the public street in an epileptic fit. He was known to be a large consumer of absinthe. The convulsions lasted until death—four days and four nights. During the last five or six hours of life the skin of the face became almost black.

309. Indian Hemp, Opium, and Chloral.—From the dried tops of a plant known as *Indian Hemp*, a powerful intoxicating and narcotic drug is derived. Besides the term *Indian Hemp*, the preparations of the drug are known by other names, such as *Haschish* and *Bang*. It produces a peculiar form of excitement and intoxication, with strange and sometimes horrible dreams. Wasting of the muscles, sallowness of the skin, dulness of the mind, interference with steadiness of movements, convulsive seizures, and loss of strength, result from the long-continued use of the drug.* Opium, or some of its preparations, such as laudanum, paregoric, or morphia, are resorted to by some foolish people. The habit

* *Drugs that Enslave*, by H. H. Kane, M. D.

leads to dire results, and is most difficult to break. Chloral is another drug, the abuse of which has been the source of much misery. In those who become addicted to these drugs, and use them to excess, digestion, circulation, the nervous system, and mind may one or all suffer. Both opium and chloral make abject slaves of those who use them. No one should use any of these drugs except on medical advice.

310. One Drug Habit Leads to Another.—The habitual use of any drug, like alcohol, tobacco, absinthe, chloral, opium, etc., is not only dangerous in itself, but the employment of one is apt to lead to the use of others. Frequently the man who uses alcohol to excess will be found to be fond of tobacco to excess. Dr. Joseph Parrish, a well-known authority on subjects of this kind, says that he has known persons, habituated to the use of narcotics, who alternate between morphia, chloral, whiskey, etc. They are not opium or chloral habitués, nor inebriates from alcohol, but they are habituated to artificial narcotism.



QUESTIONS FOR REVIEW.

What is the derivation of the word stimulant?

What is a stimulant?

What is the derivation of the word narcotic?

What is a narcotic?

Name some substances which are stimulants in small, and narcotics in large, quantities.

What is the derivation of the word alcohol?

To what is the term fermentation applied?

Name some substances which have a special tendency to ferment.

What do the substances which yield alcohol contain?

What is distillation?

Name and describe the different forms of alcoholic beverages.

What are some of the uses of alcohol in science?

What are some of its uses in medicine?

Give some medical conclusions in reference to the food value of alcohol.

Why are alcoholic drinks often taken in winter? Why in summer?

Give the views of Dr. Hayes, the Arctic explorer, in reference to alcohol.

What was determined by Dr. Richardson in reference to death from alcohol?

Give the opinions of Parkes, Sir John Hall, and Dr. Livingstone in reference to alcohol.

Does alcohol act as a poison?

From what is the word intoxication derived?

What will strong alcohol produce?

What are the early symptoms of the injurious effects of alcohol?

What are some of the special and terrible forms of alcoholic poisoning?

What is coma?

What is mania a potu?

Describe a case of delirium tremens.

Name and describe some chronic forms of insanity caused by alcohol.

What is the effect of alcohol on the muscular system?

Is physical endurance increased by the use of alcohol?

Describe the manner in which congestion of the brain is caused by the temporary use of alcohol.

What changes result in the brain and its membranes from the continued use of alcohol?

What do some authorities say of a brain once thoroughly overcome by alcohol?

Describe the experiments of Dr. Percy.

Describe the first stage of the effect of excessive amounts of alcohol on the nervous system; the second, the third, the fourth.

Name some of the nervous derangements caused by the use of alcohol.

Describe the effect of alcohol on the eye.

What effect has alcohol in relation to sleep?

- When only should narcotics be used?
What is the effect of alcohol on the blood and blood-vessels?
What is the effect of alcohol on the heart?
What is the effect of alcohol on the liver?
Is alcohol food?
Recite Dr. Lees' comparison of alcohol with food?
What is the effect of alcohol on the digestion and on the stomach?
Describe Dr. Monroe's experiments with alcohol and gastric juice
What is the effect of alcohol on the lungs?
What is the effect of alcohol on the kidneys?
What effect does alcohol have on dogs?
What hereditary diseases are produced by alcohol?
What is the effect of alcohol on the moral nature?
Why do inebriates succumb quickly to acute diseases?
Does alcohol shorten life?
Give the history of the use of tobacco.
What is the origin of the word tobacco?
Give the composition of tobacco smoke.
State the effects of the different constituents of tobacco.
What are the general physiological effects of the use of tobacco?
What are some of the evil effects of tobacco on the young?
Describe the effect of tobacco on the nervous system.
How does tobacco affect the sight?
How does tobacco affect the hearing?
What effect has tobacco on the lips, tongue, and teeth?
What is the effect of tobacco on the heart?
What is the effect of tobacco on the digestive system?
What is the effect of tobacco on the lungs?
What is absinthe?
What is the composition of the liquor sold under the name of absinthe?
How does absinthe affect the system?
What is Indian hemp?
What effect is produced by taking Indian hemp or its preparations?
What effect has the opium habit on the system?
What effect has the chloral habit on the system?
In what special way are drug habits dangerous?
-

Topical Analysis for the Study of Alcohol, Tobacco, etc.

I.—ALCOHOL.

1. Its Origin.

a. Fermentation. *b.* Distillation.

2. Its Forms.

a. Wine. *b.* Beer. *c.* Cider. *d.* Whiskey, gin, rum, and brandy. *e.* "Bitters."

3. Its Character.

a. Not a food. *b.* A poison as commonly used.

4. Its Proper Uses.

a. In science and art. *b.* In medicine.

5. Its Injurious Effects.

a. On the muscular system. *b.* On the digestive organs. *c.* On the liver. *d.* On the heart. *e.* On the blood and blood-vessels. *f.* On the lungs. *g.* On the kidneys. *h.* On the eye. *i.* On the brain and nervous system. *j.* On the mind. *k.* On morality. *l.* On physical endurance. *m.* On the duration of life. *n.* On the production of hereditary disease.

II.—TOBACCO.

1. Its Composition.

a. Watery vapor. *b.* Carbon. *c.* Ammonia. *d.* Carbonic acid. *e.* Nicotine. *f.* A volatile substance. *g.* A bitter extract.

2. Its General Effects.

a. Nervousness. *b.* Muscular weakness and tremor. *c.* Nausea, faintness.

3. Its Injurious Effects on Different Organs.

a. On the stomach. *b.* On the heart and blood. *c.* On the lungs. *d.* On sight. *e.* On hearing. *f.* On the lips, tongue, and teeth. *g.* On the nervous system.



EXPERIMENTS AND DEMONSTRATIONS.*



Many of the facts of the preceding lessons can be made clear only by some method of object-teaching—by practical experiments and demonstrations. For a nearly complete system of illustration the following would be needed:†

1. A skeleton, mounted, or in separate bones.
2. Manikins, or models of the body or its parts.
3. Anatomical charts and diagrams.
4. A hand lens and a microscope.
5. Materials for simple experiments.

Much can be learned from articles that can be easily obtained without expense. The leg of a chicken, the heart of a sheep, a dead rabbit or rat, beef bones, mutton bones, etc., can be made to do good service. In cities and large towns museums can be made available. Charts and diagrams are useful, but should not be depended upon to the exclusion of experiments and the study of actual specimens. Pupils should be encouraged to make anatomical sketches on the blackboard. Some facts can be learned by examining and experimenting on our own bodies.

* In the preparation of the *Experiments and Demonstrations* the following works have been used: *A Course of Elementary Practical Physiology*, by M. Foster, M. D., F. R. S., assisted by J. N. Langley, M. A.; *Human Osteology*, by Luther Holden, F. R. C. S.; *The Human Body*, by H. Newell Martin, D. Sc., M. A., M. D.

† Henry Ward, Rochester, N. Y., furnishes skeletons and other anatomical and natural-history preparations.

CAVITIES OF THE BODY AND THEIR CONTENTS.—Chapter I.

1. To Demonstrate the Large Organs of the Chest, Abdomen, and Skull.—Take a dead rabbit, rat, kitten, or puppy, and carefully cut through and turn back the skin and muscles from the neck down the entire length of the trunk. Two cavities, one above the other, come into view. These are separated by the diaphragm running across from side to side. The lower cavity, much the larger, is the *abdomen*, and in it, close to the diaphragm, is seen a large dark mass, the *liver*. The dilated *stomach* is found near the liver. Filling the rest of the abdomen, as it is viewed in front, are the coils of the *intestines* or bowels. Pulling the intestines to one side, the *kidneys* appear as two roundish, solid red bodies lying one on each side of the backbone. The smaller cavity above the diaphragm is the *chest*. In the middle of it is the *heart*, a firm, pear-shaped mass. On each side of the heart are two spongy, pinkish bodies, the *lungs*. In a young animal the skull and spinal column can be opened with a knife or strong scissors so as to expose the large pulpy *brain* and the long, slender *spinal cord*.

BONES AND JOINTS.—Chapters II. and III.

2. Demonstrations of the Skeleton.—On a mounted human skeleton first point out and count the number of bones, large and small, in the entire body, noting how many are found in the head, how many in the trunk, and how many in the limbs. Observe also the size, modes of union, and peculiarities of different bones, their grooves and canals, etc.

3. To Show the Naked-Eye Structure of Bone.—Saw in two lengthwise the bones of a leg of mutton. The enlarged and rounded ends of the bones are found to be loose and spongy in texture, except a thin, dense layer on the outside. In the shaft a thin, spongy layer is seen near a central cavity, while the outer layer is thicker and is compact and hard like ivory.

4. To Show that Bones have Canals and Cavities that Communicate with each Other.—Bore a hole at one end of a bone and pour quicksilver or mercury into it. Some of the quicksilver will run out through holes at the other end.

5. To Show the Minute Structure of Bone.—Look at the different surfaces of a bone with a hand lens, and minute holes, grooves, and lines can be detected. Specimens of bone mounted on glass slides for the microscope are sold by dealers. Under the microscope, numerous openings and canals are seen, even in the compact substance of the bone. In the spongy substance these openings and canals are comparatively large. Blood-vessels may be seen in fresh preparations.

6. To Show the Weight and Strength of Bone.—Saw out a cubic inch, or a smaller block of bone, from the lower end of a boiled and dried soup-bone. Weigh it. Place it so that its principal layers, which can be seen with the naked eye, will be upright. Carefully put one weight after another on it, and note the great weight it will sustain. In a reported experiment of this kind* a cubic inch of bone, weighing 54 grains, supported six hundred-weight before it was crushed.

7. To Remove the Mineral Matter of Bone.—Scrape and clean the leg of a chicken, the rib of a sheep or a pig, or any other long bone, and put the specimen into a mixture of one part of muriatic acid to four of water, in a glass jar or wide-mouthed bottle. Let it soak for several days. The bone will become soft and flexible, and if long enough may be even tied into a knot. It may be preserved in a mixture of alcohol and water.

8. To Remove the Animal Matter of Bone.—Take any good-sized bone, put it in a bright, hot fire, and carefully apply a strong heat for two or three hours, seeing that plenty of air gains access to the fire. The animal matter will be burned out, leaving a white, brittle mass which has the shape of the original bone, but which can be readily crushed.

9. To Show the Construction of a Joint.—Get a calf's or sheep's foot, or the leg of the same animal, in a fresh state. Cut the joints open carefully, and note the joint-juice or synovial fluid, the moist slippery gristle or cartilage, and the ligaments.

10. To Show the Peculiarities of Various Joints.—Move the head and limbs in various directions, and observe the kind of motion permitted by the joints.

* T. Ward, in Holden's *Outlines of Osteology*.

THE MUSCLES.—Chapters IV., V., and VI.

11. To Study the Naked-eye Structure of Muscle.—Examine a piece of lean mutton or beefsteak, both uncooked and cooked, pulling it apart, noting the long strings or fibres of which it is composed, the white web-like connective tissue which holds these fibres together, etc. To show muscle in position with its connections, take the leg of a chicken, or the hind leg of a rabbit or sheep, and make a clean cut through the skin and loose tissue beneath, down into the flesh or muscle, tracing the fleshy bundles to where they end in white, firm, glistening tendons.

12. To Show the Minute Structure of Muscle.—Take a small fragment of muscle, place it on a glass slide, adding two or three drops of water, and tear or pull it apart with needles; then examine it with a magnifying-lens and microscope. Various methods are used to prepare muscle for microscopical examination, but this is one of the simplest.

13. To Study Muscles and Tendons in the Body.—Flex the arm at the elbow, and grasp the biceps muscle above as it contracts and bulges. Draw up the heel as strongly as possible, and feel the muscles contracting in the calf. Do the same with other muscles and muscular groups. Feel the tendons at the bend of the elbow or knee, above the heel, and at the wrist.

14. To Show Tendons in Animals.—The tendon which makes the toes bend can be shown in the leg of a chicken or in the skinned leg of a frog. To test the great strength of tendons, any large tendon from a sheep or ox can be used to suspend weights.

15. To Show the Contraction of Muscles by Electricity.—Place one of the sponge electrodes or “poles” of a common medical battery on a muscle or group of muscles, and the other at any point on the body a few inches distant. The current should be weak at first, and should be gradually strengthened. The muscles soon begin to quiver and contract. A safe and convenient place to perform this experiment is on the forearm. By putting one of the electrodes first on the back, then on the front, and then on the outer and the inner edge of the forearm, the hand and fingers can be made to move in various directions. This experiment should be performed only by a teacher who understands exactly what he is doing.

THE NERVOUS SYSTEM AND SPECIAL SENSES.—Chapters VII., VIII., and IX.

16. To Remove the Brain from the Skull.—Get the brain of a sheep or of a calf from the butcher. It is better still to get a sheep's or calf's head, so as to be forced to take out the brain, and thus acquire a practical idea of how it is encased. Make a cut lengthwise from the nose to a point back of the ears, through the skin and muscles of the head, and dissect off and turn well back these tissues. With a small saw carefully remove the top of the skull at its broadest part. Next, carefully tear away the loosened bones from the dura mater. After studying its position and extent, cut away the dura mater, and note the arachnoid and pia mater. One layer of the arachnoid, transparent and glistening, lines the dura mater; another is spread over the outside of the pia mater. The pia mater clings closely to the brain. The whole specimen can now be put away to harden in one of the liquids presently to be described, or the brain can be at once removed. To remove it from the skull, lift up the front of the brain, and cut through, close to the bone, the vessels and nerves seen at the base, and the spinal cord at its extreme upper part. Placing the brain base upward, the cut-off cranial nerves can be noted, although some of these may have been entirely torn away.

17. To Harden the Brain for Careful Examination.—The brain, whether removed from the head or not, may be hardened for future study. This can be done by placing the specimen in a weak solution of alcohol (50 per cent.) for two or three days, and then transferring it to 90 per cent. alcohol. A better method, however, where it is simply intended to make a gross study of the brain, is to place it, without removing the pia mater, in a solution of chloride of zinc, of the strength of one ounce to two pints of water. This membrane can be stripped off readily after hardening has taken place. The brain will harden in a few days, and it can then be kept in a weak solution of alcohol. At any time the different parts of the brain—cerebrum, cerebellum, pons varolii, medulla oblongata, etc., can be studied.

18. To Expose and Remove the Spinal Cord.—It is best to take a young animal, as a kitten. Cut through the skin and muscles of the back in the middle line, dissecting away every-

thing possible from the backbone. Begin at the base of the skull, and with a pair of strong scissors, or with bone nippers, cut through the vertebræ, one after the other, at each side. Remove these pieces of vertebræ, and when the spinal canal has thus been laid open, carefully cut through, in the median line from above downward, the membrane enclosing the spinal cord, when the cord with the spinal nerves passing off from each side will be exposed. To remove the spinal cord entirely from the canal, cut through the spinal nerves in succession close to the bone, and carefully lift out the specimen, which can be hardened if desired.

19. To Illustrate Reflex Actions.—If the feet of an infant, or of a person asleep or taken unawares, are tickled, they will usually be drawn up suddenly by reflex action. Make believe to strike at the eye of a person and the lids will close, although the person is told beforehand that he will not be struck. Tickle the inside of the nose with a feather, and a sneeze is produced by reflex action. Cross one leg over the other and tap on the lower half of the patella or knee-pan with the outer edge of the hand; the foot and leg will jerk outward. This is sometimes called the “patellar reflex.”

20. Accidental Experiments on Nerves.—If the end of the elbow is struck against anything hard, a tingling and numbness are often felt in the third and fourth fingers and outer side of the hand. This is because one of the nerves, which is near the surface at the elbow, has been struck. This accidental experiment is familiarly spoken of as “hitting the crazy-bone.” If one sits so as to rest heavily on the sharp edge of a desk or table, owing to pressure on the great nerves which pass down the back of the legs, tingling and numbness are sometimes produced. If a drunken man sleeps heavily with his head resting on his arm, he may awake with a paralysis or loss of power in the limb, the result of pressure on a nerve or nerves.

21. To Test the Sense of Touch on Different Parts of the Skin.—Take a pair of compasses, or anything with two points which can be readily separated, as a hair-pin. Close the eyes and apply these points lightly to the tongue, fingers, lips, cheek, back of the hand, sole of foot, etc. Separate, then bring together the points, until the least distance at which they can be distinctly

felt as two, is determined for each region of the skin. This distance will be found to vary greatly, showing that the delicacy of the sense of touch varies greatly for different areas of the surface of the body.

22. To Show a Curious Delusion of Touch.—Shutting the eyes, cross the second finger over the first and place a marble between their tips, so that the outer side of one and the inner side of the other finger is touched. Gently moving the marble about, two marbles seem to be present. Rub the end of the nose with the tips of the crossed fingers, and two noses seem to be felt.

23. To Test the Sense of Temperature.—Dip a small metallic knob in hot water and apply it to various parts, the eyes being closed. It will be found that the sensitiveness to temperature varies at different points: the cheeks, for instance, are more sensitive to heat than the lips, the palms of the hands more sensitive than the backs.

24. To Show how Images are Formed in the Eye.—Place the eye of a rat or a rabbit in a tube blackened inside just large enough to hold it, with the front of the eye outward. On looking through the tube at a candle or any object in a good light, an inverted image of the object will be seen.

25. To Show how the Eye can Accommodate for Near or Distant Objects.—Standing a few feet from a window, close one eye and hold up before the other, at a distance of about six inches, a needle at right angles to one of the window-bars. Look at the window-bar and the needle will appear dim. Look at the needle, the window-bar will appear dim. The eye can accommodate for one or the other, but not for both at the same time.

26. To Dissect an Eye.—Get the eyes of an ox, sheep, or fresh codfish, and compare them with the description given in the lessons. They should then be frozen in salt and ice if it is warm weather. Then cut one of them in half crosswise, and the other lengthwise, with a sharp knife or razor, and study coats, humors, iris, lens, etc.

THE BLOOD AND HEART.*—Chapters X. and XI.

27. To Show Clotting.—Collect at a slaughter-house in a

*To show the blood-corpuscles a microscope of some power is needed. Details are not given here, as these, to be understood, must be obtained from the teacher or from a treatise on the microscope.

wide-mouthed bottle some freshly-shed blood. Put aside until the next day, when a beautiful clot will be found floating in serum

28. To Show Fibrin.—Collect some freshly-shed blood and whip it with twigs for several minutes. The next day the twigs will have clinging to them a quantity of fibres or stringy material, which is the fibrin. The blood left will not clot.

29. To Show that Serum is largely Composed of Albumen.—Put a little serum into a test-tube and heat it. It becomes hard like the white of egg when boiled hard.

30. To Dissect a Sheep's Heart.—Get a sheep's heart connected with the lungs. Note its shape and pick out its great vessels. A band of fat will be seen running somewhat obliquely down the front of the heart. This marks pretty closely the position where the heart is separated into right and left cavities. Open the right lower cavity of the heart by making a cut a little to the right of the band of fat, about midway from top to bottom. Turning the heart over, open the left lower cavity by cutting a little to the left of the band of fat. Open the upper cavities by snipping small pieces from their walls. Examine the cavities, the valves between them, and the valves at the entrance of the vessels.*

FOOD AND DIGESTION.†—Chapters XII. and XIII.

31. To Study the Organs of Digestion.—Examine the mouth and teeth of children of different ages. Obtain a tooth from a

* Only the broadest suggestions can be made in these experiments and demonstrations about the examination of a complicated organ like the heart. Teachers should familiarize themselves by dissections and study with the organ before attempting to demonstrate it.

† When the chapter on *Food* is studied specimens of the various forms of food should be exhibited—starchy food, such as wheat-flour, rice-flour, corn-meal, arrowroot, potatoes, etc.; sugars, such as cane-sugar, grape-sugar, and milk-sugar; fats and oils, such as beef-suet, lard, butter, olive oil, cod-liver oil, etc.; mineral food, as common salt, etc.; tea, coffee, cocoa, and alcoholic liquors. Although such articles may be familiar to pupils, exhibiting them at the time of teaching serves to impress principles more fully.

dentist or from some one who has just had one drawn. Saw it in two, or break it open with a hammer. Get from a butcher the stomach of a pig or a cow, with a portion of the gullet and intestines attached. Cut it open, and note the appearance of the mucous membrane, both with the naked eye and a hand lens. Pass a small stick into the gullet at one end, and through the pylorus into the intestine at the other. A sheep's liver can be used to study the anatomy of this organ.

32. To Prepare a Starch Paste for Experimenting.—Add enough boiling water to arrowroot to make a thin paste, and let the mixture cool; or make some starch mucilage by rubbing a little wheaten starch into a thin paste with cold water, and boil this for about five minutes with about a quart of water, and strain off the clear fluid.

33. To Test for Starch.—Put a few drops of the arrowroot or starch paste into a test-tube with a little cold water. Add a drop or two of tincture of iodine, and a blue color will appear. This is characteristic of the presence of starch. The experiment may be tried with any form of starch food.

34. To Test for Sugar.—It is important, in order to perform some simple experiments on digestion, to have some ready method of testing for sugar. One of the oldest and best methods is what is known as the "sulphate of copper (blue vitriol) and caustic potash test." First add to the liquid supposed to contain the sugar, enough of a solution of blue vitriol to give the liquid a faint blue color. Then add freely a solution of caustic potash, and apply heat gently. If an orange or brick-red precipitate is thrown down, the presence of sugar is proved. What is known as "Fehling's Solution" or "Test-pellets" for detecting sugar can sometimes be obtained from druggists or physicians. These also give a brick-red deposit with heat if the liquid contains sugar.

35. To Show that Pure Saliva does not Contain Sugar.—Rinse the mouth well; collect a little saliva in a test-tube with water. Test for sugar, which will not be present if the saliva is pure.

36. To Show that Saliva Converts Starch into Sugar.—Mix saliva, starch paste, and water in a test-tube, keep the mixture warm for a few minutes, and test for sugar, and its presence will be shown, proving that saliva has the function of converting

starch into sugar. Yeast bread, if chewed slowly, in a little while will have a sweetish taste, because of the action of the saliva upon the starch.

37. To Obtain Pepsin for Experimenting.—Open and clean a pig's stomach carefully with a stream of water. Dissect off some of the mucous membrane, cut it up into small pieces, and put it in two or three ounces of glycerin, for three or four days. Strain off the glycerin through muslin, thus obtaining a pepsin solution. Pure pepsin, however, for experimenting, can be obtained from any good drug-store. Fairchild's pepsin is a reliable preparation.

38. To Make Artificial Gastric Juice.—Add a few drops of the glycerin extract obtained by the last experiment to about a tablespoonful of muriatic acid, and a fluid of high digestive power will be obtained.

39. To Show the Action of Gastric Juice on Albumen.—Place a little of the powdered white of a hard-boiled egg or a few shreds of minced cooked beef in some artificial gastric juice in a test-tube, and apply gentle heat very slowly; or make a mixture in an eight-ounce bottle of two grains of good pepsin, twenty drops of strong muriatic acid, and two ounces of water slightly warmed. Put the bottle in a vessel of warm water in a warm but not hot place, and shake occasionally. The albumen or beef-shreds will gradually soften. A similar experiment can be shown with fibrin.

40. To Show the Action of Pancreatic Juice on Fats and Oils.—The pancreas is sold as the "sweet-bread." Obtain a fresh pancreas, mince it, add about its own bulk of water, and let it stand for three or four hours. Strain, and add to the watery extract thus made about half its own volume of sweet oil or cod-liver oil. A creamy mixture or "emulsion" will be obtained. If a good "extract of pancreas" can be purchased at a drug-store, add four grains of this extract to an ounce of water in a bottle, and shake well; to the mixture thus made add an equal amount of oil, and again shake well.

41. To Show the Action of Pancreatic Juice on Starch.—To ten drops of starch paste add a tablespoonful of the watery extract of pancreas, as obtained in the last experiment, and mix

with three or four times the bulk of water. Warm the mixture slightly for a few minutes. Test for sugar. If the "extract of pancreas" can be had, add one grain to a tablespoonful of warm starch paste, and test for sugar.

42. To Show the Villi.—Place a piece of the small intestine of a calf in a mixture of equal parts of alcohol and water for twenty-four hours. Open under water, and examine with a hand lens or microscope to see the villi.

43. To Show the Action of Bile on Fats and Oils.—Shake up a little sweet oil and water in a test-tube. They will not mix well. Collect some bile from an ox-gall, which may be obtained from a butcher. Shake up together some oil and bile, and a creamy mixture will result.

THE LUNGS AND VOCAL ORGANS.—Chapters XIV., XV., and XVI.

44. To Examine the Trachea and Lungs.—Obtain the lungs of a sheep with the windpipe attached. Usually the heart will be sent with the lungs. To show that the lungs may be filled with air, slip a piece of rubber tubing about a foot in length on the windpipe and blow with the mouth or a pair of bellows. Examine the windpipe, and note the rings of gristle or cartilage placed one above the other. Trace it down into one of the bronchi. Slit it, open the trachea, and note its lining of red mucous membrane. Cut out some pieces of lung-tissue and throw them into water; if the lung-tissue is healthy it will float.

45. To Show the Larynx and Vocal Chords.—Obtain from a butcher the fresh windpipe of a pig, sheep, or ox. Observe the opening into the larynx, and the epiglottis at its front upper edge. Bend down this epiglottis, and note that it acts as a perfect lid. Look down into the larynx, and observe the vocal chords and the narrow chink between them. Cut open the larynx either in front or behind, and study more closely the interior.

46. To Show that Expired Air contains Carbonic Acid.—Pour some clear lime-water into a tumbler or test-tube, and breathe into it through a straw or a glass tube. The lime-water becomes milky, because carbonic acid breathed out by the lungs unites with the lime to form carbonate of lime or chalk.

47. To Show that Expired Air contains Watery Vapor and is Warm.—Breathe on a looking-glass or any polished surface,

and observe the moisture that collects. When one breathes on his spectacles before rubbing them to clean them, he performs this experiment. Breathe for a few moments on the bulb of a thermometer and the mercury will rise, showing warmth.

48. To Examine the Lungs of a Living Person.—Place the ear on the chest of a friend just below the collar-bone in front, or just below the shoulder-blade behind. Ask the person to take several long, deep breaths, and note the rustling sound of the air as it enters and distends the air-cells of the lung. Hold one finger flatwise across the same parts of the chest, as close as possible to the skin, and tap sharply, with a wrist movement, on this finger with one or two fingers of the other hand. A hollow, drum-like sound will be heard, which becomes more marked if the person takes a full breath, and thus fills the lungs with air.



GLOSSARY.



- Ab-dō'-men**, the large cavity below the chest.
- Ab'-sinthe**, a liquor made from wormwood.
- Ab-sorp'-tion**, that process by means of which the materials of food get into the blood.
- Ac'-o-nite**, a narcotic poison.
- Al-bū'-min-oid**, resembling the white of an egg.
- Al-vē'-o-li**, the sockets of the teeth.
- Am-bly-ō'-pī-a Po-ta-to'-rum**, weakness of sight of drinkers.
- Am-mō'-nia**, a colorless fluid of a biting smell and taste.
- A-or'-ta**, the largest of the arteries of the body.
- A'-que-oūs**, watery.
- A-rach'-noid**, the middle membrane of the brain.
- As-phyx'-i-a**, a state of suspended animation or apparent death.
- At'-las**, the first vertebra sustaining the head.
- Au'di-to-ry**, belonging to the organ or sense of hearing.
- Ax'-is**, the second vertebra, on which the atlas rests and turns with the head.
- Bi'-ceps**, having two heads.
- Bi-cus'-pids**, teeth with two points.
- Bron-chi'-tis** [*bron-kī'-tis*], inflammation of the lining membrane of the bronchial tubes.
- Can'-cer**, a malignant disease, usually in the form of an ulcer or tumor.
- Ca'-nine Teeth**, the teeth next to the incisors, so named because of their similarity to the teeth of dogs.
- Căp'-il-la-ry**, like a thread or hair; a term applied to the minute blood-vessels which connect the arteries and veins.
- Car'-bon**, one of the four great chemical elements, found everywhere in nature.
- Car-bōn'ic Ac'id**, a hurtful gas thrown off by the lungs.
- Car'-ti-lage**, a white, elastic, and very strong animal substance.
- Ce'-ment**, a thin layer of bone covering the fang of the tooth.
- Cēr-e-bēl'-lum**, the little brain.
- Cēr'-e-brum**, the brain proper, or larger brain.
- Cīr-rho'-sis**, a disease of the liver, which causes this organ to become hard and yellowish.
- Chlo'-ral**, a sleep-producing medicine.
- Cho'-roid**, the middle coat of the eye, a dark membrane containing many pigment-cells.
- Chyle** [*kīle*], a thick, milky fluid into which the food is converted in the intestines.
- Chyme** [*kīme*], a soft mass formed by the first changes of the food in the stomach.
- Co-ăg-ū-lă'-tion**, the thickening of the blood into a solid mass.
- Co'-ma**, a state of unnatural sleep or stupor.
- Con-gēs'-tion**, a great fulness of the blood-vessels or ducts.
- Con-trac-til'-i-ty**, the power of shortening and lengthening possessed by a muscle.

- Cor'-ne-a**, the clear part of the front eye.
- Cor'-pus-cle**, little round flat bodies found in the blood.
- Crā'-ni-um**, the cavity which holds the brain.
- Dal'-ton-ism**, color-blindness.
- De-lir'-i-um Trē'mens**, a disease, the result of the excessive use of alcohol.
- Del'-toid**, the large, thick muscle covering the shoulder-joint.
- De-men'-tia**, great feebleness of mind.
- Dent'-ine**, the bone that forms the bulk of the tooth.
- Der'-mis**, the lower principal layer of the skin.
- Di'-a-phragm** [*di'-a-fram*], a partition dividing the chest and the abdomen.
- Dip-so-mā'-nia**, a disease which manifests itself by a craving for alcoholic drinks.
- Dis-til'-lā'-tion**, a process of separating pure alcohol from other substances.
- Dū'-ra Mā'-ter**, the outer membrane of the brain.
- Dys'-pēp'-sia**, difficult or disordered digestion.
- En-am'-el**, a hard, smooth substance covering the crown of a tooth.
- Ep-i-der'-mis**, the outer layer of the skin.
- Ep-i-glōt'-tis**, a little lid of gristle or cartilage at the top of the larynx.
- Eū-stā'-chī-an Tube**, a tube running from the drum of the ear to the throat.
- Ex-ha-lā'-tion**, a vapor or steam sent forth from bodies.
- Ex-pi-rā'-tion**, the act of driving the air out of the lungs.
- Fer-men-tā'-tion**, the peculiar change which sometimes takes place when moist animal or vegetable matter is exposed to the air at ordinary temperatures.
- Fi'-brin**, a substance made up of delicate threads or filaments, found in the plasma of blood.
- Fil'-a-ment**, a small thread-like substance.
- Flex'-or**, a bender; a term applied to muscles which bend inward limbs or parts.
- For'-ceps**, a seizing instrument shaped like tongs or pincers.
- Ful'-crum**, the prop upon which a lever rests.
- Func'-tion**, the special work which any part has to perform.
- Gān'-gli-a**, little gray masses of nervous matter.
- Gās'-tric Juice**, the principal digestive juice, secreted by the stomach.
- Glānd**, an organ whose function is to separate important substances from the blood.
- Glōt'-tis**, the opening at the top of the larynx.
- Hal-lū-ci-nā'-tion**, a false perception of the senses.
- Hēm'-or-rhage**, a flow or discharge of blood.
- Hŷ'-drō-gēn**, one of the four great elements.
- Hŷ-te'-ria**, a nervous disease frequent among women.
- In-ci'-sors**, the sharp, wedge-shaped front teeth.
- Iu'-dian Hemp**, an Eastern plant from the leaves of which an intoxicating drug is made.
- In-spi-rā'-tion**, the act of drawing air into the lungs.
- I'-o-dine**, the name of an element.
- James-town Weed**, a poisonous weed.
- Lāb'-y-rinth**, a part of the internal ear, winding and complicated in shape.
- Lāc'-te-als**, minute tubes that open into the intestines, and absorb nourishment.
- Lār'-ynx**, the upper box-like part of the windpipe.
- Lens**, a transparent substance, to converge or scatter rays of light.
- Lig'-a-ment**, an elastic membranous substance, connecting the ends of movable bones and other parts.

- Lu'-nar Caus'-tic**, nitrate of silver, a caustic.
- Lým-phăt'-ic**, a term applied to certain vessels and glands concerned with absorption.
- Ma'-nia à Pō'-tu**, madness caused by drinking.
- Me-dŭl'-la Ob-lon-gă'-ta**, the part of the central nervous system situated at the junction of the brain and spinal cord.
- Me-lan-chō'-li-a**, a disease characterized by great sadness and depression.
- Mi'-cro-scope**, an instrument through which can be seen very small bodies, invisible to the naked eye.
- Mō'-lărs**, the grinding teeth.
- Nar-cot'-ic**, a deadening agent which diminishes the activity of the nervous system.
- Neũ-răl'-gĭ-a**, pain in a nerve or nerves.
- Nĭc'-o-tĭne**, the active principle of tobacco.
- Nĭ-tro'-gen**, one of the four great elements.
- Nũ'-trĭ-tive**, pertaining to the processes by which the body is nourished.
- Œ-sōph'-a-gŭs** [*e-sof-fa-gus*], the tube running from the throat to the stomach, often called the gullet.
- Ol-făc'-to-ry**, belonging to the organ or sense of smell.
- O'-pĭ-um**, a narcotic drug made from the juice of the seeds of the poppy.
- Op-tic Chĭ'-ăsm**, the place of the crossing of the optic nerves; the optic commissure.
- Or'-găn**, a part of the body which has a special work or function.
- Ox-ĭ-dă'-tion**, the combining of a certain quantity of oxygen with a metal or other substance.
- Ox'-y-gen**, one of the four great elements.
- Pa-pĭl'-læ**, little points or elevations on the tongue.
- Pa-răl'-y-sis**, a disease which shows itself chiefly in loss of power of movement.
- Pa-rôt'-id Gland**, a gland which secretes saliva and is situated near the ear.
- Pec'-to-ral**, belonging to the breast or chest.
- Pel'-vis**, the bony cavity, forming the lowest part of the trunk.
- Phthis'-is** [*thĭ'-sis*], a destructive disease of the lungs, commonly called "consumption."
- Pĭ'-a Mă'-ter**, the inner membrane of the brain.
- Plăs'-ma**, the liquid and colorless part of the blood.
- Pneũ-mo'-nĭa**, inflammation of the lungs.
- Pons Va-ro'-li-i**, a mass of nerve-fibres at the base of the brain, joining together the cerebrum, the cerebellum, and the medulla oblongata.
- Pul'-mo-na-ry**, belonging to the lungs.
- Pulp**, a soft substance in the interior of the teeth.
- Pũ'-pil**, the hole or opening in the iris through which light passes to reach the retina.
- Pŷ-lō'-rŭs**, the ring or valve at the outlet of the stomach.
- Res'-pĭ-ră'-tion**, the whole process of breathing.
- Rêt'-i-na**, the inner, sensitive, nervous coat of the eye.
- Rêt'-i-nal Red**, the red coloring-matter found in the retina.
- Rick'-ets**, a disease, usually of children, showing itself by softness of the bones; rachitis.
- Sa-lĭ'-va**, a digestive fluid secreted by glands in the mouth.
- Sar-tō'-rius**, a muscle crossing the thigh, so named because a tailor uses it in crossing his legs. (Lat. *Sartor*, a tailor.)
- Sclē-rôt'-ic**, the hard, outer, white coat of the eye.
- Se-crē'-tion**, a function by which useful substances are separated from the blood; also applied to that which is secreted.

- Sē'-rūm**, a fluid-like whey which separates from the clot of blood.
- Sin'-ew**, another name for a *tendon*.
- Skēl'-e-ton**, the bony framework of the body.
- Sō'-le-us**, a muscle forming part of the "calf" of the leg.
- Stim'-u-lānt**, something which has the power to excite or increase the force of the nervous system.
- Struc'-tu-ral**, belonging to the structure or substance of an organ or part.
- Strych'-nia**, the name of a poison which acts on the nervous system.
- Syn-ō'-vī-al Flu'-id**, the juice or oil that moistens and lubricates the joints.
- Tēn'-dōn**, the white, fibrous cord by which a muscle is attached to a bone.
- Thō-rāç'-ic Duct** [*tho-ras-ik*], a duct which receives nutritious matter from the lacteals and pours it into the blood.
- Tī'-dal**, flowing in and out; a term applied to the air breathed in and out at each respiration.
- Tinc'-ture**, a solution of any medicinal substance in alcohol.
- Tis'-sues**, the solid substances of the body.
- Trā'-che-a** [*tra'-kee-a*], the windpipe.
- Tri'-ceps**, having three heads.
- Tri-chī'-na Spi-ra'-lis**, a spiral, hair-like worm sometimes found in meat.
- Tŷm'-pa-nūm**, the drum or hollow part of the middle ear.
- U-rē'-a**, one of the waste products of the body, secreted from the blood by the kidneys.
- Vā'-sō-mō'-tor Nerves**, nerves which go to blood-vessels.
- Vēr'-te-bræ**, the bones which make up the spinal column.
- Vil'-li**, little eminences on the mucous lining of the small intestine.
- Vis'-ce-ra**, the large organs contained in the cavities of the body.
- Vit'-rē-oŷs Hu'-mor**, a jelly-like, transparent mass filling the back part of the eye.
- Vo'-cal Chords**, elastic lips or cushions fixed to the sides of the larynx.





A.

Abdomen, contents of, 18.

Absinthe, 229.

Absorption, definition of, 149.

Air, composition of, 155; stationary and tidal, 161; the relation to health of pure, 166; the mode, in nature, of keeping pure, 166, 167; how rendered unwholesome, 167; amount required for health, 168; spoiled by one man's breath, 168; carbonic acid in, 168, 169; walls of buildings permeable to, 174, 175; temperature of, in living rooms, 176, 177; moisture in living rooms of, 177.

Air-Passages, diseases of, 170, 171.

Alcohol, derivation of the word, 210; use of, in medicine and science, 211; medical conclusions about, 212; in relation to cold and heat, 213; poisonous action of, 214; early symptoms of injurious effects of, 214; some special forms of poisoning by, 214; insanity caused by, 215; effect on muscular system, 216; physical endurance not increased by, 216; effect on the brain, 217; different stages in action of, on the nervous system, 217; nervous derangements produced by, 219; effect on the eye, 219; sleep produced by, 219; effect on the blood, 220; effect on the heart, 221; effect on the liver, 221; not food, 222; contrasted with food, 222; effect on digestion and stomach, 222; experiments with gastric juice, 223; effect on the lungs, 224; effect on the kidneys, 224; effect on dogs, 224; hereditary

diseases produced by, 225; vice and crime the result of, 225; shortens life, 226.

Alcoholic Beverages, 211.

Anatomy, definition of, 16.

Aorta, 128.

Apparent drowning, 190, 191.

Arachnoid, 82.

Arsenic, poisoning from, 200.

Arteries, derivation of word, 128; description of, 128, 129.

Asphyxia, derivation of word, 189; description of, 189, 190.

Atlas, derivation of word, 42.

Axis, situation of, 42.

B.

Backbone, description of, 38, 39.

Bathing, use of, 74.

Biceps Muscle, action of, 57, 58.

Blood, 117; quantity in the living body, 117; composition of, 118; clotting or coagulation of, 119, 120; water of, 121; mineral substances in, 122; uses of, 122; circulation of, 126; machinery for distributing, 126; absorption into, 151; need of oxygen in, 155, 156; how oxygen gets into the, 161, 162.

Body, divisions of, 17; cavities of, 17, 18; coverings of, 19.

Bones, structure of, 36, 37; composition of, 38; of the arm, leg, foot, skull, and wrist, 40, 41; uses of, 42; diseases of, 43; softness, in early life, 44; brittleness of, in old age, 44; effect of exercise on, 63.

Brain, where situated, 80; divisions

of, 80; membranes of, 81, 82; functions of, 82, 83; reflex action of, 87, 88; exercise of, 108; causes of disease of, 109.

Breathing, chief organs for, 156, 157; part played by the nose in, 157.

Bronchial Tubes, 159.

Burns, what to do for, 194.

C.

Callisthenics, 69.

Capillaries, derivation of word, and description of, 130.

Carbonic Acid, deadly effects of, 169; in the blood, 182.

Cells, 16, 17.

Cerebellum, 81.

Cerebrum, 81.

Chest, 160.

Chloral, habit, 230, 231.

Chyle, derivation of word, and description of, 149.

Crenation, description of the course of, 132.

Collar-Bone, 40.

Color-Blindness, 112.

Coma, cause of, 214.

Convulsions, description of, 193, 194.

Cooking, necessity of good, 140.

Copper, poisoning, 201.

Corrosive Sublimate, poisoning, 201.

Crowding, terrible results of, 170.

D.

Delirium Tremens, 214, 215.

Dementia, 215.

Development, one-sided, 43.

Diaphragm, situation of, 160, 161; description of, 160, 161; use of, 160, 161.

Digestion, meaning of word, 138; description of, 138; organs of, 144.

Dipsomania, derivation of word, 215; definition, 215.

Dissection, 16.

Distillation, 210.

Drinks, use of, 141.

Drug habit, dangers of, 231.

Dura Mater, 81, 82.

E.

Ear, divisions of, 101, 102; care of, 112, 113; insects in, 195, 196.

Eat, when and how to, 141.

Epiglottis, derivation of word, 159; use of, 159.

Excretion, definition of, 182; process of, 182, 183; by the skin, 183; by the lungs, 183, 184; by the kidneys, 184; similarity of excreting organs, 184.

Exercise, 62; muscular, 62; effect on various tissues and organs, 63; results of systematic, 64; deformities prevented or corrected by, 65; fitness, variety, and moderation in, 65; time for, 66; modes of, 69; physical, educational, 69; systematic, 69; outdoor, 73; development of both sides of body by, 75, 76; recreative, 76.

Expiration, 160.

Eye, media of, 96, 97; coats, or coverings of, 98; blending of light in, 99; sclerotic coat, 98; choroid coat, 98; foreign bodies in, 194, 195.

F.

Fainting, 192, 193.

Fat, 21.

Fermentation, 210.

Fibrin, composition of, 121.

Food, definition of, 137, 138; kinds of, 138; different classes of, 138, 139; remarks on the different kinds of, 139, 140; quantity required, 140.

Function, definition of, 16.

G.

Games, open air, 76.

Ganglia, where found, 80.

Gland, 20.

Glottis, derivation of word, 158; use of, 158.

Gymnastic, apparatus, 72.

Gymnastics, definition of, 69.

H.

- Head**, movements of, 42.
Hearing, organ of, 101; nerve of, 102; process of, 102.
Heart, description of, 126, 127; valves of, 127; contraction of, 130, 131.
Hygiene, definition and derivation of word, 16; rules of simple, 187.

I.

- Indian Hemp**, 230.
Inspiration, 160.

J.

- Joints**, description of, 47; immovable, 47, 48; movable, 48; hinge, ball-and-socket, and pivot, 48; ligaments of, 48, 49; pressure of air upon, 49, 50; unusual motion in, 50; uses of, 50; injuries of, 51.

K.

- Kidneys**, description of, etc., 184.

L.

- Lacteals**, derivation of word, 149; use of, 150.
Large Intestine, 151.
Larynx, description of, 157, 158.
Livers, description of, 58, 59.
Limbs, movements of, 54.
Liver, circulation through, 133.
Locomotion, definition of, 53.
Lunar Caustic, 201.
Lungs, where situated, 160; diseases of, 170; clothing with reference to the, 170.
Lymphatics, description of, 150; use of, 151; glands, 151.

M.

- Mania**, 215.
Maui-a-potu, 214, 215.
Medulla Oblongata, 81.

Melancholia, 215.

Motion, 53.

Month, food in, 146, 147.

Mucous Membrane, description of, 20.

Muscles, 54; names of, 56; different parts of, 56; structure of, 57; contraction of, 57; action of, 59; effect of exercise on, 63.

Muscular Contractility, 62.

N.

Narcotics, 209.

Nerves, definition of, 80; kinds of, 83; cranial, 85; spinal, 86; in-coming and out-going, 86; sensory and motor, 87; sympathetic system of, 88; auditory, 102, 103.

Nervous System, parts of, 80; gray and white matter of, 80; importance of caring for, 108; causes of diseases of, 109.

Nose, foreign bodies in, 196; bleeding from the, 196, 197.

Noxious Gases, asphyxia from, 191, 192.

Nux Vomica or Strychnia, poisoning from, 201.

O.

Opium, habit, 230; poisoning from, 201, 202.

Organ, definition of, 16; functions of, 21.

Oxidation, 162.

P.

Paralysis, 109, 110.

Phosphorus, poisoning from, 201.

Physiology, derivation of word, 15; definition of, 15; human, 15, 16.

Pia Mater, 82.

Poisons, mode of procedure in cases of poisoning, 198, 199; different classes of, 199.

Pons Varolii, 81.

Pure Water, 141, 142.

R.

Red Corpuscles, 118, 119.
Retina, 99, 100.
Ribs, position of, 40.
Rickets, 43, 44.
Riding, 75.
Rowing, 74, 75.
Running, 74.

S.

Scalds, 194.
Seeing, process of, 100.
Sensation, definition of, and explanation of, 95.
Sense, of feeling, 96; of sight, 97, 98; of smell, 103, 104.
Serum, composition of, 120, 121.
Shoulder-blade, position of, 40.
Sight, defects of, 111; how to preserve, 111, 112.
Sitting, 73.
Skeleton, definition of, 36; human, 36; number of bones in, 36.
Skin, description of, 19; appendages of, 19; lining of, 20.
Sleep, 110.
Small Intestines, 147.
Special Senses, 96; cultivation of, 113.
Speech, 158.
Spinal Canal, 18.
Spinal Cord, description of, 83; reflex action of, 87, 88.
Spine, movements of, 42.
Spleen, 133.
Sprains, 194.
Standing, 73.
Stimulants, 209.
Stomach, 147.
Sugar of Lead, poisoning from, 201.
Swimming, 74.
Sympathetic System, 88, 89.
Synovial Fluid, 47.

T.

Tartar Emetic, poisoning from, 201.
Taste, 103.
Teeth, 144.
Tendon of Achilles, 56, 57.
Tendons, 56.
Thoracic Duct, 150.
Throat, foreign bodies in, 196.
Tissue, definition of, 16; connective, 20.
Tobacco, history of the use of, 226; derivation of the word, 226; composition of, 227; effects of different constituents, 227; general physiological effects, 227; evil effects on the young, 227; effects on the nervous system, 228; on sight and hearing, 228; on the lips, tongue, and teeth, 228; on the heart, 229; on the digestion, 229; on the lungs, 229.

U.

Urea, 182.

V.

Veins, 130.
Ventilation, derivation of word, 173; definition of, 173; objects to be aimed at in, 173; natural, 174; artificial, 175, 176; relation of inlets to outlets in, 176; of school-room, and public building, 177, 178; bed-room, 178.
Vertebrae, derivation of word, 39; construction of, 39.
Villi, 149.
Vocal Chords, 158.
Voice Box, 157, 158.

W.

Walking, 73, 74.
Waste, 180.
Wear, 180.
White Corpuscles, 119.
Windpipe, 157.
Wounds, bleeding from, 197, 198.

8570- RB

Date Due

SEP 15 1991			
DEC 12 1992			
DEC 01 1992			
FEB 10 1994			
FEB 09 1994			
DEC 16 1994			
DEC 16 1994			
NOV 17 2000			
NOV 15 2000			
JAN 10 2007			
DEC 1 2006			

TRENT UNIVERSITY



0 1164 0021796 8

QP36 .M655

Mills, Charles Karsner

Physiology and hygiene

DATE

ISSUED TO

122958

Binding class

122958

